

# T站签证信息库建设项目验收交付标准（中英文对照版）

## T-Site Visa Information Base Construction — Acceptance & Delivery Standard

✶ 本标准的制定原则：以官方信源为准、以数据质量为核心、以可在线核查为前提、以量化指标为判据。

Guiding principle: **Authoritative sources first** · **Data quality as the core** · **Online verifiability as the premise** · **Quantitative metrics as the basis.**

### 一、验收依据 / I. Acceptance Basis

项目验收应依据以下文件进行：

Project acceptance shall be carried out in accordance with the following documents:

- 双方签订的项目合同或合作协议（含合同附件）；  
The contract or cooperation agreement signed by both parties (including its annexes);
- 经双方确认的需求规格说明书（含 25 个必填字段的数据字典及字段口径定义）；  
The mutually confirmed requirements specification (including the data dictionary of the 25 required fields and the field-caliber definitions);
- 本验收交付标准；  
This Acceptance & Delivery Standard;
- 其他经双方确认、具有约束力的文件。  
Other binding documents mutually confirmed by both parties.

### 二、验收组织 / II. Acceptance Organization

#### 2.1 验收小组组成 / 2.1 Acceptance Team Composition

验收小组应由以下人员组成：

The acceptance team shall be composed of:

- 组长：**由甲方（运营方）指定，全面负责验收组织、进度裁定与验收结论确认；

- **Team Leader:** designated by Party A (the operator), fully responsible for acceptance organization, progress ruling and conclusions;
- **组员:** 运营验收人员、签证业务代表、技术评审人员、使用单位代表等;
- **Members:** operations acceptance staff, visa business representatives, technical reviewers, end-user representatives, etc.;
- 验收组成员人数应为 **3 人以上单数**。
- The team size shall be an **odd number of 3 or more**.

## 2.2 各方职责 / 2.2 Responsibilities of Each Party

| 角色 Role                                       | 职责 Responsibilities                                                                                                                                                                                                                                           |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>建设单位（甲方，运营方）</b><br>Party A (the Operator) | 组织验收工作；审核验收材料；管理在线测试链接权限；执行数据抽样核对与指标测算；签署验收意见与验收报告。<br>Organize acceptance; review materials; manage online test-link permissions; perform data sampling and metric measurement; sign acceptance opinions and reports.                                        |
| <b>承建单位（乙方）</b><br>Party B (the Contractor)   | 提交验收申请；提供符合前置要求的在线测试环境与全部验收材料；配合验收测试、抽样核对与问题整改；参与各阶段验收并签署验收报告。<br>Submit acceptance application; provide a compliant online test environment and all materials; cooperate in testing, sampling and rectification; participate in all stages and sign reports. |
| <b>使用单位</b><br>End-user Unit                  | 出具用户使用报告，确认系统满足业务使用需求。<br>Issue a user-usage report confirming the system meets business needs.                                                                                                                                                               |

## 三、验收流程 / III. Acceptance Process

### 3.1 验收阶段划分 / 3.1 Acceptance Stages

本项目验收按以下五个阶段推进，**前一阶段验收通过是进入下一阶段的必要条件**：  
Acceptance proceeds in five stages; **passing the preceding stage is a precondition for entering the next one**:

| 阶段 Stage | 主要工作 Main Work | 出口标准 Exit Criteria |
|----------|----------------|--------------------|
|          |                |                    |

|                                      |                                                                                                                 |                                                                                            |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| 1. 承建单位自测<br>1. Contractor Self-Test | 乙方完成开发与自测，提供在线测试链接与自测报告<br>Party B completes development & self-test, provides online link and self-test report | 自测通过，在线链接可正常访问<br>Self-test passed; online link accessible                                 |
| 2. 联调验收<br>2. Joint Debug Acceptance | 双方联调测试，核对后台功能、数据完整性与导出能力<br>Joint testing on backend functions, data completeness & export                      | 联调问题清零，或遗留问题经甲方书面确认豁免<br>No outstanding issues, or waivers confirmed in writing by Party A |
| 3. 灰度验收<br>3. Canary Acceptance      | 选取 T 站 1-2 个站点灰度上线，验证真实数据质量<br>Go-live 1-2 T-Station sites to verify real data quality                          | 灰度数据抽检达标，无阻断性问题<br>Gray-site spot check passes, no blocking issues                         |
| 4. 全量验收<br>4. Full Acceptance        | 全量站点上线（一期不少于 18 个站点），执行验收抽样<br>Full go-live ( $\geq 18$ sites in Phase 1), run acceptance sampling              | 各项量化指标达到第 6 章要求<br>All quantitative metrics meet Chapter 6                                 |
| 5. 持续监控验收<br>5. Ongoing Monitoring   | 运行期质量监控、周期性校对与错误反馈闭环<br>Runtime quality monitoring, periodic review and feedback loop                           | 运行期指标持续达标，最终验收报告签署<br>Sustained compliance; final report signed                            |

每阶段验收均须交付：**测试报告、验收清单、双方签署的验收报告**，三项材料缺一不可。  
Each stage must deliver three mandatory items: **test report, acceptance checklist, and acceptance report signed by both parties.**

## 四、验收标准 / IV. Acceptance Standards

### 4.1 功能验收标准 / 4.1 Functional Acceptance Standards

#### 4.1.1 交付范围与优先级 / 4.1.1 Scope and Priority

系统功能须全部实现，符合合同及需求规格说明书的要求，业务流程完整闭环。交付物按以下优先级排序：  
All functions must be fully implemented per the contract and requirements specification, forming a complete closed-loop. Deliverables are prioritized as follows:

| 优先级 Priority           | 交付物 Deliverable                                 | 定位 Positioning                                                                                   |
|------------------------|-------------------------------------------------|--------------------------------------------------------------------------------------------------|
| P0（最高）<br>P0 (Highest) | 信息质量管控后台<br>Information Quality Control Backend | 运营日常检查、信息验收、变更的唯一核心入口<br>Single core entry for daily checks, info acceptance & change management |
| P1                     | 签证信息查询器<br>Visa Information Query Tool          | 快速查询办签建议<br>Quick visa-advice query                                                              |
| P2                     | 签证信息展示页<br>Visa Information Display Page        | 面向无明确目的地的科普展示<br>Educational display for undecided users                                         |
| P3                     | AI 问答交互<br>AI Q&A Interaction                   | 智能签证信息助手<br>An intelligent visa-advice assistant                                                 |

**前提判定：**信息质量管控后台是否可用，是判定本次交付是否达标的前提；后台不达标即整体验收不通过。

**Precondition:** the availability of the information-quality-control backend is the premise for judging whether the delivery meets requirements; otherwise the overall acceptance fails.

4.1.2 信息质量管控后台功能验收要求 / 4.1.2 Backend Functional Requirements

后台须支撑运营完成全量抽查、信息验收与变更管理：

The backend must support operations in full spot-checks, information acceptance and change management:

| 能力 Capability                        | 功能要求 Functional Requirement                                                                        | 验收要点 Acceptance Point                        |
|--------------------------------------|----------------------------------------------------------------------------------------------------|----------------------------------------------|
| 多维抽查<br>Multi-dimensional Spot Check | 按站点 / 护照类型 / 目的地 / 签证类型 / 字段切片抽查<br>slice by station / passport / destination / visa type / field  | 支持组合筛选<br>supports combined filtering        |
| 逐字段校验清单<br>Per-field Checklist       | 显示每条 25 字段填写状态（已填 / 缺失 / 未过审）<br>show fill status of each record (filled / missing / not-approved) | 完整度可见<br>completeness visible                |
| 变更管理<br>Change Management            | 每次更新后高亮并区分新增 / 修改 / 删除，可查历史<br>highlight after each update; distinguish add / modify /             | 展示页与后台同步<br>display page synced with backend |

|                               |                                                                                                  |                                                         |
|-------------------------------|--------------------------------------------------------------------------------------------------|---------------------------------------------------------|
|                               | delete; history searchable                                                                       |                                                         |
| 问题反馈闭环<br>Issue Feedback Loop | 一键标记 → 通知信息方核实 → 修正 → 运营复核 → 上线<br>one-click flag → notify provider → correct → review → go-live | 全程可追踪<br>fully traceable                                |
| 信息质量等级<br>Info. Quality Level | 自动标注置信度（高 / 中 / 低）<br>auto-label (High / Medium / Low)                                           | 低置信度拦截，经运营确认后展示<br>block low-confidence until confirmed |
| 来源追溯<br>Source Traceability   | 每条绑定官方来源 URL<br>bind official source URL to each record                                          | 来源可点击核查<br>source clickable to verify                   |
| 批量导出<br>Batch Export          | 按筛选条件导出 Excel（25 字段 + 来源 + 置信度）<br>export Excel by filter                                        | 支持离线验收<br>supports offline acceptance                   |

4.1.3 功能完整性与缺陷分级 / 4.1.3 Functional Completeness & Defect Grading

乙方须按需求要求提供**可靠、完整**的功能，功能完整性验收以需求文档为唯一基准：  
Party B must deliver **reliable, complete** functions per the requirements; the requirements document is the sole baseline:

- **功能覆盖完整**：需求功能须全部实现，无遗漏、无擅自裁剪或降级；范围调整须经甲方书面确认；  
**Full coverage**: all required functions must be implemented without omission or downgrade; any scope change requires written confirmation by Party A;
- **功能实现可靠**：各模块运行正常、结果正确、流程闭环；不得以演示脚本或硬编码数据替代真实实现；  
**Reliable implementation**: modules run correctly with closed-loop flows; no demo scripts or hardcoded data;
- **功能与需求一致**：定制功能行为与需求描述一致，界面、交互、数据口径无偏差；  
**Consistency**: custom behavior matches the requirements — UI, interaction and data calibers all align;
- **需求追溯可查**：乙方须提供「需求—功能」对照表，逐项给出实现情况与验证方式。  
**Traceability**: Party B provides a requirement-to-function matrix with implementation and verification notes.

验收缺陷分级门槛：  
Defect-grading thresholds:

|  |  |  |
|--|--|--|
|  |  |  |
|--|--|--|

| 缺陷等级 Defect Level | 判定标准 Criteria                                                                                       | 门槛 Threshold                                        |
|-------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------|
| 致命 / Critical     | 系统崩溃、数据丢失损坏、安全漏洞、核心功能完全不可用<br>crash, data loss/corruption, security hole, core function unavailable | 0 个<br>0                                            |
| 严重 / Major        | 主要功能无法正常使用或输出结果错误<br>major functions unusable or wrong output                                       | 0 个<br>0                                            |
| 一般 / Minor        | 次要功能异常或偏差，不影响主流程使用<br>minor anomaly not blocking main flow                                          | 有明确修复计划并经甲方确认<br>clear fix plan approved by Party A |
| 轻微 / Cosmetic     | 界面、文案、提示等瑕疵<br>cosmetic flaws in UI/copy/hints                                                      | 可遗留，登记缺陷清单<br>can remain, logged in defect list     |

**判定基准：**需求文档已实现条目占比须为 **100%**，且致命、严重级缺陷均为 **0 个**，方可判定功能完整性验收通过。

**Decision basis:** the implemented-rate of requirement items must be **100%**, and both fatal and major defects must be **0**, for functional completeness to pass.

## 4.2 数据质量验收标准 / 4.2 Data Quality Standards

### 4.2.1 信息来源与采信规则 / 4.2.1 Sources and Acceptance Rules

- 官方信源优先：**能获取官方信源（使领馆、移民局、政府机关、官方签证服务商官网等）一律以官方为准；**禁止**以 AI 推断、推测、类比等方式生成或补齐信息。

**Official sources take priority:** where available (consultates, immigration authorities, government agencies, official visa-service portals), always use official info; generating/filling data via AI inference, speculation or analogy is **prohibited**.

- 无官方信源时交叉验证：**使用多条高可信信源（国家移民局、权威旅行机构等）交叉验证、结论一致方可采信；每条来源须逐条绑定 URL。

**Cross-validation in the absence of official sources:** use multiple high-credibility sources; adopt only when consistent; bind each URL.

- 多源冲突或仅低可信信源：**一律标注低置信度并拦截至运营核实，不得直接对客展示。

**Conflicting / low-credibility-only sources:** label as low-confidence and block pending operations review; never display directly.

### 4.2.2 抽样方法与计算口径 / 4.2.2 Sampling Methodology & Definitions



- **抽样单元**：按站点，以「护照类型 × 目的地」组合为单元，逐字段与官方比对；无法确定官方信源的字段做多源交叉验证。

**Sampling unit**: per station, by "passport type × destination"; compare field-by-field to official sources; cross-validate fields without an official source.

- **准确性口径 Accuracy**: 准确性 = 交叉验证通过数 ÷ 抽样字段总数。**政策类（红线）字段须 100% 达到高等级质量**；其余字段准确率 ≥99.5%。

Accuracy = passed / sampled fields; policy (red-line) fields must be **100%** high-quality; others ≥99.5%.

- **完整度口径**：完整度 = 必填 25 个字段全部填满且非空的记录数 ÷ 记录总数。

Completeness = records with all 25 required fields filled (non-null) / total records.

4.2.3 信息质量分级标准 / 4.2.3 Info. Quality Grading

| 等级 Grade   | 判定标准 Criteria                                                                                                   | 处理方式 Handling                    |
|------------|-----------------------------------------------------------------------------------------------------------------|----------------------------------|
| 高 / High   | 有官方信源且信息完整、无冲突；或无法确定官方信源但多源高度一致<br>official source, complete & conflict-free; or highly consistent multi-source | 直接展示 Display directly            |
| 中 / Medium | 多源大体一致但有部分字段缺失，或已有官方信源但个别字段待补<br>mostly consistent with some gaps, or official but a few fields pending         | 展示并标注关联 Display with source      |
| 低 / Low    | 多源冲突，或仅有低可信信源且无法交叉验证一致<br>conflicting, or low-credibility that cannot be cross-verified                         | 拦截至运营确认后展示 Block until confirmed |

4.3 时效性验收标准 / 4.3 Timeliness Standards

| 场景 Scenario                        | 时效要求 Threshold                  |
|------------------------------------|---------------------------------|
| 政策类变更 / Policy changes             | 48 小时内更新上线<br>update within 48h |
| 紧急政策变更 / Urgent policy changes     | 24 小时内更新上线<br>update within 24h |
| 每一次信息更新 / Every information update | 同步产生后台变更记录并高亮                   |

|                              |                                                                             |
|------------------------------|-----------------------------------------------------------------------------|
|                              | log + highlight in backend                                                  |
| 周期性校对 / Periodic review      | 每月全量检验一次，每季度双向抽样一次<br>monthly full check; quarterly bi-directional sampling |
| 错误反馈闭环 / Error-feedback loop | 反馈 → 确认 → 修正 → 回执，全程 ≤48 小时<br>end-to-end≤48h                               |

## 4.4 性能、稳定性与可用性验收标准 / 4.4 Performance, Stability & Availability

- 批量导出：单次不少于 **10,000 条**，过程不超时、结果不丢失；  
Batch export ≥10,000 rows, no timeout/loss;
- **系统稳定性**：系统 7×24 小时连续运行，无致命、严重级故障；  
7×24 uptime, no fatal/major faults;
- **系统可用性**：线上服务可用性 ≥**99.99%**（月度计，计划内维护可对甲方报备且不计入）；  
availability ≥99.99% monthly (excl. scheduled maintenance);
- **灾难恢复（RTO）**：故障后恢复时间 ≤1 小时；数据每日至少全量备份一次；  
RTO ≤1h; daily full backup;
- **监控与告警**：提供运行监控与告警机制，故障可及时发现、定位与通报；  
monitoring & alerting; prompt detection, locating and notification;
- **在线环境**：浏览器直接打开即可使用、免准备环境；  
online environment openable in browser without install.

## 4.5 文档验收标准 / 4.5 Documentation Standards

- 交付文档完整、准确、规范，与系统实际发布版本一致；  
documents complete, accurate, standardized and matching the actual release;
- 各阶段测试报告、验收清单、报告及变更记录齐全、全程可追溯；  
reports, checklists and change records complete and traceable;
- 数据导出附字段说明，数据口径与线上一致，或标明快照时间戳；  
each export with field description, caliber consistent with online data, or snapshot timestamp.

## 五、交付物清单 / V. Deliverables

### 5.1 交付物清单 / 5.1 Deliverables List



| 序号 No. | 分类 Category      | 交付物名称 Deliverable                            | 形式与要求 Form & Requirement                      |
|--------|------------------|----------------------------------------------|-----------------------------------------------|
| 1      | 软件系统<br>Software | 信息质量管控后台 Information Quality Control Backend | 在线访问链接 (P0) / Online link (P0)                |
| 2      | 软件系统<br>Software | 签证信息查询器 Visa Information Query Tool          | 在线访问链接 Online link                            |
| 3      | 软件系统<br>Software | 签证信息展示页 Visa Information Display Page        | 在线访问链接 Online link                            |
| 4      | 软件系统<br>Software | AI 问答交互 (智能助手) AI Q&A Interaction            | 在线访问链接 Online link                            |
| 5      | 数据资产 Data        | 签证信息库数据集 (25 字段 + 来源 + 置信度) Dataset          | Excel (.xlsx) 导出, 见 5.2 Excel export, see 5.2 |
| 6      | 数据资产 Data        | 变更记录与变更清单 Change Log & List                  | 后台在线展示, 支持导出 Online display + export          |
| 7      | 验收文档 Docs        | 各阶段测试报告 Test Report (each stage)             | 电子文档 E-doc                                    |
| 8      | 验收文档 Docs        | 各阶段验收清单 Acceptance Checklist                 | 电子文档 E-doc                                    |
| 9      | 验收文档 Docs        | 双方签署的验收报告 Signed Acceptance Report           | 电子文档 (另可纸质) E-doc (or paper)                  |
| 10     | 用户文档 User Doc    | 后台操作说明、数据口径说明 Backend & caliber manual       | 电子文档 E-doc                                    |

## 5.2 数据导出专项要求 / 5.2 Data Export Requirements

- 文件格式为 .xlsx, 含**字段说明 sheet**与**数据 sheet**两张工作表;  
.xlsx with a field-description sheet and a data sheet;
- 字段范围: 25 个基础字段 (含 5 个来源字段) + 置信度;  
25 base fields (incl. 5 source fields) + confidence;
- 单次导出 **≥10,000 条**, 支持按站点 / 目的地 / 签证类型筛选;  
≥10,000 rows per export, filterable by station/destination/visa-type;
- 离线数据与线上保持同步; 无法同步须标注快照时间戳。  
offline data kept in sync with online, or marked with a snapshot timestamp.

## 5.3 验收过程文档 / 5.3 Acceptance Process Documents

各阶段须形成并归档：验收计划、验收小组名单、验收清单（功能清单与数据抽样清单）、验证与整改记录、不合格说明、会议纪要、双方签署的验收报告。

Each stage must archive: acceptance plan, team roster, checklists (functional & sampling), verification and rectification records, nonconformance notes, meeting minutes, and the signed acceptance report.

## 六、验收合格标准 / VI. Acceptance & Qualification Criteria

### 6.1 验收指标汇总表 / 6.1 Metric Summary

| 维度 Dimension                  | 指标口径 Metric Definition                                | 目标值 Target    |
|-------------------------------|-------------------------------------------------------|---------------|
| 功能完整性 Functional completeness | 需求功能覆盖率 Implementation coverage of required functions | 100%          |
| 字段完整度 Field completeness      | 已填字段数 ÷ 必填字段总数 filled / required (25)                 | ≥99%          |
| 信息准确率 Accuracy                | 抽样核对无误数 ÷ 抽样总数 verified / sampled                     | ≥99.5%        |
| 置信度水平 Confidence              | confidence ≥ 中等级记录占比 ratio of Medium-or-above         | ≥90%          |
| 信源覆盖率 Source coverage         | 绑定官方 URL 的记录占比 with official URL                      | 100%          |
| 站点覆盖率 Station coverage        | 已上线 / 目标站点数 launched / target                         | 一期 ≥18        |
| 系统可用性 Availability            | 月度服务可用时长占比（计划内报备除外） monthly                           | ≥99.99%       |
| 灾难恢复 RTO                      | 故障发生到恢复时间 recovery time                               | ≤1 小时         |
| 政策更新时效 Policy timeliness      | 变更确认到更新上线 change-recognition to deploy                | ≤48h（紧急 ≤24h） |
| 错误反馈时效 Error-feedback         | 反馈提出到闭环关闭 report to close                             | ≤48h          |
| 后台功能可用 Backend readiness      | 抽查/高亮/闭环/导出等必备功能全部可用                                  | 合格 pass       |

注：本表为第四章量化要求之汇总，作为验收测量统一口径，验收时须逐项测量并记录实测。

Note: this table consolidates the quantitative requirements of Chapter IV as the unified acceptance-measurement basis; each item must be measured and recorded during

acceptance.

## 6.2 合格判定条件 / 6.2 Conditions for Passing

### 1. 第四章各项验收标准全部满足；

Chapter-4 standards all satisfied;

### 2. 6.1 指标全部达标；

All metrics in § 6.1 met;

### 3. 前置要求满足、过程文档完整并经双方签署确认。

Preconditions met; process documents complete and signed by both parties.

**注意：**量化指标任一项不达标，或信息质量管控后台不可用，均判定为验收不通过；乙方须限期整改并重新申请验收。

**Note:** failure of any quantitative metric, or an unavailable quality-control backend, results in failed acceptance; Party B must rectify within the deadline and re-apply.

## 七、附则 / VII. Supplementary Provisions

### 1. 适用范围：本标准适用于 T 站签证信息库建设各阶段（自测、联调、灰度、全量、持续监控）的验收交付工作；This standard applies to all stages of the T-Station visa information base project (self-test, joint debug, gray, full, ongoing monitoring);

### 2. 标准变更：本标准的修订须经双方书面确认后方可生效；

Any revision requires written confirmation by both parties;

### 3. 未尽事宜：由双方协商解决，并以书面补充协议为准。

Unsettled matters shall be resolved through negotiation, with written supplemental agreements prevailing.