

Revised 2026-09-10 | Deliverable No. 10 | English + 简体中文

Data Caliber Manual - T-Station Visa Information Base

Current implementation rules, revised 2026-09-10. This document describes the verification and serving contract. The requested 100% coverage and documented-state completeness remain targets to be achieved; unknown or pending cells cannot be promoted to documented Not applicable/Not published without support. It does not certify that every stored field has been verified or that every official page is readable.

Route identity and record projection

One canonical decision covers each nationality, destination, travel purpose and travel document. Residence, itinerary and travel dates do not create another model verdict. Residence still matters for explicitly scoped consular fees and procedure. Evidenced effective-date rules determine dated policy changes.

The mapper in `backend/app/visa_snapshot/tstation.py` projects the agreed field dictionary, with one record per visa product. Missing facts remain missing. Calendar months and years preserve exact wording in `max_stay_text` and exported `special_conditions`; they are not multiplied by 30 or 365. Hour-based validity converts to days only for exact multiples of 24. Otherwise numeric fields remain null and exact text is retained. Processing estimates are not guarantees.

Dictionary field 24, `info_validity`, is only the policy's explicitly recorded published end date. If no end date is known it stays null; an internal cache deadline must never fill this field. Product-specific policy dates take precedence, and a separate permission cannot inherit another permission's expiry. `freshness_valid_until` is separate metadata for the internal recheck deadline. Neither that deadline nor a successful refresh extends the policy. Reviewed disposition provenance can also supply its `effective_to` policy date, using the bound's own official-jurisdiction source, verification date and exact quoted date. An inherited `policy_interval_evidence` notice retains its original evidence; bare interval dates or unrelated field dates do not fill this column.

The user-approved completion target counts documented Not applicable and Not published states as complete across all 25 fields. Unknown, unsupported, optional-empty and pending-review cells remain gaps; policy values must not be invented to raise the score. `acceptance_summary` separately exposes documented completed cells/records and disposition counts. These measure recorded states, not an independent verification that every recorded disposition is correct.

Both literal non-null diagnostics remain: filled cells / all 25 cells, and records with all 25 non-null / all records. They exclude no blanks. The separate operational applicable 20 metric uses the configured 20 required fields and excludes not-applicable/source-confirmed not-published cells from its denominator.

On the 2026-09-10 02:29 UTC snapshot, documented 25 completeness is $29,093 / 35,500 = 81.9521\%$, including 3,225 disposition cells; 0 of 1,420 records are complete across all 25. Operational applicable 20 completeness is 87.32%; literal non-null 25 cells are 72.9718%. None is a claim of 100% completion or accuracy. The documented-state result was recomputed with the follow-up metric code from the

recorded snapshot, not inferred from the older response's summary. The export splits item 5 into requirement and subcategory, producing 26 columns; the subcategory does not become a 26th contractual field. The offline acceptance auditor validates the exact dictionary and the API's declared complete row count.

An ETA, an advance visa and a visa on arrival are different permission types. An electronic visa is still a visa. Alternate products keep their own fees, validity, documents and procedure. ETA procedure cannot become an alternate visa's facts. Electronic and paper visa procedures are isolated when different.

Source verification and confidence

The records expose source_check separately from confidence:

Source check	Meaning
human-quote	Explicit human verdict provenance, official source, substantive note and actual verification date.
ai-quote	Recorded verdict evidence attributed to an AI check. Missing historical verifier identity defaults to AI.
grounded-consistent	A successful current evidence-contract check was consistent and explicitly verified disposition.
reference	A source link exists, but required verdict evidence is absent.
unchecked	No source link is available.

The configured display has two grades, High and Low. Complete official-source checked records with supported required values and no unresolved dispute can be High. Accepted AI and human source checks use the same grade; authorship remains explicit in provenance. Missing evidence, field gaps, public edits, invalid provenance and disputes remain Low. A model's self-rating or an official URL alone is never verification. There is no current Medium output. Trip.com's written standard describes a three-level ladder; the configured binary display must not be described as an unchanged implementation of that ladder or evidence of contractual acceptance.

A fresh automated check can support a grade when historical human provenance is incomplete; it cannot retrospectively establish human verification. At grading time, imported manual notes are checked for substantive text, official source and valid nonfuture date. The grader does not reinterpret every multilingual note's semantic relevance. The operator's factual judgment remains auditable through source and per-field provenance.

Source labels, completeness and link coverage are separate measures. Completeness-only Low does not create a hold. QC retains every product and its evidence. Product held and default route_held are distinct. A current, supported exemption may publish while an unsupported optional product remains withheld, if no route conflict or prior hold remains. The traveler sees a partial-publication notice and supported guidance. Entry conditions cannot be discarded to permit publication. Reports distinguish default availability from full product coverage. Source disputes, pending detail, stale readers and invalid policy dates remain blocked.

Evidence contract and corrections

An automated verdict check counts only under the current evidence contract (version 2), after a successful route-supported read with disposition in `verified_fields`. Legacy consistent flags and ancillary-only checks cannot verify a verdict.

Fetch evidence must match nationality, purpose, document and effective period. Corrections require a quote present in the source and support for the exact field value. A number elsewhere on a page, another nationality's table row or an ETA eligibility page alone is insufficient proof. Ambiguous tables and unsupported claims remain for review. Shared authority rules check official domains and jurisdiction; commercial pages are not official verification.

Overrides validate vocabulary and shapes. Fees/products need a verified verdict or detail. Invalid historical machinery is quarantined with diagnostics while independently valid ancillary facts can survive. Per-field provenance retains human or AI authorship. A narrow correction does not verify unrelated fields or sibling products.

Freshness and unresolved fields

The `systemd` timer starts a cycle every six hours. Four workers check canonical routes independently, with a 75-second route budget and a five-hour cycle budget. The 5,000-row selection cap exceeds the current inventory; work that cannot be attempted before the deadline stays visible in the backlog. A 15-minute duplicate-attempt window prevents immediate repeats without skipping routes checked late in the previous six-hour cycle. Source rotation covers supporting fee and detail pages as well as the headline source.

Scheduled and on-access checks attempt to read official sources. A failed read is a failed attempt, not new verification, and can preserve an earlier effective check. A later readable but irrelevant page cannot perpetuate an unsupported source claim.

Whole-row freshness extension requires support for all populated substantive fields and no outstanding disputes, unsupported proposals or unread required sources. Verifying the verdict alone cannot renew fees, stays and products. Operator reporting distinguishes attempts, successful reads, field coverage and freshness. A completed sweep does not establish that every field is accurate. The console reports the actual timer and durable worker status, including unfinished attempts, partial checks, unreadable sources and errors. A missing timer or dead worker cannot be displayed as a confirmed upcoming/completed run.

The monthly reporter and hardened offline auditor recompute all 25 metrics from the full records response, including public pending/unpublished metadata, rather than trusting a supplied summary. The monthly report retains operational metrics alongside literal 25 and documented 25 counts. Keep the timestamped snapshot and hash for reproducibility. Scheduled attempts, successful reads and recorded completion dispositions are distinct from verified policy accuracy.

Historical documentation

The current bilingual HTML/PDF manuals and `requirement-ledger.html` replace the September 3 warranty-date and three-tier descriptions. They follow the current Markdown/manual and export dictionary. Earlier acceptance archives remain dated historical evidence; their PASS labels or signatures cannot be inferred as acceptance of this release.

Reader and saved-workflow gates

Lookup, questions, comparisons, intake and dataset grading share the verdict evidence rule. Held responses retain only identity and safe status metadata; guidance, workflow steps, provenance notes and other claim-bearing containers are removed. Held and comparison replies use deterministic prose so old conversation history cannot restore withdrawn claims. Independently verified special-policy notices retain their own scope.

Saved routed cases use the current canonical cached answer when available, apply the same gate and refresh their verdict, continuation kind and checklist. Uploaded documents and submission bindings are preserved. A new hold blocks document-stage completion, application start, service transitions and appointment packets. Visa-on-arrival cases can complete preparation but cannot start an advance visa filing. Cases outside the route-guidance workflow retain their separate rules.

An operator release cannot override a material contradiction, pending detail stage or active source dispute. Low-confidence display follows the configured hold policy, which production must keep enabled. Corrections and saved-case requirement updates are recorded for review.

Appendix: exact field dictionary

The operational required/if-available column describes the implementation. Formal literal²⁵ acceptance metrics count every numbered field; no field is silently waived.

#	Field / export key	Operational status	Definition
1	travel_document_type	Required	Type of travel document held
2	travel_document_country	Required	Document issuing country (applicant nationality)
3	destination_country	Required	Visa destination
4	travel_purpose	Required	User's travel purpose
5	visa_requirement	Required	Visa-free / Visa on Arrival / Visa Required in Advance
5a	visa_requirement_detail	Item 5 subcategory	Field 5's subcategory: Unconditional / Conditional / Transit Visa-free, eVisa or Paper Visa on Arrival, eVisa / Paper Visa / ETA Electronic Authorization

#	Field / export key	Operational status	Definition
6	visa_type_name	Required	Visa type name for this purpose and destination
7	validity_duration	Required	How long the visa is valid after approval (number)
8	validity_unit	Required	Day / Month / Year / Long-term Valid
9	max_stay_duration	Required	Maximum length of stay per entry (number)
10	max_stay_unit	Required	Hour / Day
11	entries	Required	Single / Multiple / Unlimited
12	processing_min_days	If available	Shortest time from submission to visa issuance
13	processing_unit	If available	Working Day / Calendar Day
14	visa_fee_amount	Required	Official visa fee amount (consular fee only)
15	visa_fee_currency	Required	ISO 4217 currency code
16	application_method	Required	Embassy Submission / Online Application / Agency Service / On-arrival Processing / Government Office Submission
17	required_documents	Required	Core document checklist, comma separated
18	consulate_district	If available	Consulate district divisions, if any
19	entry_requirements	If available	Other entry requirements besides the visa
20	special_conditions	If available	Special policies or restrictions
21	data_source	Required	Information source website / organization
22	source_url	Required	Specific page link
23	collected_at	Required	Data collection date
24	info_validity	Required	Published policy validity end date, when known. Blank when no policy end date is available; the separate freshness_valid_until metadata is an internal recheck deadline, not the policy's expiry date
25	confidence_level	Required	High / Low

Source: DATA_CALIBER_MANUAL.md | SHA-256
0088b2182d5b9ec87415cc8b44708f30f9713bdd44549315715ec8b6871089bc

Ellis 签证信息库数据口径手册

本手册依据当前实现更新，说明核验与展示契约。它不证明每个已存字段均已核实，也不证明每个官方页面都可读取。100% 覆盖与完整度是待验证的目标，不能以生成默认值、排除未知值或改写统计分母来宣称完成。

线路身份与记录投影

每个国籍、目的地、出行目的与旅行证件组合只有一个规范判断。居住地、行程和出行日期不会另行生成模型结论；居住地仍影响有明确适用范围的领区费用和流程。具有证据的生效日期规则决定分时政策。

backend/app/visa_snapshot/tstation.py 将内部资料转换为约定字段字典，每个签证产品一条记录。缺失事实保持缺失。以日历月或年表述的停留时间保留在 max_stay_text 与导出的 special_conditions 中，不乘以 30 或 365。以小时表述的有效期仅在能被 24 整除时换算为天；否则数值保持空值并保留原文。处理时长估计不等于保证。

第 24 字段 info_validity 仅表示明确记录、已公布的政策截止日期。未知时留空，内部缓存期限不能填入该字段。产品自身的政策日期优先；不同许可不得继承彼此的截止日期。freshness_valid_until 是单独的内部复核期限，更新缓存或成功复核不会延长政策。

已审核的签证结论证据也可提供 effective_to：须使用该日期界限自身的官方管辖信源、实际核验日期和包含准确日期的引文。继承的 policy_interval_evidence 保留原始证据。没有引文的区间日期、或其他字段的日期，不能填入政策有效期。

用户已同意：全部 25 字段中，有记录的不适用与未公布状态计作完整；未知、无证据、可选空白与待审核字段仍不完整，不得编造政策值以提高分数。acceptance_summary 分别报告已完成字段、完整记录与状态计数字段。该统计衡量记录状态，不代表重新验证每个状态的官方依据。

两种全部 25 字段非空诊断继续保留：已填字段数除以全部字段数；25 字段全部非空记录数除以记录总数。两者不排除空值。日常可填写 20 字段指标另用较窄分母，并排除明确不适用和经信源确认未公布的字段。

2026-09-10 02:29 UTC 快照的记录状态完整度为 $29,093 / 35,500 = 81.9521\%$ ，包含 3,225 个状态计数字段；1,420 条记录中全部 25 字段完整的记录为 0。日常可填写 20 字段为 87.32%，全部 25 字段非空诊断为 72.9718%。结果由后续指标代码重新计算，不是旧快照汇总的原有数字，也不是 100% 完成或政策准确的声明。

导出把第 5 项拆成一级要求与细化子类，共 26 列；子类不构成第 26 个合同字段。离线验收审计器核对准确字段字典和 API 声明的完整记录数。

ETA、提前签证与落地签属于不同许可类型。电子签证仍然是签证。各替代产品保留自己的费用、有效期、材料与办理流程。ETA 流程不能作为另一签证产品的事实；电子签与纸质签不同的流程保持独立。

来源核验与置信度

记录单独展示 source_check，不能与置信度混为一谈。

来源标识	含义
human-quote	明确的人工作出结论的证据，具官方来源、实质性说明及实际核验日期。
ai-quote	归属于 AI 核验的已记录结论证据；历史记录缺少核验者身份时默认 AI。
grounded-consistent	按当前证据契约完成的有效核验，且明确核实 disposition。
reference	已有来源链接，但缺少必要的结论证据。
unchecked	没有可用的来源链接。

当前配置只输出 High 与 Low 两级。必需值有支持证据、可填写字段完整且没有未解决争议的官方核验记录可以为 High。符合要求的 AI 与人工信源核验采用同一等级规则，作者身份仍明确保留。证据缺失、字段缺口、公众编辑、不合法证据或争议为 Low。模型自报高置信度或仅附官方 URL，不构成核验。

当前不输出 Medium。Trip.com 书面标准采用三级体系；不能将当前二级显示说成与该三级体系完全相同，也不能据此宣称合同验收通过。

历史人工证据不完整时，新的自动核验可提供等级支持，但不能追溯证明曾经有人工核验。评分时检查导入人工说明是否有实质文字、官方信源，以及真实且非未来的日期；评分器不重新解释每条多语言说明的语义相关性。运营判断可通过来源与逐字段证据追溯。

来源标识反映证据；完整度与链接覆盖率是独立指标。仅因完整度不足而为 Low，不会自行新增拦截。质控保留全部产品及证据；held 表示产品发布状态，route_held 单独表示默认线路是否不可用。有效、具有证据且无未解决线路冲突的免签判断，可以发布默认答案，同时保留未核实的独立可选签证供质控查看。对客页面提示部分发布，只提供有支持的指导；如果分离可选产品说明会丢失入境条件，仍拦截线路。默认答案可用不等于全部产品覆盖，报告分别计数；已有明确拦截、来源争议、细节待处理或无效政策日期不能据此解除。

证据契约与修正

自动结论核验须符合当前第 2 版证据契约：成功读取适用于该线路的来源，并在 verified_fields 中明确包含 disposition。旧版一致性标记或仅核实附属字段，不能核实签证结论。

提取证据须匹配国籍、出行目的、证件与政策适用时间。修正必须引用来源中实际存在的文字，并支持准确字段值。页面其他位置的数字、其他国籍的表格行、或仅证明 ETA 名单的页面，不能证明无关事实。模糊表格与缺乏支持的主张保留复核。共享管辖规则核验官方域名与所属国家；商业页面不能作为官方核验。

覆盖记录验证字段词汇和数据结构。费用和产品信息须有经核实的签证结论或类型支持。不安全的历史办理内容隔离并保留诊断，独立有效的附属信息可以保留。逐字段证据保留 AI 或人工身份。狭窄范围的修正不会核实无关字段或其他产品。

时效与未解决字段

systemd 定时器每 6 小时开始一轮任务。4 个工作进程独立检查规范线路，每条线路预算 75 秒，每轮预算 5 小时；每轮选择上限 5,000 条。未能在预算内尝试的记录继续显示在积压清单。15 分钟重复尝试窗口避免立即重试，也不会跳过上一轮末尾才核验的线路。来源轮换覆盖费用与细节页以及主要来源。

计划任务和访问触发任务都会尝试读取官方来源。读取失败是一次失败尝试，不是新核验，并可保留之前的有效核验。但后来可读取而不相关的页面不能延续缺乏支持的来源结论。

只有全部已填实质字段得到支持，且没有未解决争议、不受支持的修正建议或未读取的必需来源，才可延长整条记录的新鲜度。仅核实签证结论不能更新费用、停留或产品的核验期限。后台分别显示尝试、读取成功、字段覆盖和新鲜度。完成一轮任务不代表每个字段都准确。

质控台显示实际定时器及持久化任务状态，包括未完成尝试、部分核验、不可读取来源与错误。定时器缺失或工作进程停止时，不可显示为已确认的即将执行或已完成任务。

月度报告和严格离线审计器从完整记录及公开的待审核、未公布元数据重新计算全部 25 字段指标，不盲信传入的汇总。月度报告同时保留日常、全部 25 字段非空与记录状态指标，并应保留快照时间和校验值。计划尝试、成功读取、记录状态完整，与政策准确率是不同概念。

当前版本与历史材料

本次双语 HTML/PDF 手册及 requirement-ledger.html 替换 9 月 3 日关于保证期限和三级显示的旧说明，与当前 Markdown 手册和导出字典一致。早期验收档案仍为有日期的历史证据，旧 PASS 标记不代表本版本已验收。

读取与已保存流程的控制

查询、问答、比较、申请资料录入和数据集评分共用签证结论证据规则。拦截结果仅保留身份和安全状态信息；移除指导内容、流程步骤、证据说明等承载主张的内容。拦截与比较答复使用确定性文本，避免历史对话恢复已撤回主张。独立核实的特殊政策说明保留自身范围。

已有线路申请事项使用当前规范缓存答案，应用同样的控制，并刷新结论、后续流程类型与清单。上传材料与提交绑定保持不变。新的拦截阻止材料阶段完成、申请启动、服务转换与预约材料包。落地签事项可完成准备，但不能启动提前签证申请。线路指导之外的事项遵循其独立规则。

运营释放不能绕过实质矛盾、待补细节阶段或尚未解决的来源争议。原有低证据展示控制在生产中应保持开启。修正及已保存事项的签证要求变化均留有记录以供复核。

附录：字段字典

“必填/如有则提供”描述日常实现。用户同意的记录状态指标包含全部 25 字段，接受有记录的不适用与未公布状态；未知或待审核仍是缺口。全部 25 字段非空指标另行保留。

#	字段 / 导出名称	日常口径	定义
1	travel_document_type	必填	旅行证件类型
2	travel_document_country	必填	证件签发国或国籍
3	destination_country	必填	目的地国家或地区
4	travel_purpose	必填	出行目的
5	visa_requirement	必填	签证一级要求

#	字段 / 导出名称	日常口径	定义
5a	visa_requirement_detail	第 5 项子类	第 5 项的细化子类
6	visa_type_name	必填	签证产品名称
7	validity_duration	必填	签证有效期数值
8	validity_unit	必填	有效期单位
9	max_stay_duration	必填	每次入境最长停留数值
10	max_stay_unit	必填	停留单位
11	entries	必填	入境次数
12	processing_min_days	如有则提供	最短办理时长
13	processing_unit	如有则提供	办理时长单位
14	visa_fee_amount	必填	官方签证费金额
15	visa_fee_currency	必填	费用币种
16	application_method	必填	申请渠道
17	required_documents	必填	核心材料清单
18	consulate_district	如有则提供	领区信息
19	entry_requirements	如有则提供	签证以外的入境要求
20	special_conditions	如有则提供	特殊政策与限制条件
21	data_source	必填	来源机构或网站
22	source_url	必填	具体来源页面
23	collected_at	必填	采集日期
24	info_validity	必填	已公布的政策截止日期；未知留空
25	confidence_level	必填	当前为 High / Low；证据身份另列

本文依据当前实现编制；最终验收仍需实际证据。