

User Guide



MissionX

Flying Adventures in *X-Plane*

Document Content

Document Content	2
Preface	3
1. Plugin Installation	4
Random Folder	5
2. Plugin Menu	6
3. Plugin Commands	7
4. Custom Mission Pack Installation	8
5. Plugin Main Screens	9
Home Screen	9
Load Mission	10
Start Button	11
Flight Leg Information	11
Map Layer	12
Inventory Screen	13
6. MX-Pad	14
7. Setup Screen	16
8. Generating Random Missions	18
How to set it up	18
Templates Screen	20
User create random mission screen	21
Full mission configuration screen	21
Semi automation mission creation	22
ILS Search Screen	24
External Flight Plan screen	26
Flight Plan Database	27
SimBrief Screen	29
Few words regarding "Date and Time Rules" Screen	30
9. Convert LittleNavMap FPLN to a mission file	31
10. Known Issues	33

snagar.dev@protonmail.com

Mission-X User Guide

Preface

The following user guide is meant to make your first steps with Mission-X plugin easier.

The idea behind Mission-X was to create a simple framework for sharing adventures using XML (markup language) with minimal to no programming knowledge. The plugin should give X-Plane pilots a sense of purpose to their flights or at least help them find new airports around their spawned location. This could include anything from VFR adventures to Air Transport flights.


Missions are only limited to the Mission Designer's creativity.

The user guide will explain the following topics:

- | | |
|------------------------------|---|
| 1. Plugin Installation | 6. MX-Pad |
| 2. Plugin Menu | 7. Setup Window |
| 3. Plugin Commands | 8. Random Missions |
| 4. Mission Pack Installation | 9. Convert LNMP to Mission-X file screen. |
| 5. Plugin Screens | 10. Known Issues |

You can find the latest version of the Mission-X plugin and missions for downloading at my website: [Snagar Development Site](#) (Please pay attention to the mission compatibility version)

Another source of missions is the [X-Plane.org community](#). Navigate to -



The forum folder holds the plugin and applications I wrote and missions that were uploaded to the site.

For more details on mission design and creation, read the "Designer Guide" in the "docs" folder of the plugin.


Snagar

1. Plugin Installation

"In order to install the plugin, all you need to do is download the plugin file (see Preface for plugin and mission sources) and to extract it under the "**plugins**" directory, located at:

{X-Plane}/Resources/plugins.

After you extract the downloaded plugin file, your folder structure should look something like the following:



The plugin is located in the **{X-Plane}/Resources/Plugins/missionx** directory. The binary is located in the folder [win/lin/mac_x64] and there is one "release" file for each OS and one "debug" compressed file too. Mission designers should use the "debug" file (extract the "[missionx.xxx.D](#)" file and rename the content to "missionx.xpl").


Debug plugins will have the "D" postfix in the plugin title.

The main difference to a release build, is the information that is dumped to the "missionx.log" or "Log.txt" files.

Random Folder

Mission-X uses a **custom** directory within the **Custom Scenery** folder to generate its random missions.

You must manually create the **missionx** folder under **Custom Scenery**.



The “**random pack**” compressed file is located in the root folder of the Mission-X plugin. Its filename should follow this format: `missionx_random_pack-{ver}.zip`


You can extract the contents directly into:

Custom Scenery/missionx

You can find more information about this folder later in this guide ([Chapter 8](#)).

2. Plugin Menu

The plugin menu is simple yet allows you to map most of the menu items to a command. I'll expand that topic in the next chapter.



1. Toggle main Mission-X window.
2. Reset Mission-X position to center.
3. Toggle MX-Pad (only when mission is active).
4. **Tools Menu**: mainly used for mission developers.
5. **Options Menu**
 - a. Auto Show/Hide MX-Pad
 - b. Disable mission cold and dark directive.
 - c. Toggle Designer Mode - Allow display the Cue and script print commands.
 - d. *In XP11* CueInfo will display lines in the 3D X-Plane world that correspond to targets, object messages and such.
6. Manually run optimization of all airports data files to assist the "random generate engine".
Suggestion: The plugin will auto-run it when it finds a change in the "scenery_packs.ini" file, but you can run it manually too.

3. Plugin Commands

Mission-X has few custom commands that should make certain actions more approachable and easier to activate. Some are specific for designers and some are replacement for the menu items. You can map the commands to keys or buttons.

— missionx
— designer
Toggle Mission-X Visual Cue Info
Toggle Mission-X Designer Mode
Write Camera Coordinates to Log file
Write Plane Coordinates to Log file
— general
Toggle Mission-X Briefer Window.
Toggle choice window (if available)
Toggle Mission-X mission Map
Toggle Mission-X MXPAD Window.
Auto Hide/Show MX-Pad
— setup
Toggle target markers for generated missions

Designer commands are meant only to be used during mission creation and tests. Users should not use them.

General commands hold the main actions simmer should map to make feature accessibility easier, like: toggle main Briefer UI screen, or bring the 2D map to the front. If you switch the “Auto Hide/Show” MX-Pad option then it acts like an “autopilot”, once you manually hide/show it, it will disable the feature until you re-enable it.

Setup If you want to show/hide “target” markers, you can toggle them using a command. Just bind it to a key or joystick. This is dependent if

3D markers were placed above the targets.


4. Custom Mission Pack Installation

A Mission pack installation will be done manually.

The “mission designer” should pack his/her mission into a compressed file that can be easily extracted to the “X-Plane” folder. But every designer should also explain how to install their mission files.

In a nutshell, all mission files should be located in one folder:


“{XP}/Custom Scenery/missionx” folder. Each mission should have a dedicated folder.



Each mission folder can hold sub-folders to organize mission assets, and a mandatory folder by the name “*briefers*” which holds the mission files.

Please do not modify any file if you are not sure what the impact will be.

In most cases, you will have to copy the mission folder into this specific directory.



Other files that could be part of a mission are the “*scenery files*”.

In order to enhance the mission, a designer might ask to download special scenery libraries, or they might create one for the mission.

In most cases the scenery folders should be placed in: “{XP}/Custom Scenery/” folder.


Here is an example of scenery folders.

5. Plugin Main Screens

Most of the interaction with the plugin will be done from the main plugin screen or the “home screen”.

Home Screen

The first page would be the “Home Screen”, where you can pick an action to do (just like in a tablet).



Load Mission




1. **Mission thumbnails:** provided by the designer. Click on an image to see the mission information.
2. **Random Mission Thumbnail:** If you generate a random mission, you will be able to fly the latest one using this option.
3. **Scroll:** Allow you to scroll down and navigate between missions.
4. **Home button:** Return to the Home screen.
5. **Mission briefing:** Once you pick a thumbnail you should see the briefing of the mission.
6. **Load Savepoint:** If you saved a checkpoint you can load it now to continue from it. Make sure to use the same plane as when you created the checkpoint.
7. **Load Mission file:** Load and start the mission from the beginning.
8. **Message Text:** Plugin Informational text.

Start Button



The **start** button will be available only after loading the mission or the last savepoint.

Flight Leg Information




Available only when the mission is active.

1. Display the **flight leg title**.
2. Display the **flight leg description**.
3. **Quit mission button**: It **will** ask you if you are sure though.
4. **Create a savepoint**: It is better to create a savepoint when on ground and load it with the same plane.
5. Display **visual flight leg information**, this includes a static *map* or any Image the designer added (if mission has one). Will be hidden if there are none.
6. Display **Inventory interface**.


In VR the layout is similar but organized a little different to make all information handy from one location.

Map Layer



1. **Display area** of the images that are part of this flight leg - maps, drawing, text etc...
A flight leg can have zero or few informational images.
2. **Navigation Buttons:** You will see navigation buttons to switch between images if there is more than one informational image.
3. **Toggle map:** click this icon to display/hide the map layer.

Inventory Screen



The inventory screen displays the items for each storage.


1. **Display content of the plane and external inventory** (if any). On the left side is the plane's inventory and on the right side is the external inventory list.
When there is no external inventory you won't be able to move anything to the right side.
You use the "▶" buttons to move items between inventories.
2. **Cancel transaction:** reset inventories state. The screen will be dismissed.
3. **Commit the transaction:** plugin will save the changes and keep items in their new storage "location".
4. **Toggle inventory button.** Show/Hide inventory. There is a similar button on the MXPAD toolbar window.

6. MX-Pad

The small window on the right side of the screen (if you don't move it), is the communication interface with the simmer, and it also:

1. Display last messages.
2. Has a small toolbar at the top for quick access to inventory and information.

The MX-Pad main components:




1. Main MX-Pad message log.
2. Quick Button to open inventory.
3. Quick Button to open the informational screen (maps and other images).
4. Auto hide MX-Pad. When active the MX-Pad will be hidden once there is no message being broadcasted. It will display MX-Pad at the next message or when entering an inventory area.

If you manually hide/display MX-Pad then it will disable it automatically and you will have to re-enable it.

5. Pop-out/In window.

Choice Selection - Interactive Options



As of version v3.0.231.1, the MX-PAD is no longer handling choices, instead it is handled by a dedicated window when in 2D or in the Briefer window in VR mode.


The choice window is simplified to a ***title (1)*** and ***options (2)*** to pick from.

When you hover with the mouse above an option it will be highlighted.

Currently you can only pick options using your mouse or VR controllers (depending on the mode you are flying - 2D or VR).

7. Setup Screen

The setup screen allows you to set up global and specific settings that will affect custom missions or random missions.



1. **The header:** You can define a nickname, and a few quick setups that affect your immediate experience.
2. **General Settings:** This is the main setup section you might want to check first. You can define a few core mission generation aspects.
3. **Simbrief .. LLM:** Enter external site information, and your local LLM server (if you configured one). The LLM server assists in creating mission descriptions, but this is optional.
4. **Apt.Dat Optimization:** When generating a mission, the plugin can use information from `apt.dat` files to place your aircraft in more plausible locations. To do this, Mission-X first needs to collect and index the relevant information so it can be queried during mission generation.
5. **Tools:** Provides several options related to mission designer actions.
The resulting information will be written to either the `missionx.log` or `Log.txt` file.

6. **Normalize Mission Sound Volume:** Allow you to set a lower/higher gain to the sound played by the plugin (not x-plane)
7. **Overpass Settings** - Define custom overpass URLs. and which ones you would like to use, during mission creation.
8. **Medevac Settings:** A target marker is generated for each randomly generated target location. In some cases, you may not want the marker to appear directly above the target. Instead, you can configure it to appear nearby, requiring you to search for the actual target.
9. **External Flight Plan Setup:** Override “fpln_folders.ini” locations, and write all fpln files to X-Plane “FMS plans” folder. In most cases this should be unchecked.
10. **Default Scoring:** You can define your own default scoring for your flights. This will only take effect if the mission file does not already have a scoring information.
11. **Troubleshoot:** Intended for rare cases. Check the troubleshooting options if you encounter unexpected plugin behavior.
12. **Designer: Unsaved Options:** As the name implies, this is a specific option for designers to assist in testing their mission configuration and override a few automated behaviors of the plugin.


8. Generating Random Missions

Mission-X has a Mission generator that can be set up by the user or from pre-defined rules. In order for it to work we will need to “setup” the random package..


How to set it up

For Random Mission Generator to work correctly we need two things:

1. Latest version of [Mission-X](#) that includes the “templates” folder.




2. The “[Random Mission Pack](#)” can be found in the “root missionx” plugin folder. It can be downloaded from: [snagar development site](#) or “[X-Plane org](#)”. Once downloaded, extract the pack into the following folder: `{X-Plane}/Custom Scenery/missionx`.



Unlike regular mission packs, the **Random Mission Pack** must be placed specifically inside the `missionx` folder under `Custom Scenery`.

Once these two folders are set, you should be able to open the “**Mission Generator**” screen and generate random missions.



The main screens that let you generate missions are: “Create”, “Template”, “External FPLN” and “Search ILS Approaches” screens.


The “Conv FPLN” also creates a mission file but its main purpose is to convert a flight plan from LittleNavMap format and generate a basic mission file that you might enhance later on.

See “[Convert LittleNavMap FPLN](#)” topic for more information.

Templates Screen



The “Template” screen will list custom template files that were provided with the plugin or created by a designer (Custom template package or custom templates you added to the template folder).



1. Pick a template (press its image).
2. [optional] A template might have multiple options to pick from.
3. Press the - **“more options + generate”** button to open other options.

To generate the mission, you will press the [generate] button in the popup window.




Press the **[start mission]** Button to start the mission.

Tip:


You can see the flight plan waypoints at the bottom of the screen and decide if you want to commit to that mission or generate a new one instead.

User create random mission screen




Another option to create a random mission is by using the “create random mission” screen.

There are two options, fully customize the generated mission, or semi automation screen.



Full mission configuration screen

Here is the fully customizable main screen layout:



You need to

define the type of mission, plane, expected distance and the number of flight legs.

You can also define the [date and time rules](#) or in some cases define if to use the “osmweb” for more accurate road locations.

Once you finish configuring the mission rules, press the: **[Generate Mission]** button.

If you want a random date each time a mission is being generated, you can “check” the checkbox next to the **[Generate Mission]** button, but it depends on the “rules” you provided.

If a random mission has been created then you can press the **[>> start mission <<]** button.



In most cases after generating a mission you should see the last Flight Plan in green at the bottom part of the screen and decide if to commit to it or regenerate a new one instead.



Semi automation mission creation

The "Semi automation mission creation screen", provides a list of activities you can pick from and generate a mission. It has two steps, **Step 1**: pick the activity. **Step 2**: provides limited mission customization options.



Both the "Fully mission customization" and "Semi automation mission creation" screens support LLM description requests. This is an opt-in option.


To better understand how to allow the Mission-X plugin to communicate with an LLM Server (preferably, locally managed LLM Server), please read the "LLM_for_Mission-X_Using_LM_Studio.pdf" documentation.



Another way to run the last generated random mission is to open the "Mission Picker" screen, and find the "Random Mission Generator" image and pick it, just like any other mission pack.

Please remember that each time you want to fly a different mission, you must generate a new mission by pressing the **[Generate Mission]** button.

ILS Search Screen



The sole purpose of this screen is to let you practice the ILS approach by searching airports around you that have Localizer support.

You can define the distance, type of localizer and other search attributes to filter out and focus results on the type you are interested in.

This screen needs the scenery airport information which is automatically read on the first time you install the plugin or manually executed from the “*setup*” screen.

Fill in the search options:

Once settings are done you can press the [\[Search ILS airports\]](#) button to fetch the airports information:

Search Airports with ILS/Nav info FPS: 59.98 OS.T: 11:07 XP.T: 8:31

(?) NAV information depends on the data collected from X-Plane and Custom Sceneries.

ILS Search **Nav Information**

IFR **VFR** **Search for airports based on user pref.**


► From/To: /
Choose Route Range
 1247 nm [935..1247]
 1000 meters Min Runway Length
 45 meters Min Runway Width
 250 ▼ Limit rows (?)

Type: Any NAV type
 ► NAV Filtering
 Min Airport Elevation: 0ft ► Elev. slider

TO	Dist. ^	ILS Type	Freq.	RW	Len mt	Width	Elev ft.	Gen.	Surface
YSWG (Wagga Wagga)	956	ILS-cat-I	111.10	23	1769	45.00	724	...	other
YSNW (HMAS Albatross)	964	ILS-cat-I	108.50	21	2053	45.11	399	...	Asphalt
YSCB (Canberra)	971	ILS-cat-II	109.50	35	2686	45.00	1887	...	other
YPDN (Darwin Intl)	1005	ILS-cat-I	109.70	29	3355	60.00	103	...	other
YPED (Edinburgh)	1025	ILS-cat-I	110.70	18	2570	46.02	64	...	other

Fetched: 17 rows (limited to 250 rows)
 Last F Plan: Townsville Intl(YBTL), coordinates: [-19 3351, 146.9094] (elevation: ~543ft), [H] Facility1(AU24) (elevation: ~1093ft)(ramp: H2)

Pick the airport and runway you would like to fly to, then press the [...] detail button to open the pre-generation screen.



You can set the "Date/Time rules" in the "advanced settings" screen.

To generate the mission, press the **[Generate]** button.

Once the random mission has been created, press the **[>> Start Mission <<]** button to begin.

Please note that the generated mission contains only the **departure and destination information**. All flight preparation and execution - such as configuring the FMS, selecting and reviewing charts, setting up the radios, and other flight procedures - are the responsibility of the pilot in command.

External Flight Plan screen



The external Flight Plan screen is based on the "flightplandatabase.com" site or "Simbrief".

You can either prepare a flight plan based on your last Simbrief flight plan, or search for flight plans from the "flight plan database" site.

Remember: generating a mission from any external site, depends on their availability.

 **Search Flight Plans**

 FPS: 59.97 OS.T: 11:17 XP.T: 8:31

Pick one of the options below.



Fetch Flight plan from "flightplandatabase.com"

Enter authorization key (if you have one):



Fetch Flight plan from "Simbrief"

(?) Your Simbrief pilot ID:
Pilot ID:

(?) ☒ Autoload extra data into the "notes" fields.



Flight Plan Database

When using the "Flight Plan Database" site: Mission-X can fetch user-defined or real-world flight plans between different airports. Another benefit is the ability to create a new flight plan route on the site, then fetch it and use it to build the mission's flight plan.

The generated mission contains only one flight leg, but that leg can include multiple waypoints.

Search Flight Plans FPS: 59.70 OS.T: 11:22 XP.T: 8:31

(?) Flight plans are fetched from "flightplandatabase.com". It is only for Flight Simulation.
You must fill one of the fields in Yellow labels

(?) YBTL From ICAO To ICAO
Max Range: 0 nm 0 - 0
20 Limit rows
created Sort By
☒ Remove duplicate airports Group By Waypoints

Fetch Flight Plans

TO	Distance	WPT	Plan ID	Popularity	Generate
YPAM (Palm Island)	31.63	3	9532878	0	...
YCSV (Collinsville)	101.64	3	9713883	0	...
YSHR (Shute Harbour)	128.32	3	9525628	0	...
YBHM (Hamilton Island)	140.31	3	9575680	0	...
YBCS (Cairns)	153.85	3	9538527	0	...

20 rows fetched

The screen is divided into two parts:

The upper part defines the filtering rules of the flight plan you wish to fetch (green square).

Define the "FROM" or "TO" locations, the requested max distance (Zero means any distance), the number of rows to fetch and other filtering to minimize duplication of results.

The bottom part holds the results.

Tip: If no rows are fetched, try to limit the "search range" slider.

Pick the airport you would like to fly to, and press the detail button ([\[...\]](#)) to display the "details" of the flight plan and then decide if to "[\[> generate < \]](#)" the mission or not.

Search Flight Plans FPS: 59.95 OS.T: 11:27 XP.T: 8:31

Generate Mission From Flight Plan

(?) Flight p
You must fill

(?) YBTL
(?)
(?) 20
(?) creat
(?) Re

Fetch Flight

TO
YPAM (Pa)
YCSV (Co)
YSHR (Sh)
YBHM (Han)
YBCS (Cai)

To: YPAM Palm Island

Waypoints coordinates:
-19.25130081, 146.76499939 (ITL) DME
-19.24420166, 146.75799561 (TL) VOR
-18.75510216, 146.58099365 (YPAM) airport

notes:
Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Pick your preferred plane:
☐ Helos ☒ GA (props) ☐ Turbo Props
☐ Jets ☐ Airline ☐ Cargo
☐ H.Airline ☐ H.Cargo

Start from plane position
(?) ☒ Generate GPS waypoints.
(?) ☒ Auto Load Route.
(not advisable for FMS)
☒ Add default base weights.
(Not advisable for planes > GAs)


(?) Generic Cargo ▼
(?) Advance Settings Day: 223, 8:0
(?) Enable "Designer Mode"

(?) >> Generate << Cancel

Tip:

For better availability, fill in your "authorization key" in the "External Flight Plan" main screen or in the "Setup" screen. You can get it from your "flightplandatabase.com" account.

The main benefit is that you won't be restricted to only 100 requests per hour, although for casual usage you won't feel the difference.



SimBrief Screen

When using the Simbrief button: You will fetch the last generated flight plan from your Simbrief account (*remember to fill it in the main External Flight Plan screen, or the Setup screen*).

The **Flight Plan** screen will be displayed with the latest available information. You can modify the flight plan as needed or reset it by clicking the **[SimBrief]** button on the same screen.

This is particularly useful when flying airliners or jet aircraft that require FMS configuration.

Flight Planning/Notes

Fetch pre-flight info from SimBrief or fill in manually

Temp: 14.96

Departure: PACV : Park : 27 : SID : 18000 Taxi (?) [SimBrief]

Arrival: PASW : Park : 28 : STAR : 18000 Taxi Route [Trash]

Enter Route Waypoints:

DCT JOH T269 TED V436 HEVEB DCT

Clear Waypoints Extra Data Save Load Clear ↑ Clear ↓

Takeoff 114/500 Cruise 63/500 Descent 89/500

Metar Time: 2026-06-11T13:53:00Z
Metar: PACV 111353Z 00000KT 5SM BR OVC008 09/08 A3022 RMK A02 SLP232 T00890078 \$

>> Open Generate Mission Window <<

Saved Notes Data to Properties File.

To generate a mission from the **SimBrief** flight plan, press the **[Open Generate Mission Window]** button, pick the options you want, and press the **[Generate]** button.

Few words regarding “Date and Time Rules” Screen

You can define four types of date/time rules.

How the engine should pick the date and time ?

Pick Current Date/Time Pick Any Time Pick Exact Date/Time Pick Preferred Months/Time

☒ A ☐ B ☐ C ☐ D

A. Pick the current date and time

B. Pick any time, default is without night hours but you can also add them.

How the engine should pick the date and time ?

Pick Current Date/Time Pick Any Time

☐ A ☒ B

☐ Include night hours.

C. Pick Exact Date and time (so there is no randomness here)

How the engine should pick the date and time ?

Pick Current Date/Time Pick Any Time Pick Exact Date/Time

☐ A ☐ B ☒ C

Day: 180 HH:mm 11 : 00

D. Pick between months of year and part of the day to fly in:

How the engine should pick the date and time ?

Pick Current Date/Time Pick Any Time Pick Exact Date/Time Pick Preferred Months/Time

☐ A ☐ B ☐ C ☒ D

Pick Any Month

Jan	Feb	Mar	Apr
May	Jun	Jul	Aug
Sep	Oct	Nov	Dec

Pick Any Hour

Early morning 5am to 8am	Morning 8am to 10am
Late morning 11am to 12pm	Early afternoon 1pm to 3pm
Late afternoon 4pm to 5pm	Early evening 5pm to 7pm
Late evening 7pm to 9pm	Night 9pm to 4am

 Picked Day: 180, hour: 11

You start by picking the Month (red square) then pick the preferred part of the day (yellow square) and then you click the **[Pick Random Day/Time]** button to actually make the pick.

You should see the picked date next to the **[Apply & Close]** button

9. Convert LittleNavMap FPLN to a mission file




To those who want to create a mission but need some UI assistance to make it simpler, I have written a small screen that will allow you to convert a LittleNavMap flight plan file to a Mission-X file in the hope users will create their own missions and hopefully share them with the community.

This is not the same as a GUI editor, instead you pick from a list of waypoints and you decide which to make mandatory ones and which are optional and which to ignore.

You can also enter rules to the Briefer screen and for each waypoint you can add event triggers for special messages or as a base for scripts (script editor is not supported, you need to generate the mission file and then modify it). Here are some screenshots:

Load "LittleNavMap" flight plan file to edit:



Main Waypoint list to define the flight plan:

Design the mission Flight Plan based on the parsed LittleNavMap file.

1. Your briefer waypoint is your starting location (usually line index 0. If it is absent, you can convert line index 1 to be a briefer "BR")
2. Pick waypoints that are mandatory to pass, you must have at least one. Fill the information of that flight leg using the respective button in the "details column".
3. Once you [Generate] the mission, you can load it from "Load Mission" screen (Pick the Random image - the first one, in that screen).

Picked File: `missionx_fpln.lnimpln`

Cancel >> Generate << Store State

(?)

Indx	Ident	Type	Leg	GD	BR	Lat / Lon	Distance nm	Settings	Marker	IG
1	WP0	USER			☒	45.586983/-122.593109	0.00 (0.00)	Briefer		
2	TONNO	USER				46.696377/-122.830795	67.41 (67.41)			
3	Olympia Regional(KOLM)	USER				46.968971/-122.904549	16.66 (84.08)			
4	WP3	USER	☒	☒		46.970955/-122.892113	0.52 (84.60)	Flight Leg	☒	

Dateref Editor

For each Flight Leg or Briefer you can open a sub window to fill in information.

For more information read the ["Convert LittleNavMap Flight Plan to Mission-X.pdf"](#) document in the "doc" folder of the plugin.

For any questions, issues or suggestions, please contact me at:
snsagar.dev@protonmail.com
 Enjoy

10. Known Issues

- Savepoints known issues:
 - It is best to take a savepoint while on the ground (you can also do the same during flight but that is not advisable, especially for custom planes).
 - When using 3rd party planes, we might not save all plane information. In the latest builds, the plugin does save custom “.acf” and “.obj” *DataRefs* but it might not be perfect (less safe). Try it first before flying a full mission.

I hope this user guide will assist you during your first steps with Mission-X v3.x.x

Cheers

Saar Nagar (Snagar)

snagar.dev@protonmail.com