

COST ALLOCATION SURJ DAMAN DUBAI INTERNATIONAL FINANCIAL CENTRE, DUBAI							
	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	Total (Sq.m)
Net Sellable Area	44,839.13	3,367.51	57,624.99	3,247.87	48,384.34	4,881.34	162,345.18
%	27.62%	2.07%	35.50%	2.00%	29.80%	3.01%	
Total Component Area	114333.23	8993.73	140027.32	8867.15	73800.58	9959.99	355,982.01
%	32.12%	2.53%	39.34%	2.49%	20.73%	2.80%	
Total Component Area (Excluding AVS Parking)	114333.23	8993.73	121502.30	8867.15	73800.58	9959.99	337,456.99
%	33.88%	2.67%	36.01%	2.63%	21.87%	2.95%	
Total Component Area (Excluding Total Parking Areas)	100613.84	8512.31	76869.45	6195.31	70466.09	8938.36	271,595.35
%	37.05%	3.13%	28.30%	2.28%	25.95%	3.29%	
Total Common Area	69494.10	5626.22	82402.33	5619.28	25416.24	5078.66	193,636.83
%	35.89%	2.91%	42.56%	2.90%	13.13%	2.62%	
Total Common Area (Excluding AVS Parking)	69494.10	5626.22	63877.31	5619.28	25416.24	5078.66	175,111.81
%	32.33%	1.03%	50.53%	5.84%	8.00%	2.27%	
Total Common Area Excluding Total Parking Areas	55774.70	5144.80	19244.46	2947.44	22081.75	4057.02	109250.17
%	51.05%	4.71%	17.62%	2.70%	20.21%	3.71%	
	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	Number of Staffs
Security, Concierge & Portar							
Dedicated Areas	75.00%	0.00%	25.00%	0.00%	0.00%	0.00%	8
Shared Areas	32.75%	2.63%	42.27%	4.84%	14.97%	2.54%	9
Total	8.95	0.24	5.80	0.44	1.35	0.23	17
%	52.63%	1.39%	34.14%	2.56%	7.93%	1.35%	
Schedule of staffs							Total Staffs
Dedicated Areas	6.00	0.00	2.00	0.00	0.00	0.00	8.00
Shared Areas	2.95	0.24	3.80	0.44	1.35	0.23	9.00
Details	Dedicated Areas : This corresponds to the 2 loading bay security guards, 2 reception staffs, 1 portar and 1 kids play area staff for the residential component, and 2 concierge staffs for the office component.			Methodology			Dedicated : The dedicated staffs are 100% allocated to the component benefitting the service.
	Shared Areas : This corresponds to the 7 shared security staffs and 2 CCTV monitoring staffs deployed for the PBC areas.			Shared : The shared staffs are allocated based on various ratios such as total component area ratio, component area ratio excluding AVS parking and common area ratio based on benefit of service.			
	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	Number of Cameras
CCTV							
Dedicated Cameras	58.94%		41.06%				263
Shared Areas	32.33%	1.03%	50.53%	5.84%	8.00%	2.27%	437
Total	296.27	4.52	328.80	25.52	34.98	9.90	700
%	42.32%	0.65%	46.97%	3.65%	5.00%	1.41%	
Details	Dedicated Cameras: There are 155 cameras serving the Residential common area and 108 cameras serving the Office common area.			Methodology			Dedicated Cameras : The dedicated cameras are allocated 100% to the respective components.
	Shared Areas PCP, : There are 437 cameras serving in the PCP areas.			Shared Areas PCP: The shared PCP cameras are allocated based on the total common area ratio excluding AVS parking.			
	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	Load Schedule (KW)
Electricity							
Dedicated Loads	19.65%	0.00%	43.68%	0.00%	36.67%	0.00%	6133.53
Shared Loads	29.91%	1.64%	37.69%	3.24%	25.64%	1.88%	5677.57
Total loads	2903.33	92.90	4819.06	184.23	3705.09	106.49	11811.10
%	24.58%	0.79%	40.80%	1.56%	31.37%	0.90%	
Schedule of Loads (KW)							
Dedicated Loads	1,205.42	0.00	2,678.93	0.00	2,249.18	0.00	6,133.53
Shared Loads	1,697.92	92.90	2,140.13	184.23	1,455.91	106.49	5,677.57
Details	Dedicated Loads : This corresponds to a total of 6133.53 KW of non-metered load which are fed 100% from a dedicated panel to respective components.			Methodology			Dedicated : Allocated 100% to respective components based on usage.
	Shared Loads : This corresponds to a total of 5677.57 KW of non-metered common area loads from panels that are shared between various components.			Shared : Allocated based on multiple ratios such as component area ratio, lift access ratio, parking bay ratio e.t.c.			
	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	Total Load (KW)
Switchgear/LV Maintenance							
Dedicated Panels	80.93%	0.00%	19.07%	0.00%	0.00%	0.00%	7371.97
Shared Panels	17.60%	0.69%	44.68%	7.23%	29.00%	0.79%	14346.19
Total	8491.55	99.13	7815.75	1037.33	4160.72	113.69	21718.16
%	39.10%	0.46%	35.99%	4.78%	19.16%	0.52%	
Schedule of Actual Load (Metered+Non-metered)							
Dedicated Panel Loads (KW)	5966.39	0.00	1405.58	0.00	0.00	0.00	7371.97
Shared Panel Loads (KW)	2525.16	99.13	6410.17	1037.33	4160.72	113.69	14346.19
Total	8491.55	99.13	7815.75	1037.33	4160.72	113.69	21718.16
Details	Dedicated Panel Loads : This corresponds to the total actual load connected to dedicated panels which serve a specific component. LV panels 12, 13 and 14 are maintained by the hotel component.			Methodology			Dedicated : The dedicated loads are allocated 100% to their respective components.
	Shared Panel Loads : This corresponds to the loads corresponding to LV panels which are used by multiple components.			Shared: The shared loads are allocated based on various ratios such a net sellable area, common area ratio, component area ratio e.t.c.			

	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	Weightage
Water Supply and Drainage							
Swimming Pool	100.00%						10%
Parking Areas	20.83%	0.73%	67.77%	4.06%	5.06%	1.55%	5%
Common Areas (Residence)	100.00%						35%
Common Areas (Office)			100.00%				5%
Façade Cleaning	32.12%	2.53%	39.34%	2.49%	20.73%	2.80%	40%
Sellable Areas (Hotel)					100.00%		
Total	0.18	0.00	0.40	0.00	0.41	0.00	1.00
%	17.65%	0.16%	40.36%	0.33%	41.29%	0.22%	
Details	Swimming Pool : This corresponds to the water supply and drainage expenses in the swimming pool which is exclusively used by the residents. A 10% weightage from the overall consumption is applied here based on consumption in typical building stock. Parking Areas : This corresponds to the water supply and drainage expenses for the pressure washing of the parking areas which is carried out once in a month. A 5% weightage from the overall consumption is applied here, based on consumption in typical building stock. Common Areas (Residence) : This corresponds to the water supply and drainage expenses towards the garbage chute washing in the residential common area. A 5% weightage is applied here. Common Areas (Office) : This corresponds to the water supply and drainage expenses in the common areas of the office component such as urinals. A 35% weightage is applied here. Façade Cleaning : This corresponds to the water consumption for the façade cleaning. A 5% weightage has been provided to the façade cleaning activity. Sellable Areas (Hotel) : This corresponds to the water supply to the internal areas of hotel. Based on the information shared by the building management, these usage are not separately metered.						Dedicated : Allocated 100% to the residential component. Shared : Allocated based on parking area ratio excluding AVS Dedicated : Allocated 100% to the residential component. Dedicated : Allocated 100% to the office component. Shared : Allocated based on total component area ratio. Dedicated : Allocated 100% to the hotel based on benefit of service.
Recommendation	With available information, we believe this is the best option for the water consumption allocation. We recommend install separate water meters for each component in unit consumption and update the allocation. Moreover, more accurate allocation can be done using number of water outlets for each component, however fit out drawing for hotel and retail was unavailable.						
	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	Tonnage (RT)
Chilled Water Consumption Charges (Before BTU meter commissioning)							
Dedicated Riser	31.48%	2.23%	36.42%	0.90%	25.71%	3.26%	4,000.46
Shared Riser	35.23%	2.98%	26.92%	7.06%	24.68%	3.13%	913.73
Total	1,581.39	116.53	1,702.81	100.49	1,253.92	159.05	4,914.19
%	32.18%	2.37%	34.65%	2.04%	25.52%	3.24%	
Schedule of Tonnage							
Dedicated Riser Loads	1,259.44	89.29	1,456.84	36.00	1,028.44	130.45	4,000.46
Shared Risers	321.95	27.24	245.97	64.49	225.48	28.60	913.73
Details	Dedicated Riser Tonnage : This corresponds to the dedicated risers which feeds to the residential, penthouse, office, hotel and branded residence. This scenario doesn't consider BTU meter commissioning. Shared Riser Tonnage : This corresponds to the shared basement and podium riser. This scenario doesn't consider the BTU meter commissioning.						Dedicated : The dedicated tonnages are allocated 100% to their respective components. Shared : The shared tonnage are further allocated based on the net sellable area ratio.
Recommendation	More accurate allocation can be done based on the chilled water loads, the provided chilled water load schedule was not mentioning the locations. It is recommended that a separate BTU meter be installed for the penthouse once it is operational. Moreover, it is recommended to install BTU meters for each component and common area consumption to allocate the bills accurately.						
	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	Tonnage (RT)
Chilled Water Consumption Charges (After BTU Meter Commissioning)							
Dedicated units- Paid Directly	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	2,926.05
Dedicated Risers	67.41%	0.00%	32.59%	0.00%	0.00%	0.00%	1,119.08
Shared Risers	37.05%	3.13%	28.30%	2.28%	25.95%	3.29%	869.06
Total	1,076.30	27.24	610.69	19.82	225.48	28.60	1,988.14
%	54.14%	1.37%	30.72%	1.00%	11.34%	1.44%	
Schedule of Tonnage							
Dedicated internal units	505.09	89.29	1092.12	80.67	1028.44	130.45	2,926.05
Dedicated Risers	754.35	0.00	364.72	0.00	0.00	0.00	1,119.08
Shared Risers	321.95	27.24	245.97	19.82	225.48	28.60	869.06
Details	Dedicated Riser : This corresponds to the chilled water consumption in the common areas of all components from all risers excluding the basement & podium riser. The risers considered are the residential riser, office riser and swimming pool riser. The hotel riser is considered to be fully metered here and thus the commercial units under the riser needs to be charged based on usage. A total of 754.35 RT is allocated to the residential and 364.72 RT is allocated to the office common areas. Shared Riser Load : This corresponds to the chilled water consumption in the shared common areas of all the components in the building. The basement & podium riser is considered here. A total of 869.06 RT non-metered load is allotted to this riser. The commercial units are assumed to be metered in this scenario.						Dedicated : The dedicated common area load are allocated 100% to receiving beneficiary. Shared : Allocated based on component area ratios excluding parking.
	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	Tonnage (RT)
Chilled Water Demand Charge							
Dedicated Risers	31.48%	2.23%	36.42%	0.90%	25.71%	3.26%	4000.46
Shared Risers	35.23%	2.98%	26.92%	7.06%	24.68%	3.13%	913.73
Total	1581.39	116.53	1702.81	100.49	1253.92	159.05	4914.19
%	32.18%	2.37%	34.65%	2.04%	25.52%	3.24%	
Schedule of Tonnage							
Dedicated Risers	1259.44	89.29	1456.84	36.00	1028.44	130.45	4000.46
Shared Risers	321.95	27.24	245.97	64.49	225.48	28.60	913.73
Details	Dedicated Risers Load: This corresponds to the chilled water demand in the dedicated risers. The penthouse demand is currently shared between the residential and hotel riser. A 33.33% diversity factor has been applied to all the loads. Shared Riser Load : This corresponds to the chilled water demand from the shared risers. A 33.33% diversity factor has been considered here. Only the basement & podium riser is considered here.						Dedicated : Allocated 100% to respective components based on demand load. Shared: Allocated based on component area excluding parking ratios of the components sharing each riser.

	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	Weightage
Fire Fighting							
Pump System	32.12%	2.53%	39.34%	2.49%	20.73%	2.80%	90%
Sprinkler System	37.77%	2.97%	46.26%	2.93%	8.40%	1.68%	10%
Total	0.33	0.03	0.40	0.03	0.19	0.03	1.00
%	32.68%	2.57%	40.03%	2.53%	19.50%	2.69%	
Details	Whole building (Gross internal + PCP excluding external area): The firefighting system is interlinked/common for the whole development. However, the hotel and branded residence have separate annual maintenance contract and we excluded the sellable areas of hotel and branded residence under hotel management. A 90% weightage has been provided to the pump maintenance and 10% towards the sprinkler maintenance.			Methodology	Whole building (Gross internal + PCP excluding external area): The pump system is allocated based on the total component area ratio and, the sprinkler system allocated based on the total component area excluding sellable areas of hotel and branded residence.		
Schedule of service area sq.m							Coverage Area (Sq.m)
Pump System (Component Area)	114,333.23	8,993.73	140,027.32	8,867.15	73,800.58	9,959.99	355,982.01
Sprinkler System (Component Area Excluding Hotel & Branded Residence NSA)	114,333.23	8,993.73	140,027.32	8,867.15	25,416.24	5,078.66	302,716.34
	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	Coverage Area (Sq.m)
Fire Alarm							
Dedicated Areas	41.11%	3.09%	52.83%	2.98%	0.00%	0.00%	109,079.51
Shared Areas	51.05%	4.71%	17.62%	2.70%	20.21%	3.71%	109,250.17
Total	100.613.84	8,512.31	76,869.45	6,195.31	22,081.75	4,057.02	218,329.68
%	46.08%	3.90%	35.21%	2.84%	10.11%	1.86%	
Details	Dedicated Areas : This corresponds to the total sellable areas). Fire alarm AMC covers the maintenance & PPM of all the areas excluding Hotel & Branded residence components. Hotel & Branded residence have their own sub fire alarm panels with AMC contract.			Methodology	Dedicated : The dedicated areas coverages are allocated 100% to their respective components.		
	Shared Areas : This corresponds to the fire alarm coverage in the common areas excluding the parking areas. No Smoke/heat detectors are installed in the parking areas.				Shared : Allocated based on total component area ratio.		
Schedule of Service Area sq.m							Area (Sq.m)
Sellable Areas	44,839.13	3,367.51	57,624.99	3,247.87			109,079.51
Common Areas Excluding Parking	55,774.70	5,144.80	19,244.46	2,947.44	22,081.75	4,057.02	109,250.17
	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	Load (KW)
Generator							
Generator Load	31.49%	0.87%	41.61%	0.86%	24.21%	0.95%	3194.09
Total	1005.92	27.92	1329.08	27.56	773.16	30.45	3194.09
%	31.49%	0.87%	41.61%	0.86%	24.21%	0.95%	
Details	Shared : Generator is supplying backup power within the units and common areas of all components. The total load connected to the generator is 4112.9 KW.			Methodology	Shared : Allocated based on generator load ratio.		
	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	Coverage Areas (Sq.m)
Emergency Lights /Exit Lights (CBS)							
Sellable Areas	0.00%	0.00%	94.66%	5.34%	0.00%	0.00%	60872.87
Common Areas	39.69%	3.21%	36.48%	3.21%	14.51%	2.90%	175,111.81
%	39.69%	3.21%	36.48%	3.21%	14.51%	2.90%	
Details	Sellable Areas : This corresponds to the emergency light coverage in the sellable areas of the components.			Methodology	Dedicated : The dedicated areas are allocated 100% to their corresponding component.		
	Common Areas : This corresponds to the emergency lights coverage in the common areas of the components. AVS area is excluded in the coverage areas.				Shared : Allocated based on total common area ratio excluding AVS parking.		
Schedule of Coverage							Total (Sq.m)
Sellable Areas			57624.99	3247.87			60872.87
Common Areas (Excludes Dedicated Hotel, Branded Residence & AVS Parking Areas)	69494.10	5626.22	63877.31	5619.28	25416.24	5078.66	175111.81
Total	69494.10	5626.22	121502.30	8867.15	25416.24	5078.66	235984.67
	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	No. of BMS Panel
BMS System							
Dedicated BMS panels	66.67%	0.00%	33.33%	0.00%	0.00%	0.00%	9
Shared BMS panels (PCP Area)	35.89%	2.91%	42.56%	2.90%	13.13%	2.62%	18
Total	12.46	0.52	10.66	0.52	2.36	0.47	27
%	46.15%	1.94%	39.48%	1.93%	8.75%	1.75%	
Details	Dedicated BMS panels : As per provided data, there are 6 panels for residence and 3 panels for office.			Methodology	Dedicated BMS panels : Dedicated panels are 100% allocated to respective components.		
	Shared BMS : As per provided data 18 BMS panels are serving the shared PCP area.				Shared BMS : Shared BMS panels are allocated based on the total common area ratio.		
	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	Based on Coverage Areas (Sq.m)
Management fees							
Sellable Areas	51.15%	2.56%	43.82%	2.47%	0.00%	0.00%	131499.08
Common Areas	35.89%	2.91%	42.56%	2.90%	13.13%	2.62%	193636.83
Total	136752.80	8993.73	140027.32	8867.15	25416.24	5078.66	325135.90
%	42.06%	2.77%	43.07%	2.73%	7.82%	1.56%	
Schedule of Coverage Areas (Sq.m)							Total (sq.m)
Sellable Areas	67258.70	3367.51	57624.99	3247.87	0.00	0.00	131499.08
Common Areas	69494.10	5626.22	82402.33	5619.28	25416.24	5078.66	193636.83
Details	Sellable Areas : This corresponds to the management of the dedicated areas which includes the sellable areas and dedicated common areas of all the components. Hotel and branded residence have a separate management. A 150% weightage is provided to the residential component here.			Methodology	Dedicated : The dedicated areas are allocated 100% to their respective components.		
	Common Areas: This corresponds to the management of the common areas which includes the driveways, parking areas and plant areas.				Common Areas : Allocated based on total common area ratio.		

	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	Lifts
Elevators & Escalators							
Dedicated Lifts	38.10%		57.14%	4.76%			21
Service Lift (Residential & Penthouse)	92.71%	7.29%	0.00%	0.00%	0.00%	0.00%	1
Service Lift (Office & Hotel)	0.00%	0.00%	65.49%	0.00%	34.51%	0.00%	1
Service Lift (Office& Commercial)	0.00%	0.00%	94.04%	5.96%	0.00%	0.00%	2
Shared (PCP) lifts,	32.12%	2.53%	39.34%	2.49%	20.73%	2.80%	3
Escalator (PCP)	0.00%	0.00%	0.00%	100.00%	0.00%	0.00%	2
Total	9.89	0.15	15.72	3.19	0.97	0.08	30
%	32.97%	0.50%	52.39%	10.65%	3.22%	0.28%	
Details	Dedicated Lifts: There are 8 dedicated lifts serving Residential component, 12 lifts serving office component and 1 lift serving the retail area.			Dedicated Lifts: Dedicated lifts are 100% allocated to the respective components.			
	Service Lift (Residential & Penthouse): One service lift is accessible to both residential component and penthous component.			Service Lift (Residential & Penthouse): Allocated based on the component area of each components.			
	Service Lift (Office & Hotel) : One service lift sharing between office and hotel component.			Service Lift (Office & Hotel): Service lift is allocated based on the component area of each components.			
	Service Lift (Office& Commercial): Two service lift sharing between office and commercial component.			Service Lift (Office& Commercial) : Service lift is allocated based on the component area of each components.			
	Shared (PCP) lifts: There are total of 3 lifts accessible to all components mainly serving the basements and podium levels.			Shared (PCP) lifts: Shared lifts are allocated based on the total component area ratio of all components.			
	Escalator (PCP): There are 2 escalators serving the commercial area.			Escalator (PCP): Escalators are allocated 100% to commercial component.			
	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	Number of Staffs
Maintenance (Labour)							
Dedicated Staffs	75.00%		25.00%				6
Shared Staffs	35.89%	2.91%	42.56%	2.90%	13.13%	2.62%	7
Total	2.51	0.20	2.98	0.20	0.92	0.18	7
%	35.89%	2.91%	42.56%	2.90%	13.13%	2.62%	
Details	Dedicated Staffs : This corresponds to the maintenance staffs deployed in the dedicated common areas of the residential and office components. As per the information provided by the building management, 4.5 staffs are deployed for the residential and 1.5 staffs are deployed for the office dedicated common areas.			Dedicated : The dedicated staffs are allocated 100% to the benefiting component.			
	Shared Staffs : This corresponds to the maintenance staffs deployed in the PCP areas.			Shared: Allocated based on total common area ratio.			
	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	Weightage
Pest Control							
Dedicated Areas	60.91%	3.93%	33.52%	1.64%	0.00%	0.00%	90%
Shared Areas	29.78%	2.67%	45.24%	3.25%	16.61%	2.46%	10%
%	57.80%	3.80%	34.70%	1.80%	1.66%	0.25%	
Details	Dedicated Areas : This corresponds to the pest control in the dedicated common areas such as corridors and lift lobbies. As per the information shared by the building management, the internal areas of the hotel and branded residence does not fall under the pest control AMC. A 90% weightage is provided to the time spent for pest control activities in these areas.			Dedicated : Dedicated areas are allocated 100% to respective components based on benefit of service.			
	Shared Areas : This corresponds to the pest control activities in the shared common areas such as plant rooms and parking areas. A 10% weightage is provided to the time spend for pest control activities in these areas.			Shared : The shared areas are allocated based on the PCP area ratio.			
Schedule of service area sq.m							Total
Dedicated Areas	23,911.27	1,543.26	13,161.15	642.36	0.00	0.00	39,258.04
Shared Areas	45,582.83	4,082.96	69,241.18	4,976.92	25,416.24	3,757.66	153,057.79
	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	Number of Staffs
House Keeping & Cleaning							
Dedicated Staffs	66.67%	0.00%	33.33%	0.00%	0.00%	0.00%	6.00
Shared Staffs	32.66%	2.39%	47.56%	2.84%	12.71%	1.84%	15.00
Total	8.90	0.36	9.13	0.43	1.91	0.28	21.00
%	42.38%	1.70%	43.90%	2.03%	9.08%	1.32%	
Schedule of Staffs							
Dedicated Staffs	4.00	0.00	2.00	0.00	0.00	0.00	6.00
Shared Staffs	4.90	0.36	7.13	0.43	1.91	0.28	15.00
Details	Dedicated Staffs: This corresponds to the 4 dedicated residential staffs, 3 dedicated commercial and 2 dedicated office house keeping staffs.			Dedicated : Dedicated staffs are allocated 100% to the respective components.			
	Shared Staffs : This corresponds to the 7 PBC staffs, 1 supervisor,1 staff allocated to the mosque area and 3 staffs shared during the night shift.			Shared : Allocated based on various common area ratios.			
	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	No. of Parking Bays
Car Park Management (Third party)							
Dedicated Parking	32.67%	0.96%	51.62%	6.12%	6.42%	2.21%	1356.00
Shared (Disabled & Visitor)	27.64%	2.08%	35.52%	2.00%	29.76%	3.01%	99.00
Total	470.36	15.05	735.16	84.98	116.46	32.98	1455.00
%	32.33%	1.03%	50.53%	5.84%	8.00%	2.27%	
Schedule of Parking Spaces							
Dedicated Bays	443.00	13.00	700.00	83.00	87.00	30.00	1356.00
Shared Bays (Disabled & Visitor Bays)	27.36	2.05	35.16	1.98	29.46	2.98	99.00
Total	470.36	15.05	735.16	84.98	116.46	32.98	1455.00
Details	Dedicated parking (Podium & Basement): Residential component has 408 parking spaces, penthouse has 13, Office has 638 parking spaces, Commercial has 83 parking spaces, Hotel has 151 parking and Branded Residence has 30 parking spaces.			Dedicated parking (Podium & Basement): Allocated based on the parking numbers excluding AVS.			
	Shared (Disabled) : This corresponds to a total of 35 disabled parking bays in the building. These parking bays benefit all the components.			Shared : Allocated based on net sellable areas of each component.			
	Spare Parking : This corresponds to the 35 spare parking allocated to the residents and 62 parking bays allotted to the residential and office components respectively.			Shared : Allocated based on parking numbers.			

	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	Garbage Skips (Monthly)
Waste Removal							
Dedicated Areas	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!
Shared Areas	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!
Total	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!
%	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!	
Details	Dedicated Areas: Average garbage collection is 150 skips per month. As per the information provided by the building management, the dedicated area waste generation by the residential, office and commercial components are 2.5, 1.1 and 0.5 skips per day. Hotel and Branded residence have separate waste removal contract.			Methodology Dedicated : The dedicated skips are allocated 100% to corresponding component based on usage.			
	Shared Areas : This corresponds to the waste generation from the shared PBC areas. As per the information shared by the building management, 0.9 skips is generated on a daily basis in the shared areas.			Shared : Allocated based on total common area ratio.			
	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	Coverage Area
Marble Polishing/Cleaning							
Dedicated areas	53.86%	0.00%	46.14%	0.00%	0.00%	0.00%	867.00
Shared Areas	37.05%	3.13%	28.30%	2.28%	25.95%	3.29%	600.00
Total	689.27	18.81	569.82	13.69	155.67	19.75	1,467.00
%	46.99%	1.28%	38.84%	0.93%	10.61%	1.35%	
Schedule of Area (sq.m)							Total Area
Dedicated Areas	467.00		400.00				867.00
Shared Areas	222.27	18.81	169.82	13.69	155.67	19.75	600.00
Total	689.27	18.81	569.82	13.69	155.67	19.75	1,467.00
Details	Dedicated areas : This corresponds to the office and residential lobbies. The coverage areas are derived from the approved as-built drawings.			Methodology Dedicated areas : Allocated to respective components totally.			
	Shared Areas: This corresponds to the shared area of 600 sq.m in the ground floor and mezzanine where cleaning/polishing is carried out.			Shared Areas: Allocated based on the total component area excluding parking.			
	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	Number of Doors
Sliding Doors							
Dedicated doors	66.67%	0.00%	33.33%	0.00%	0.00%	0.00%	3
PBC (Shared) Doors	32.12%	2.53%	39.34%	2.49%	20.73%	2.80%	19
Total	8.10	0.48	8.47	0.47	3.94	0.53	22
%	36.83%	2.18%	38.52%	2.15%	17.90%	2.42%	
Details	Dedicated doors: There are 2 doors serving the Residential component and 1 sliding door dedicated to the Office component.			Methodology Dedicated doors: Dedicated sliding doors are allocated to the respective components.			
	PBC (Shared) Doors : There are 18 shared sliding doors (6 Geze doors and 9 Dorma) in PBC area.			PBC (Shared) Doors : Shared doors are allocated based on the total component area ratio.			
	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	No. of Card Readers
Access Control							
Dedicated Access Card Reader	76.67%	0.83%	16.67%	5.00%	0.83%	0.00%	120.00
Shared Access Card Reader	62.41%	4.91%	19.67%	1.25%	10.37%	1.40%	6.00
Total	95.74	1.29	21.18	6.07	1.62	0.08	126.00
%	75.99%	1.03%	16.81%	4.82%	1.29%	0.07%	
Schedule of Access Control							Total
Shared Access Control Card Readers (Lift)	2.78	0.22	0.00	0.00	0.00	0.00	3.00
Dedicated Access Card Readers (Lift)	5.00		15.00	1.00			21.00
Dedicated Access Control Card Readers	87.00	1.00	5.00	5.00	1.00	0.00	99.00
Shared Access Control Card Readers - PCP Areas and P5	0.96	0.08	1.18	0.07	0.62	0.08	3.00
Details	Shared Access Controls (Lift) : Based on the information provided by the building management, 3 access control card readers are shared between the residential and penthouse component.			Methodology Shared : The shared access controls are allocated based on the total component area ratio of the residential and penthouse component.			
	Dedicated Access Card Readers (Lift) : Based on the information provided by the building management, a total of 5, 15 and 1 access card readers are allotted to the residential, office and commercial components respectively.			Dedicated : The dedicated access controls are allocated 100% to their respective components.			
	Dedicated Access Control: Based on the information provided by the building management, the Residential component has 87 access controls, Penthouse has 1 access control, Office has 5 access controls, Commercial has 5 access controls and hotel plant room has 1 access control. This excludes the lift access controls.			Dedicated : The dedicated access controls are allocated 100% to their respective components.			
	Shared Access Controls : This corresponds to the 3 shuttle lifts in the office and residential areas which are used by all the components.			Shared : The access controls are allocated based on the total component area ratio.			
	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	No. of Pits & Tank
Grey Water Tank/Sump Pits							
Shared	32.12%	2.53%	39.34%	2.49%	20.73%	2.80%	13
Total	4.18	0.33	5.11	0.32	2.70	0.36	13
%	32.12%	2.53%	39.34%	2.49%	20.73%	2.80%	
Details	Sump Pits/Sand Trap: There are 11 sump pits/sand trap as PBC asset.			Methodology Sump Pits/Sand Trap: Allocated based on the total component area.			
	Grey Water/ Treated Water Tank: There are 1 grey water tank and 1 treated water tank as PBC asset.			Grey Water/ Treated Water Tank: Allocated based on the total component area ratio.			
	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	Based on Weightage
Water Tank Cleaning							
Shared	25.17%	1.37%	40.19%	1.43%	30.39%	1.45%	1
Total	0.25	0.01	0.40	0.01	0.30	0.01	1
%	25.17%	1.37%	40.19%	1.43%	30.39%	1.45%	
Details	Fire Fighting Tanks : This corresponds to the cleaning of the fire fighting tanks.			Methodology Shared : Allocated based on fire fighting ratio.			
	Domestic Water Supply Tanks : This corresponds to the cleaning of the domestic water supply tank.			Shared : Allocated based on water supply and drainage ratio.			

	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	
Vehicle Parking Barrier							Parking Barriers
Parking Barriers	20.16%	0.65%	69.15%	3.64%	4.99%	1.41%	14
Total	2.82	0.09	9.68	0.51	0.70	0.20	14
%	20.16%	0.65%	69.15%	3.64%	4.99%	1.41%	
Details	Parking Barriers: There are 12 conventional parking barriers are available to the community (9 entry & 3 exit) and 2 access barriers available at the visitor parking.			Methodology	Shared: Allocated based on the parking bay ratio including AVS parking.		
	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	
Façade Cleaning							Coverage Areas
Shared	32.12%	2.53%	39.34%	2.49%	20.73%	2.80%	355,982.01
Total	114333.23	8993.73	140027.32	8867.15	73800.58	9959.99	355,982.01
%	32.12%	2.53%	39.34%	2.49%	20.73%	2.80%	
Details	Façade Cleaning : This corresponds to the expenses towards the façade cleaning services carried out in the building.			Methodology	Shared : Allocated based on total component area ratio.		
	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	
BMU							Coverage Areas
Shared BMUs	32.12%	2.53%	39.34%	2.49%	20.73%	2.80%	355,982.01
Total	114333.23	8993.73	140027.32	8867.15	73800.58	9959.99	355982.01
%	32.12%	2.53%	39.34%	2.49%	20.73%	2.80%	
Details	Shared BMUs : This corresponds to the expenses towards the maintenance of the BMU.			Methodology	Shared BMUs : The BMUs are allocated based on the façade cleaning ratio.		
	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	
Professional Services							Based on Area
Shared (Common Area + PCP Area)	35.89%	2.91%	42.56%	2.90%	13.13%	2.62%	193636.83
Total	35.89%	2.91%	42.56%	2.90%	13.13%	2.62%	
%							
Details	Shared (Common Area + PCP Area) : Professional services are subjected to the common area of the community including the PCP area excluding the area under Hotel's management.			Methodology	Shared (Common Area + PCP Area) : Allocated based on total common area excluding hotel common areas under hotel management.		
	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	
Landscape							Landscape Area (Sq.m)
Dedicated Area	100.00%				0.00%		796.18
Shared, PCP	32.12%	2.53%	39.34%	2.49%	20.73%	2.80%	1122
Total	1156.54	28.35	441.34	27.95	232.61	31.39	1918.18
%	60.29%	1.48%	23.01%	1.46%	12.13%	1.64%	
Schedule of Landscape Area (Sq.m)							
Dedicated	796.18						796.18
Shared, PCP	360.36	28.35	441.34	27.95	232.61	31.39	1122
Details	Dedicated Area: Approximately 796.18 sq.m area is landscaped for residential component.			Methodology	Dedicated Area: The dedicated landscaped areas are 100% allocated to the residential component.		
	Shared, PCP: 1122 sq.m of area is landscaped in Principal Common area.				Shared, PCP: Shared landscaping is allocated based on the total component area ratio excluding parking.		
	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	
Insurance (Based on built up area) - Existing Policy							Based on Coverage (Sq.m)
Sellable Areas	41.11%	3.09%	52.83%	2.98%	0.00%	0.00%	109,079.51
Common Areas	35.89%	2.91%	42.56%	2.90%	13.13%	2.62%	193,636.83
Total	114333.23	8993.73	140027.32	8867.15	25416.24	5078.66	302,716.34
%	37.77%	2.97%	46.26%	2.93%	8.40%	1.68%	
Schedule of Area sq.m							
Sellable Areas	44,839.13	3,367.51	57,624.99	3,247.87	0.00	0.00	109,079.51
Common Areas	69,494.10	5,626.22	82,402.33	5,619.28	25,416.24	5,078.66	193,636.83
Total							
Details	Sellable Areas : This corresponds to the insurance coverage for the sellable areas of the building. The hotel and branded residence have a separate insurance. Hence, their sellable areas are excluded from the coverage.			Methodology	Shared : Allocated based on net sellable areas of each component excluding hotel and branded residence.		
	Common Areas: This corresponds to the insurance coverage for the common areas of the building. The <u>dedicated common areas of the hotel which falls under the net sellable areas, have been excluded</u> from the common areas considered. However, the hotel and branded residence is contributing towards the insurance coverage for the principal common areas of the building.				Shared : Allocated based on total common area ratio.		
Comment	Insurance is normally considered as the fire reinstatement value of the building.						
	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	
Insurance (Based on the Built Up Area) - Hotel & Branded Residence Covered							Based on Coverage (Sq.m)
Sellable Areas	27.62%	2.07%	35.50%	2.00%	29.80%	3.01%	162,345.18
Common Areas	35.89%	2.91%	42.56%	2.90%	13.13%	2.62%	193,636.83
Total	114,333.23	8,993.73	140,027.32	8,867.15	73,800.58	9,959.99	355,982.01
%	32.12%	2.53%	39.34%	2.49%	20.73%	2.80%	
Details	Sellable Areas : This corresponds to the insurance of all the sellable areas of the building . The sellable areas of hotel and branded residence is covered in this scenario.			Methodology	Shared : Allocated based on net sellable area ratio.		
	Common Areas : This corresponds to the insurance coverage of the common areas of the building.				Shared : Allocated based on total common area ratio.		

	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	LCS Panels
Lighting Control System							
Dedicated LCS panels	62.22%		37.76%				90
Shared (PCP) panels	32.12%	2.53%	39.34%	2.49%	20.73%	2.80%	44
Total	70.13	1.11	51.31	1.10	9.12	1.23	134.00
%	52.34%	0.83%	38.29%	0.82%	6.81%	0.92%	
Details	Dedicated LCS panels: There are 34 LCS panels dedicated to Office floors and 56 LCS panels for Residential floors			Dedicated LCS panels: Dedicated panels are allocated 100% to the respective components.			
	Shared (PCP) panels: There are 44 LCS panels in shared (PCP) levels.			Shared (PCP) panels: Shared panels are allocated based on total component area ratio.			
	Methodology						
	Residential	Penthouse	Office	Commercial	Hotel	Branded Residence	Time Spend (Hours)
Hotel - Services							
Hotel Entrance - Common Area Cleaning	5.08%	0.40%	5.40%	0.39%	88.28%	0.44%	24
Hotel Entrance - Security	3.39%	0.27%	3.60%	0.26%	92.19%	0.30%	24
Hotel Entrance - Marble Cleaning/ Weekly Deep Cleaning	1.88%	0.15%	2.00%	0.15%	95.66%	0.16%	72
Hotel Entrance - Hostess	1.69%	0.13%	1.80%	0.13%	96.09%	0.15%	19
Hotel Entrance - Doormen	6.78%	0.53%	7.20%	0.53%	84.37%	0.59%	24
Total	5.34	0.42	5.67	0.41	150.69	0.46	163.00
%	3.27%	0.26%	3.48%	0.25%	92.45%	0.29%	
Details	Shared : This corresponds to the services provided by the hotel at the hotel entrance which benefits the shared areas.			Shared : Shared staff hours are allocated based on total dedicated component area ratio. The dedicated staff hours are directly allocated to the hotel.			
	Methodology						