

Whoopee Cushion Simulator

com.redstaff.pranks.whoopee.cushion

Developer	RedStaff Apps
Genre	GAME_CASUAL
Installs	10,000+
Audit Date	2026-04-26

Overall Risk Score

0.37

MEDIUM

2

Consistent

0

Mismatches

7

Over-disclosure

2

Undeclared

Research prototype · Ongoing research | Policy: <https://apps.ape-apps.com/whoopee-cushion/privacy.html>

Executive Summary

Whoopee Cushion Simulator declares 0 data type(s) collected and 1 shared in its Play Data Safety label, across 11 data type(s) analyzed. Our heterogeneous GNN audit model identifies **2 potential undeclared collection(s)** — data types implied by embedded SDK signals but absent from both label and policy — and **0 policy-vs-label mismatch(es)**. Overall risk score: **0.37 (MEDIUM)**.

Top discrepancies by risk:

- **installed_apps**: Undeclared Collection (confidence 1.00)
- **approximate_location**: Undeclared Collection (confidence 0.97)
- **purchase_history**: Over Disclosure (confidence 1.00)

Class definitions:

CONSISTENT: Label, policy, and SDK signals agree.

POLICY_LABEL_MISMATCH: Label discloses data not mentioned in policy.

OVER_DISCLOSURE: Policy mentions data not declared in label.

UNDECLARED_COLLECTION: SDK signals collection undisclosed in label and policy.

Discrepancy Table

Sorted by risk class (undeclared collection first). Y/N: label=data-safety label, policy=policy text, sdk=SDK signal.

Data Type	Class	Conf.	Evidence
installed_apps	Undeclared Collection	1.00	label:N policy:N sdk:Y (4, 35)
approximate_location	Undeclared Collection	0.97	label:N policy:N sdk:Y (4, 35)
purchase_history	Over Disclosure	1.00	label:N policy:Y sdk:N (4, 35)
email_address	Over Disclosure	1.00	label:N policy:Y sdk:N (4, 35)
user_payment_info	Over Disclosure	1.00	label:N policy:Y sdk:N (4, 35)
files_and_docs	Over Disclosure	1.00	label:N policy:Y sdk:N (4, 35)
phone_number	Over Disclosure	1.00	label:N policy:Y sdk:N (4, 35)
contacts	Over Disclosure	0.99	label:N policy:Y sdk:N (4, 35)
app_interactions	Over Disclosure	0.97	label:N policy:Y sdk:N (4, 35)
device_id	Consistent	1.00	label:N policy:Y sdk:Y (4, 35)
advertising_id	Consistent	1.00	label:N policy:Y sdk:Y (4, 35)

Evidence Trails

Detailed evidence for UNDECLARED_COLLECTION or confidence > 0.85 non-CONSISTENT findings.

Discrepancy: installed_apps — Undeclared Collection (confidence 1.00)

Label declares collection: **No**

Label declares sharing: **No**

Policy text mentions: **No**

SDK collection signals: **Yes** — 4, 35

Recommended action: Add 'installed_apps' to the Play Data Safety label under 'Data Collected' and update the privacy policy to disclose this collection.

Discrepancy: approximate_location — Undeclared Collection (confidence 0.97)

Label declares collection: **No**

Label declares sharing: **No**

Policy text mentions: **No**

SDK collection signals: **Yes** — 4, 35

Recommended action: Add 'approximate_location' to the Play Data Safety label under 'Data Collected' and update the privacy policy to disclose this collection.

Discrepancy: purchase_history — Over Disclosure (confidence 1.00)

Label declares collection: **No**

Label declares sharing: **No**

Policy text mentions: **Yes**

SDK collection signals: **No** — 4, 35

Recommended action: Review whether 'purchase_history' is genuinely collected. If yes, add to label; if no, remove from policy.

Discrepancy: email_address — Over Disclosure (confidence 1.00)

Label declares collection: **No**

Label declares sharing: **No**

Policy text mentions: **Yes**

SDK collection signals: **No** — 4, 35

Recommended action: Review whether 'email_address' is genuinely collected. If yes, add to label; if no, remove from policy.

Discrepancy: user_payment_info — Over Disclosure (confidence 1.00)

Label declares collection: **No**

Label declares sharing: **No**

Policy text mentions: **Yes**

SDK collection signals: **No** — 4, 35

Recommended action: Review whether 'user_payment_info' is genuinely collected. If yes, add to label; if no, remove from policy.

Discrepancy: files_and_docs — Over Disclosure (confidence 1.00)

Label declares collection: **No**

Label declares sharing: **No**

Policy text mentions: **Yes**

SDK collection signals: **No** — 4, 35

Recommended action: Review whether 'files_and_docs' is genuinely collected. If yes, add to label; if no, remove from policy.

Discrepancy: phone_number — Over Disclosure (confidence 1.00)

Label declares collection: **No**

Label declares sharing: **No**

Policy text mentions: **Yes**

SDK collection signals: **No** — 4, 35

Recommended action: Review whether 'phone_number' is genuinely collected. If yes, add to label; if no, remove from policy.

Discrepancy: contacts — Over Disclosure (confidence 0.99)

Label declares collection: **No**

Label declares sharing: **No**

Policy text mentions: **Yes**

SDK collection signals: **No** — 4, 35

Recommended action: Review whether 'contacts' is genuinely collected. If yes, add to label; if no, remove from policy.

Discrepancy: app_interactions — Over Disclosure (confidence 0.97)

Label declares collection: **No**

Label declares sharing: **No**

Policy text mentions: **Yes**

SDK collection signals: **No** — 4, 35

Recommended action: Review whether 'app_interactions' is genuinely collected. If yes, add to label; if no, remove from policy.

Methodology

PolicyGraphAudit-RT represents each Android app as a tri-partite heterogeneous graph connecting three layers: **Privacy Policy** text (OPP-115 segment classification), **Play Data Safety Labels** (declared data types and purposes), and **Runtime Evidence** (inferred SDK trackers via Exodus Privacy). A 2-layer HeteroConv R-GCN encodes all three layers jointly; an MLP classifier head predicts discrepancy classes for each (App, DataType) pair.

The model was trained under an edge-masking protocol (30% of label-determining edges removed) to prevent circularity. It achieves **macro F1 = 0.956** on 39 held-out apps (UNDECLARED_COLLECTION F1 = 0.974), trained on 252 apps and 3,202 labeled pairs. Model card: https://github.com/PolicyGraphAudit-RT/reports/blob/main/reports/m5_model_card.md.

Known limitations: (1) Privacy labels are from a 2022 Play Store snapshot. (2) SDK presence is inferred via category-level priors, not measured from APK bytecode. (3) Policy classifier uses MiniLM + logistic regression (OPP-115 macro F1 = 0.70). (4) Labels are rule-derived weak supervision, not human-annotated. (5) English-language Android apps only.

Disclaimer

This report is produced by a research prototype and is provided for informational and research purposes only. It does not constitute legal advice or a regulatory determination. Findings are based on automated weak-supervision labels from publicly available data and have not been reviewed by a privacy legal professional. Research prototype · Ongoing research.