Ex. No. : 8a Date:04-05-25

Register No.: 221701055 Name: S Sneha

Send SMS

Aim

Develop an application to send SMS

Procedure:

Step 1 : File -> NewProject

Provide the application name and Click "Next"

Step 2 : Select the target android devices

Select the minimum SDK to run the application. Click "Next".

Step 3 : Choose the activity for the application (By default choose "Blank Activity).

Click "Next".

Step 4 : Enter activity name and click " Finish ".

Step 5: Edit the program.

Step 6: Run the application, 2-ways to run the application.

- 1. Running through emulator
- 2. Running through mobile device

AndroidManifest.xml

```
<?xml version="1.0" encoding="utf-8"?>
<manifest xmlns:android="http://schemas.android.com/apk/res/android"</pre>
  package="com.example.mad81">
  <application
    android:allowBackup="true"
   android:icon="@mipmap/ic_launcher
    " android:label="MAD81 Email App"
   android:roundIcon="@mipmap/ic_launcher_round"
   android:supportsRtl="true"
   android:theme="@style/Theme.EmailApplication">
    <activity
      android:name=".MainActivity"
      android:exported="true">
      <intent-filter>
        <action android:name="android.intent.action.MAIN" />
        <category android:name="android.intent.category.LAUNCHER" />
      </intent-filter>
    </activity>
  </application>
</manifest>
```

Activity_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout</p>
xmlns:android="http://schemas.android.com/apk/res/android"
 xmlns:app="http://schemas.android.com/apk/res-auto"
 xmlns:tools="http://schemas.android.com/tools"
 android:id="@+id/main"
 android:layout_width="match_parent"
 android:layout_height="match_parent"
 tools:context=".MainActivity">
  <EditText
   android:id="@+id/email"
   android:layout_width="0dp"
   android:layout_height="wrap_content"
   android:hint="@string/email"
   android:inputType="textEmailAddress"
   android:padding="12dp"
   android:layout_marginTop="32dp"
   app:layout_constraintTop_toTopOf="parent"
   app:layout_constraintStart_toStartOf="parent"
   app:layout_constraintEnd_toEndOf="parent"/>
  <EditText
   android:id="@+id/subject"
   android:layout_width="0dp"
   android:layout_height="wrap_content"
   android:layout_marginTop="16dp"
   android:hint="@string/sub"
   android:inputType="text"
   android:padding="12dp"
   app:layout_constraintTop_toBottomOf="@id/email"
   app:layout_constraintStart_toStartOf="parent"
   app:layout constraintEnd toEndOf="parent"/>
  <EditText
   android:id="@+id/etmessage"
   android:layout width="0dp"
   android:layout_height="0dp"
   android:layout_marginTop="16dp"
   android:gravity="start|top"
   android:hint="@string/message"
```


```
android:inputType="textMultiLine"
    android:padding="12dp"
   app:layout_constraintTop_toBottomOf="@id/subject"
   app:layout_constraintStart_toStartOf="parent"
   app:layout_constraintEnd_toEndOf="parent"
   app:layout_constraintHeight_percent="0.4"/>
  <Button
   android:id="@+id/send"
   android:layout_width="wrap_content"
   android:layout_height="wrap_content"
   android:layout_marginTop="16dp"
   android:paddingLeft="32dp"
   android:paddingTop="16dp"
   android:paddingRight="32dp"
   android:paddingBottom="16dp"
   android:text="@string/send"
   app:layout_constraintTop_toBottomOf="@id/etmessage
    "app:layout_constraintStart_toStartOf="parent"
   app:layout_constraintEnd_toEndOf="parent"/>
```

</androidx.constraintlayout.widget.ConstraintLayout>

MainActivity.kt

```
package com.example.mad81
import android.content.Intent
import android.net.Uri
import android.os.Bundle
import android.widget.Button
import android.widget.EditText
import android.widget.Toast
import androidx.activity.enableEdgeToEdge
import androidx.appcompat.app.AppCompatActivity
import androidx.core.view.ViewCompat
import androidx.core.view.WindowInsetsCompat
class MainActivity : AppCompatActivity() {
  override fun onCreate(savedInstanceState: Bundle?) {
    super.onCreate(savedInstanceState)
    enableEdgeToEdge()
    setContentView(R.layout.activity_main)
    val recipientEditText = findViewById<EditText>(R.id.email)
    val subjectEditText = findViewById<EditText>(R.id.subject)
    val messageEditText = findViewById<EditText>(R.id.etmessage)
    val sendButton = findViewById<Button>(R.id.send)
    sendButton.setOnClickListener {
     val recipient = recipientEditText.text.toString().trim()
     val subject = subjectEditText.text.toString().trim()
      val message = messageEditText.text.toString().trim()
     if (recipient.isNotEmpty() && subject.isNotEmpty() && message.isNotEmpty()) {
        val mailto = "mailto:$recipient" +
           "?subject=" + Uri.encode(subject) +
           "&body=" + Uri.encode(message)
        val emailIntent = Intent(Intent.ACTION_SENDTO).apply {
         data = Uri.parse(mailto)
       }
       trv {
          startActivity(Intent.createChooser(emailIntent, "Send email..."))
       } catch (e: Exception) {
         Toast.makeText(this, "No email app found", Toast.LENGTH_SHORT).show()
       }
     }
```

Output



Result:

The experiment has been executed successfully