

# JGH Database: Table Connectivity & Relationships Catalog

A full network density map showing how many tables connect to each table and detailing specific columns.

This catalog documents every table in the database, counting the total active connections (both Inbound and Outbound) and listing the exact columns and target tables making up these connections. Connections are labeled as either **(Explicit)** for database constraints or **(Logical)** for implicit application relations.

■ academy\_videos

[Total Connections: 0 | Outbound: 0 | Inbound: 0]

No active inbound or outbound connections.

■ account\_deletion\_requests

[Total Connections: 1 | Outbound: 1 | Inbound: 0]

Outbound Connections (what this table connects to):

- Column `user_id` → connects to `users.id` (Logical)

■ activate\_qrs\_requests

[Total Connections: 1 | Outbound: 1 | Inbound: 0]

Outbound Connections (what this table connects to):

- Column `user_id` → connects to `users.id` (Logical)

■ addresses

[Total Connections: 7 | Outbound: 1 | Inbound: 6]

Outbound Connections (what this table connects to):

- Column `user_id` → connects to `users.id` (Logical)

Inbound Connections (tables that reference this table):

- Table `box_gift_orders` (column `address_id`) → references this table's `id` (Logical)
- Table `gift_orders` (column `address_id`) → references this table's `id` (Logical)
- Table `incentive_gift_orders` (column `address_id`) → references this table's `id` (Logical)
- Table `sample_orders` (column `address_id`) → references this table's `id` (Logical)
- Table `scheme_gift_orders` (column `address_id`) → references this table's `id` (Logical)
- Table `winter_gift_orders` (column `address_id`) → references this table's `id` (Logical)

■ adhaar\_verifications

[Total Connections: 1 | Outbound: 1 | Inbound: 0]

Outbound Connections (what this table connects to):

- Column `user_id` → connects to `users.id` (Logical)

■ app\_link\_report

[Total Connections: 0 | Outbound: 0 | Inbound: 0]

No active inbound or outbound connections.

**■ automatic\_transactions [Total Connections: 2 | Outbound: 1 | Inbound: 1]****Outbound Connections (what this table connects to):**

- Column **user\_id** → connects to *users.id* (Logical)

**Inbound Connections (tables that reference this table):**

- Table *withdrawal\_request* (column **automatic\_transaction\_id**) → references this table's *id* (Logical)

**■ bank\_accounts [Total Connections: 1 | Outbound: 1 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **user\_id** → connects to *users.id* (Logical)

**■ bank\_transactions [Total Connections: 1 | Outbound: 0 | Inbound: 1]****Inbound Connections (tables that reference this table):**

- Table *withdrawal\_request* (column **bank\_transaction\_id**) → references this table's *id* (Logical)

**■ beat\_plan\_retailers [Total Connections: 2 | Outbound: 2 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **beat\_plan\_id** → connects to *beat\_plans.id* (Explicit)
- Column **user\_id** → connects to *users.id* (Explicit)

**■ beat\_plans [Total Connections: 6 | Outbound: 3 | Inbound: 3]****Outbound Connections (what this table connects to):**

- Column **district\_id** → connects to *districts.id* (Logical)
- Column **sales\_executive\_id** → connects to *users.id* (Logical)
- Column **state\_id** → connects to *state.id* (Logical)

**Inbound Connections (tables that reference this table):**

- Table *beat\_plan\_retailers* (column **beat\_plan\_id**) → references this table's *id* (Explicit)
- Table *scheduled\_visits* (column **beat\_plan\_id**) → references this table's *id* (Explicit)
- Table *visit\_check\_in\_check\_out* (column **beat\_plan\_id**) → references this table's *id* (Logical)

**■ billings [Total Connections: 2 | Outbound: 2 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **business\_id** → connects to *business\_information.id* (Explicit)
- Column **package\_id** → connects to *packages.id* (Explicit)

**■ blacklist\_reports [Total Connections: 1 | Outbound: 1 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **user\_id** → connects to *users.id* (Logical)

## ■ blocked\_locations [Total Connections: 2 | Outbound: 2 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column **state\_id** → connects to *state.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

## ■ blocked\_reasons [Total Connections: 2 | Outbound: 0 | Inbound: 2]

### Inbound Connections (tables that reference this table):

- Table *user\_scan\_permissions* (column **blocked\_reason\_id**) → references this table's *id* (Logical)
- Table *user\_withdrawal\_block\_histories* (column **blocked\_reason\_id**) → references this table's *id* (Logical)

## ■ bonus\_events [Total Connections: 1 | Outbound: 0 | Inbound: 1]

### Inbound Connections (tables that reference this table):

- Table *bonus\_transactions* (column **bonus\_event\_id**) → references this table's *id* (Logical)

## ■ bonus\_transactions [Total Connections: 2 | Outbound: 2 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column **bonus\_event\_id** → connects to *bonus\_events.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

## ■ box\_gift\_orders [Total Connections: 4 | Outbound: 4 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column **address\_id** → connects to *addresses.id* (Logical)
- Column **gift\_card\_id** → connects to *gift\_cards.id* (Logical)
- Column **order\_id** → connects to *orders.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

## ■ branches [Total Connections: 6 | Outbound: 1 | Inbound: 5]

### Outbound Connections (what this table connects to):

- Column **company\_id** → connects to *companies.id* (Explicit)

### Inbound Connections (tables that reference this table):

- Table *employees* (column **branch\_id**) → references this table's *id* (Explicit)
- Table *garages* (column **branch\_id**) → references this table's *id* (Logical)
- Table *inventory* (column **branch\_id**) → references this table's *id* (Logical)
- Table *mechanic\_details* (column **branch\_id**) → references this table's *id* (Logical)
- Table *required\_mechanic\_details* (column **branch\_id**) → references this table's *id* (Logical)

## ■ brand\_wise\_limits [Total Connections: 2 | Outbound: 2 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column **brand\_id** → connects to *brands.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

## ■ branding\_elements [Total Connections: 2 | Outbound: 0 | Inbound: 2]

### Inbound Connections (tables that reference this table):

- Table *branding\_requests* (column **branding\_element\_id**) → references this table's *id* (Logical)
- Table *vendor\_element\_state\_mappings* (column **branding\_element\_id**) → references this table's *id* (Explicit)

## ■ branding\_requests [Total Connections: 3 | Outbound: 3 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column **branding\_element\_id** → connects to *branding\_elements.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)
- Column **vendor\_id** → connects to *vendors.id* (Logical)

## ■ brands [Total Connections: 7 | Outbound: 0 | Inbound: 7]

### Inbound Connections (tables that reference this table):

- Table *brand\_wise\_limits* (column **brand\_id**) → references this table's *id* (Logical)
- Table *category\_sub\_groups* (column **brand\_id**) → references this table's *id* (Logical)
- Table *event\_orders* (column **brand\_id**) → references this table's *id* (Logical)
- Table *incentive\_schemes* (column **brand\_id**) → references this table's *id* (Logical)
- Table *order\_categories* (column **brand\_id**) → references this table's *id* (Logical)
- Table *products* (column **brand\_id**) → references this table's *id* (Logical)
- Table *scheme\_orders* (column **brand\_id**) → references this table's *id* (Logical)

## ■ bulk\_lpn\_imports [Total Connections: 1 | Outbound: 1 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column **user\_id** → connects to *users.id* (Logical)

## ■ bulk\_reports [Total Connections: 2 | Outbound: 2 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column **report\_id** → connects to *reports.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

## ■ bulk\_sku\_mappings [Total Connections: 2 | Outbound: 2 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column **state\_ids** → connects to *state.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

## ■ business\_information [Total Connections: 13 | Outbound: 0 | Inbound: 13]

### Inbound Connections (tables that reference this table):

- Table *billings* (column **business\_id**) → references this table's *id* (Explicit)
- Table *companies* (column **business\_info\_id**) → references this table's *id* (Logical)
- Table *connection\_request* (column **business\_info\_id**) → references this table's *id* (Logical)
- Table *dynamics* (column **business\_info\_id**) → references this table's *id* (Logical)

- Table *ecatalogue* (column **business\_info\_id**) → references this table's *id* (Logical)
- Table *garages* (column **business\_info\_id**) → references this table's *id* (Logical)
- Table *gift\_categories* (column **business\_info\_id**) → references this table's *id* (Logical)
- Table *home\_banner* (column **business\_info\_id**) → references this table's *id* (Logical)
- Table *master\_categories* (column **business\_info\_id**) → references this table's *id* (Logical)
- Table *mybenefits* (column **business\_info\_id**) → references this table's *id* (Logical)
- Table *notifications* (column **business\_info\_id**) → references this table's *id* (Logical)
- Table *offers\_and\_promotions* (column **business\_info\_id**) → references this table's *id* (Logical)
- Table *users* (column **business\_info\_id**) → references this table's *id* (Logical)

## ■ campaign\_logs [Total Connections: 3 | Outbound: 3 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column **campaign\_id** → connects to *campaigns.id* (Logical)
- Column **scheme\_id** → connects to *schemes.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

## ■ campaigns [Total Connections: 3 | Outbound: 2 | Inbound: 1]

### Outbound Connections (what this table connects to):

- Column **offer\_id** → connects to *offer.id* (Logical)
- Column **scheme\_id** → connects to *schemes.id* (Logical)

### Inbound Connections (tables that reference this table):

- Table *campaign\_logs* (column **campaign\_id**) → references this table's *id* (Logical)

## ■ cart\_items [Total Connections: 2 | Outbound: 2 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column **product\_id** → connects to *products.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

## ■ category\_sub\_group\_master\_category\_mapping [Total Connections: 1 | Outbound: 1 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column **category\_sub\_group\_id** → connects to *category\_sub\_groups.id* (Logical)

## ■ category\_sub\_groups [Total Connections: 4 | Outbound: 1 | Inbound: 3]

### Outbound Connections (what this table connects to):

- Column **brand\_id** → connects to *brands.id* (Logical)

### Inbound Connections (tables that reference this table):

- Table *category\_sub\_group\_master\_category\_mapping* (column **category\_sub\_group\_id**) → references this table's *id* (Logical)
- Table *offer\_mapping* (column **category\_sub\_group\_id**) → references this table's *id* (Logical)
- Table *sku\_products* (column **category\_sub\_group\_id**) → references this table's *id* (Logical)

**■ claimed\_offers [Total Connections: 2 | Outbound: 2 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **offer\_condition\_id** → connects to *offer\_conditions.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

**■ code\_status [Total Connections: 0 | Outbound: 0 | Inbound: 0]**

*No active inbound or outbound connections.*

**■ companies [Total Connections: 9 | Outbound: 1 | Inbound: 8]****Outbound Connections (what this table connects to):**

- Column **business\_info\_id** → connects to *business\_information.id* (Logical)

**Inbound Connections (tables that reference this table):**

- Table *branches* (column **company\_id**) → references this table's *id* (Explicit)
- Table *company\_controls* (column **company\_id**) → references this table's *id* (Logical)
- Table *employees* (column **company\_id**) → references this table's *id* (Explicit)
- Table *garages* (column **company\_id**) → references this table's *id* (Logical)
- Table *inventory* (column **company\_id**) → references this table's *id* (Logical)
- Table *mechanic\_details* (column **company\_id**) → references this table's *id* (Logical)
- Table *required\_mechanic\_details* (column **company\_id**) → references this table's *id* (Logical)
- Table *table\_qr\_pdfs* (column **company\_id**) → references this table's *id* (Logical)

**■ company\_controls [Total Connections: 1 | Outbound: 1 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **company\_id** → connects to *companies.id* (Logical)

**■ conference\_events [Total Connections: 1 | Outbound: 1 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **state\_id** → connects to *state.id* (Logical)

**■ connection\_request [Total Connections: 2 | Outbound: 2 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **business\_info\_id** → connects to *business\_information.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

**■ contact\_groups [Total Connections: 0 | Outbound: 0 | Inbound: 0]**

*No active inbound or outbound connections.*

**■ contacts [Total Connections: 0 | Outbound: 0 | Inbound: 0]**

*No active inbound or outbound connections.*

**■ coupon\_plans [Total Connections: 0 | Outbound: 0 | Inbound: 0]**

*No active inbound or outbound connections.*

**■ coupon\_reasons [Total Connections: 0 | Outbound: 0 | Inbound: 0]**

*No active inbound or outbound connections.*

**■ coupon\_transactions [Total Connections: 1 | Outbound: 1 | Inbound: 0]**

**Outbound Connections (what this table connects to):**

- Column **package\_id** → connects to *packages.id* (Logical)

**■ coupons [Total Connections: 1 | Outbound: 1 | Inbound: 0]**

**Outbound Connections (what this table connects to):**

- Column **user\_id** → connects to *users.id* (Logical)

**■ credit\_notes [Total Connections: 2 | Outbound: 2 | Inbound: 0]**

**Outbound Connections (what this table connects to):**

- Column **user\_id** → connects to *users.id* (Logical)
- Column **wallet\_transaction\_id** → connects to *wallet\_transaction.id* (Logical)

**■ currency [Total Connections: 0 | Outbound: 0 | Inbound: 0]**

*No active inbound or outbound connections.*

**■ dashboard\_daily\_data [Total Connections: 0 | Outbound: 0 | Inbound: 0]**

*No active inbound or outbound connections.*

**■ deactivated\_qr\_wallet\_transactions [Total Connections: 1 | Outbound: 1 | Inbound: 0]**

**Outbound Connections (what this table connects to):**

- Column **user\_id** → connects to *users.id* (Logical)

**■ details\_approvals [Total Connections: 1 | Outbound: 1 | Inbound: 0]**

**Outbound Connections (what this table connects to):**

- Column **user\_id** → connects to *users.id* (Logical)

**■ digio\_kyc\_details [Total Connections: 1 | Outbound: 1 | Inbound: 0]**

**Outbound Connections (what this table connects to):**

- Column **user\_id** → connects to *users.id* (Logical)

**■ distributor\_pincode\_mapping [Total Connections: 0 | Outbound: 0 | Inbound: 0]**

No active inbound or outbound connections.

**■ distributor\_point\_deduction\_approvals [Total Connections: 0 | Outbound: 0 | Inbound: 0]**

No active inbound or outbound connections.

**■ distributor\_targets [Total Connections: 1 | Outbound: 1 | Inbound: 0]**

**Outbound Connections (what this table connects to):**

- Column **financial\_year\_id** → connects to *financial\_years.id* (Logical)

**■ distributor\_teams [Total Connections: 1 | Outbound: 1 | Inbound: 0]**

**Outbound Connections (what this table connects to):**

- Column **user\_id** → connects to *users.id* (Logical)

**■ distributor\_wholesaler [Total Connections: 0 | Outbound: 0 | Inbound: 0]**

No active inbound or outbound connections.

**■ district\_population [Total Connections: 3 | Outbound: 3 | Inbound: 0]**

**Outbound Connections (what this table connects to):**

- Column **district\_id** → connects to *districts.id* (Logical)
- Column **state\_id** → connects to *state.id* (Logical)
- Column **zone\_id** → connects to *zones.id* (Logical)

**■ district\_with\_pha\_values [Total Connections: 3 | Outbound: 3 | Inbound: 0]**

**Outbound Connections (what this table connects to):**

- Column **district\_id** → connects to *districts.id* (Logical)
- Column **financial\_year\_id** → connects to *financial\_years.id* (Logical)
- Column **state\_id** → connects to *state.id* (Logical)

**■ districts [Total Connections: 9 | Outbound: 0 | Inbound: 9]**

**Inbound Connections (tables that reference this table):**

- Table *beat\_plans* (column **district\_id**) → references this table's *id* (Logical)
- Table *district\_population* (column **district\_id**) → references this table's *id* (Logical)
- Table *district\_with\_pha\_values* (column **district\_id**) → references this table's *id* (Logical)
- Table *engagement\_events* (column **district\_ids**) → references this table's *id* (Logical)
- Table *monthly\_district\_pha* (column **district\_id**) → references this table's *id* (Logical)
- Table *monthly\_pincode\_pha* (column **district\_id**) → references this table's *id* (Logical)
- Table *pincode\_address\_maps* (column **district\_id**) → references this table's *id* (Logical)
- Table *pincode\_population* (column **district\_id**) → references this table's *id* (Logical)
- Table *pincode\_with\_pha\_values* (column **district\_id**) → references this table's *id* (Logical)

■ **dms\_bulk\_exports** [Total Connections: 0 | Outbound: 0 | Inbound: 0]

No active inbound or outbound connections.

■ **dms\_divisions** [Total Connections: 0 | Outbound: 0 | Inbound: 0]

No active inbound or outbound connections.

■ **dms\_gst\_masters** [Total Connections: 0 | Outbound: 0 | Inbound: 0]

No active inbound or outbound connections.

■ **dynamic\_reports** [Total Connections: 0 | Outbound: 0 | Inbound: 0]

No active inbound or outbound connections.

■ **dynamics** [Total Connections: 1 | Outbound: 1 | Inbound: 0]

Outbound Connections (what this table connects to):

- Column **business\_info\_id** → connects to *business\_information.id* (Logical)

■ **ecatalogue** [Total Connections: 2 | Outbound: 2 | Inbound: 0]

Outbound Connections (what this table connects to):

- Column **business\_info\_id** → connects to *business\_information.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

■ **employees** [Total Connections: 5 | Outbound: 3 | Inbound: 2]

Outbound Connections (what this table connects to):

- Column **branch\_id** → connects to *branches.id* (Explicit)
- Column **company\_id** → connects to *companies.id* (Explicit)
- Column **user\_id** → connects to *users.id* (Logical)

Inbound Connections (tables that reference this table):

- Table *mechanic\_details* (column **employee\_id**) → references this table's *id* (Logical)
- Table *users* (column **employee\_id**) → references this table's *id* (Logical)

■ **engagement\_event\_conditions** [Total Connections: 0 | Outbound: 0 | Inbound: 0]

No active inbound or outbound connections.

■ **engagement\_event\_reward\_logs** [Total Connections: 1 | Outbound: 1 | Inbound: 0]

Outbound Connections (what this table connects to):

- Column **user\_id** → connects to *users.id* (Logical)

■ **engagement\_events** [Total Connections: 4 | Outbound: 4 | Inbound: 0]

Outbound Connections (what this table connects to):

- Column **district\_ids** → connects to *districts.id* (Logical)

- Column **retailer\_ids** → connects to *users.id* (Logical)
- Column **state\_ids** → connects to *state.id* (Logical)
- Column **zone\_ids** → connects to *zones.id* (Logical)

■ **engagement\_reward\_masters** [Total Connections: 0 | Outbound: 0 | Inbound: 0]

No active inbound or outbound connections.

■ **event\_coupons** [Total Connections: 2 | Outbound: 2 | Inbound: 0]

Outbound Connections (what this table connects to):

- Column **event\_order\_id** → connects to *event\_orders.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

■ **event\_multiwin\_allowed\_users** [Total Connections: 1 | Outbound: 1 | Inbound: 0]

Outbound Connections (what this table connects to):

- Column **user\_id** → connects to *users.id* (Logical)

■ **event\_orders** [Total Connections: 4 | Outbound: 3 | Inbound: 1]

Outbound Connections (what this table connects to):

- Column **brand\_id** → connects to *brands.id* (Logical)
- Column **order\_id** → connects to *orders.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

Inbound Connections (tables that reference this table):

- Table *event\_coupons* (column **event\_order\_id**) → references this table's *id* (Logical)

■ **event\_prizes** [Total Connections: 0 | Outbound: 0 | Inbound: 0]

No active inbound or outbound connections.

■ **executive\_attendances** [Total Connections: 1 | Outbound: 1 | Inbound: 0]

Outbound Connections (what this table connects to):

- Column **user\_id** → connects to *users.id* (Logical)

■ **executive\_distributor\_mappings** [Total Connections: 0 | Outbound: 0 | Inbound: 0]

No active inbound or outbound connections.

■ **executive\_retailer\_mappings** [Total Connections: 1 | Outbound: 1 | Inbound: 0]

Outbound Connections (what this table connects to):

- Column **retailer\_id** → connects to *users.id* (Logical)

## ■ executive\_survey\_answer\_submissions [Total Connections: 1 | Outbound: 1 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column `user_id` → connects to `users.id` (Logical)

## ■ executive\_survey\_forms [Total Connections: 0 | Outbound: 0 | Inbound: 0]

*No active inbound or outbound connections.*

## ■ failed\_jobs [Total Connections: 0 | Outbound: 0 | Inbound: 0]

*No active inbound or outbound connections.*

## ■ failed\_sku\_inventories\_callback [Total Connections: 0 | Outbound: 0 | Inbound: 0]

*No active inbound or outbound connections.*

## ■ failed\_skus\_callback\_csvs [Total Connections: 0 | Outbound: 0 | Inbound: 0]

*No active inbound or outbound connections.*

## ■ feedback\_forms [Total Connections: 2 | Outbound: 1 | Inbound: 1]

### Outbound Connections (what this table connects to):

- Column `state_ids` → connects to `state.id` (Logical)

### Inbound Connections (tables that reference this table):

- Table `feedback_submissions` (column `feedback_form_id`) → references this table's `id` (Logical)

## ■ feedback\_submissions [Total Connections: 2 | Outbound: 2 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column `feedback_form_id` → connects to `feedback_forms.id` (Logical)
- Column `user_id` → connects to `users.id` (Logical)

## ■ feedbacks [Total Connections: 1 | Outbound: 1 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column `user_id` → connects to `users.id` (Explicit)

## ■ financial\_years [Total Connections: 11 | Outbound: 0 | Inbound: 11]

### Inbound Connections (tables that reference this table):

- Table `distributor_targets` (column `financial_year_id`) → references this table's `id` (Logical)
- Table `district_with_pha_values` (column `financial_year_id`) → references this table's `id` (Logical)
- Table `onboarding_targets` (column `financial_year_id`) → references this table's `id` (Logical)
- Table `pincode_with_pha_values` (column `financial_year_id`) → references this table's `id` (Logical)
- Table `retailer_targets` (column `financial_year_id`) → references this table's `id` (Logical)
- Table `s_e_quaterly_targets` (column `financial_year_id`) → references this table's `id` (Logical)
- Table `s_e_targets` (column `financial_year_id`) → references this table's `id` (Logical)

- Table *state\_with\_pha\_values* (column **financial\_year\_id**) → references this table's *id* (Logical)
- Table *tds\_certificates* (column **financial\_year\_id**) → references this table's *id* (Logical)
- Table *wholesaler\_targets* (column **financial\_year\_id**) → references this table's *id* (Logical)
- Table *wholesaler\_winter\_targets* (column **financial\_year\_id**) → references this table's *id* (Logical)

## ■ **garage\_details** [Total Connections: 0 | Outbound: 0 | Inbound: 0]

No active inbound or outbound connections.

## ■ **garages** [Total Connections: 4 | Outbound: 3 | Inbound: 1]

### Outbound Connections (what this table connects to):

- Column **branch\_id** → connects to *branches.id* (Logical)
- Column **business\_info\_id** → connects to *business\_information.id* (Logical)
- Column **company\_id** → connects to *companies.id* (Logical)

### Inbound Connections (tables that reference this table):

- Table *mechanic\_details* (column **garage\_id**) → references this table's *id* (Logical)

## ■ **geo\_districts** [Total Connections: 0 | Outbound: 0 | Inbound: 0]

No active inbound or outbound connections.

## ■ **geo\_pincodes** [Total Connections: 0 | Outbound: 0 | Inbound: 0]

No active inbound or outbound connections.

## ■ **geo\_states** [Total Connections: 1 | Outbound: 1 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column **zone\_id** → connects to *zones.id* (Logical)

## ■ **gift\_cards** [Total Connections: 6 | Outbound: 2 | Inbound: 4]

### Outbound Connections (what this table connects to):

- Column **gift\_category\_id** → connects to *gift\_categories.id* (Explicit)
- Column **gift\_product\_id** → connects to *gift\_products.id* (Logical)

### Inbound Connections (tables that reference this table):

- Table *box\_gift\_orders* (column **gift\_card\_id**) → references this table's *id* (Logical)
- Table *gift\_orders* (column **gift\_card\_id**) → references this table's *id* (Explicit)
- Table *winter\_gift\_orders* (column **gift\_card\_id**) → references this table's *id* (Logical)
- Table *wishlists* (column **gift\_card\_id**) → references this table's *id* (Logical)

## ■ **gift\_categories** [Total Connections: 2 | Outbound: 1 | Inbound: 1]

### Outbound Connections (what this table connects to):

- Column **business\_info\_id** → connects to *business\_information.id* (Logical)

### Inbound Connections (tables that reference this table):

- Table *gift\_cards* (column **gift\_category\_id**) → references this table's *id* (Explicit)

### ■ gift\_gamification [Total Connections: 1 | Outbound: 1 | Inbound: 0]

#### Outbound Connections (what this table connects to):

- Column **user\_id** → connects to *users.id* (Logical)

### ■ gift\_inventories [Total Connections: 3 | Outbound: 3 | Inbound: 0]

#### Outbound Connections (what this table connects to):

- Column **gift\_order\_id** → connects to *gift\_orders.id* (Logical)
- Column **product\_id** → connects to *products.id* (Logical)
- Column **retailer\_id** → connects to *users.id* (Logical)

### ■ gift\_order\_timelines [Total Connections: 1 | Outbound: 1 | Inbound: 0]

#### Outbound Connections (what this table connects to):

- Column **gift\_order\_id** → connects to *gift\_orders.id* (Logical)

### ■ gift\_orders [Total Connections: 7 | Outbound: 4 | Inbound: 3]

#### Outbound Connections (what this table connects to):

- Column **address\_id** → connects to *addresses.id* (Logical)
- Column **gift\_card\_id** → connects to *gift\_cards.id* (Explicit)
- Column **order\_id** → connects to *orders.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

#### Inbound Connections (tables that reference this table):

- Table *gift\_inventories* (column **gift\_order\_id**) → references this table's *id* (Logical)
- Table *gift\_order\_timelines* (column **gift\_order\_id**) → references this table's *id* (Logical)
- Table *withdrawal\_request* (column **gift\_order\_id**) → references this table's *id* (Logical)

### ■ gift\_products [Total Connections: 3 | Outbound: 0 | Inbound: 3]

#### Inbound Connections (tables that reference this table):

- Table *gift\_cards* (column **gift\_product\_id**) → references this table's *id* (Logical)
- Table *scheme\_gift\_items* (column **gift\_product\_id**) → references this table's *id* (Logical)
- Table *winter\_gift\_items* (column **gift\_product\_id**) → references this table's *id* (Logical)

### ■ gift\_scan\_wallet\_transactions [Total Connections: 1 | Outbound: 1 | Inbound: 0]

#### Outbound Connections (what this table connects to):

- Column **user\_id** → connects to *users.id* (Logical)

### ■ gift\_sku\_bulk\_imports [Total Connections: 0 | Outbound: 0 | Inbound: 0]

*No active inbound or outbound connections.*

### ■ greeting\_templates [Total Connections: 1 | Outbound: 1 | Inbound: 0]

#### Outbound Connections (what this table connects to):

- Column **occasion\_id** → connects to *occasions.id* (Logical)

**■ group\_management [Total Connections: 1 | Outbound: 1 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **user\_id** → connects to *users.id* (Logical)

**■ home\_banner [Total Connections: 2 | Outbound: 2 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **business\_info\_id** → connects to *business\_information.id* (Logical)
- Column **scheme\_id** → connects to *schemes.id* (Logical)

**■ incentive\_gift\_orders [Total Connections: 4 | Outbound: 4 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **address\_id** → connects to *addresses.id* (Logical)
- Column **incentive\_scheme\_id** → connects to *incentive\_schemes.id* (Logical)
- Column **order\_id** → connects to *orders.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

**■ incentive\_schemes [Total Connections: 3 | Outbound: 2 | Inbound: 1]****Outbound Connections (what this table connects to):**

- Column **brand\_id** → connects to *brands.id* (Logical)
- Column **state\_ids** → connects to *state.id* (Logical)

**Inbound Connections (tables that reference this table):**

- Table *incentive\_gift\_orders* (column **incentive\_scheme\_id**) → references this table's *id* (Logical)

**■ inventory [Total Connections: 3 | Outbound: 3 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **branch\_id** → connects to *branches.id* (Logical)
- Column **company\_id** → connects to *companies.id* (Logical)
- Column **product\_id** → connects to *products.id* (Logical)

**■ inventory\_values [Total Connections: 2 | Outbound: 2 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **product\_id** → connects to *products.id* (Logical)
- Column **state\_id** → connects to *state.id* (Logical)

**■ kolkata\_apis\_csvs [Total Connections: 0 | Outbound: 0 | Inbound: 0]**

*No active inbound or outbound connections.*

**■ language [Total Connections: 0 | Outbound: 0 | Inbound: 0]**

*No active inbound or outbound connections.*

**■ manual\_transactions [Total Connections: 2 | Outbound: 2 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **uploaded\_by** → connects to *users.id* (Explicit)
- Column **withdrawal\_request\_id** → connects to *withdrawal\_request.id* (Logical)

**■ mapping\_incentive\_users [Total Connections: 1 | Outbound: 1 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **user\_id** → connects to *users.id* (Logical)

**■ master\_categories [Total Connections: 1 | Outbound: 1 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **business\_info\_id** → connects to *business\_information.id* (Logical)

**■ mechanic\_account\_types [Total Connections: 0 | Outbound: 0 | Inbound: 0]**

*No active inbound or outbound connections.*

**■ mechanic\_details [Total Connections: 4 | Outbound: 4 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **branch\_id** → connects to *branches.id* (Logical)
- Column **company\_id** → connects to *companies.id* (Logical)
- Column **employee\_id** → connects to *employees.id* (Logical)
- Column **garage\_id** → connects to *garages.id* (Logical)

**■ migrations [Total Connections: 0 | Outbound: 0 | Inbound: 0]**

*No active inbound or outbound connections.*

**■ module [Total Connections: 2 | Outbound: 0 | Inbound: 2]****Inbound Connections (tables that reference this table):**

- Table *permission* (column **module\_id**) → references this table's *id* (Logical)
- Table *role\_permission\_module* (column **module\_id**) → references this table's *id* (Logical)

**■ module\_maps [Total Connections: 2 | Outbound: 2 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **module\_id** → connects to *packages\_modules.id* (Explicit)
- Column **package\_id** → connects to *packages.id* (Explicit)

**■ mom\_attachments [Total Connections: 0 | Outbound: 0 | Inbound: 0]**

*No active inbound or outbound connections.*

**■ mom\_messages [Total Connections: 0 | Outbound: 0 | Inbound: 0]**

*No active inbound or outbound connections.*

**■ mom\_thread\_participants [Total Connections: 1 | Outbound: 1 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **user\_id** → connects to *users.id* (Logical)

**■ mom\_threads [Total Connections: 0 | Outbound: 0 | Inbound: 0]**

*No active inbound or outbound connections.*

**■ monthly\_averages [Total Connections: 1 | Outbound: 1 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **user\_id** → connects to *users.id* (Logical)

**■ monthly\_district pha [Total Connections: 3 | Outbound: 3 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **district\_id** → connects to *districts.id* (Logical)
- Column **state\_id** → connects to *state.id* (Logical)
- Column **zone\_id** → connects to *zones.id* (Logical)

**■ monthly\_pincode pha [Total Connections: 3 | Outbound: 3 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **district\_id** → connects to *districts.id* (Logical)
- Column **state\_id** → connects to *state.id* (Logical)
- Column **zone\_id** → connects to *zones.id* (Logical)

**■ mybenefits [Total Connections: 1 | Outbound: 1 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **business\_info\_id** → connects to *business\_information.id* (Logical)

**■ mypoints [Total Connections: 2 | Outbound: 2 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **user\_role** → connects to *role.id* (Logical)
- Column **users\_id** → connects to *users.id* (Logical)

**■ notification\_events [Total Connections: 1 | Outbound: 0 | Inbound: 1]****Inbound Connections (tables that reference this table):**

- Table *notifications* (column **notification\_event\_id**) → references this table's *id* (Logical)

## ■ notification\_logs [Total Connections: 2 | Outbound: 2 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column **notification\_id** → connects to *notifications.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

## ■ notifications [Total Connections: 7 | Outbound: 5 | Inbound: 2]

### Outbound Connections (what this table connects to):

- Column **business\_info\_id** → connects to *business\_information.id* (Logical)
- Column **notification\_event\_id** → connects to *notification\_events.id* (Logical)
- Column **order\_id** → connects to *orders.id* (Logical)
- Column **state\_ids** → connects to *state.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

### Inbound Connections (tables that reference this table):

- Table *notification\_logs* (column **notification\_id**) → references this table's *id* (Logical)
- Table *read\_notifications* (column **notification\_id**) → references this table's *id* (Logical)

## ■ occasions [Total Connections: 1 | Outbound: 0 | Inbound: 1]

### Inbound Connections (tables that reference this table):

- Table *greeting\_templates* (column **occasion\_id**) → references this table's *id* (Logical)

## ■ offer [Total Connections: 5 | Outbound: 2 | Inbound: 3]

### Outbound Connections (what this table connects to):

- Column **state\_ids** → connects to *state.id* (Logical)
- Column **user\_role** → connects to *role.id* (Logical)

### Inbound Connections (tables that reference this table):

- Table *campaigns* (column **offer\_id**) → references this table's *id* (Logical)
- Table *offer\_conditions* (column **offer\_id**) → references this table's *id* (Logical)
- Table *offer\_mapping* (column **offer\_id**) → references this table's *id* (Logical)

## ■ offer\_conditions [Total Connections: 2 | Outbound: 1 | Inbound: 1]

### Outbound Connections (what this table connects to):

- Column **offer\_id** → connects to *offer.id* (Logical)

### Inbound Connections (tables that reference this table):

- Table *claimed\_offers* (column **offer\_condition\_id**) → references this table's *id* (Logical)

## ■ offer\_mapping [Total Connections: 3 | Outbound: 3 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column **category\_sub\_group\_id** → connects to *category\_sub\_groups.id* (Logical)
- Column **offer\_id** → connects to *offer.id* (Logical)
- Column **product\_id** → connects to *products.id* (Logical)

## ■ offers\_and\_promotions [Total Connections: 1 | Outbound: 1 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column **business\_info\_id** → connects to *business\_information.id* (Logical)

## ■ offline\_sku\_inventories [Total Connections: 1 | Outbound: 1 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column **user\_id** → connects to *users.id* (Logical)

## ■ onboarding\_targets [Total Connections: 1 | Outbound: 1 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column **financial\_year\_id** → connects to *financial\_years.id* (Logical)

## ■ order\_bulk\_mapping [Total Connections: 0 | Outbound: 0 | Inbound: 0]

*No active inbound or outbound connections.*

## ■ order\_categories [Total Connections: 1 | Outbound: 1 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column **brand\_id** → connects to *brands.id* (Logical)

## ■ order\_invoices [Total Connections: 2 | Outbound: 2 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column **order\_id** → connects to *orders.id* (Explicit)
- Column **order\_updated\_by** → connects to *users.id* (Explicit)

## ■ order\_items [Total Connections: 2 | Outbound: 2 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column **order\_id** → connects to *orders.id* (Logical)
- Column **product\_id** → connects to *products.id* (Logical)

## ■ orders [Total Connections: 10 | Outbound: 1 | Inbound: 9]

### Outbound Connections (what this table connects to):

- Column **user\_id** → connects to *users.id* (Logical)

### Inbound Connections (tables that reference this table):

- Table *box\_gift\_orders* (column **order\_id**) → references this table's *id* (Logical)
- Table *event\_orders* (column **order\_id**) → references this table's *id* (Logical)
- Table *gift\_orders* (column **order\_id**) → references this table's *id* (Logical)
- Table *incentive\_gift\_orders* (column **order\_id**) → references this table's *id* (Logical)
- Table *notifications* (column **order\_id**) → references this table's *id* (Logical)
- Table *order\_invoices* (column **order\_id**) → references this table's *id* (Explicit)
- Table *order\_items* (column **order\_id**) → references this table's *id* (Logical)
- Table *scheme\_gift\_orders* (column **order\_id**) → references this table's *id* (Logical)

- Table *winter\_gift\_orders* (column **order\_id**) → references this table's *id* (Logical)

### ■ otp [Total Connections: 1 | Outbound: 1 | Inbound: 0]

#### Outbound Connections (what this table connects to):

- Column **user\_role** → connects to *role.id* (Logical)

### ■ packages [Total Connections: 3 | Outbound: 0 | Inbound: 3]

#### Inbound Connections (tables that reference this table):

- Table *billings* (column **package\_id**) → references this table's *id* (Explicit)
- Table *coupon\_transactions* (column **package\_id**) → references this table's *id* (Logical)
- Table *module\_maps* (column **package\_id**) → references this table's *id* (Explicit)

### ■ packages\_modules [Total Connections: 1 | Outbound: 0 | Inbound: 1]

#### Inbound Connections (tables that reference this table):

- Table *module\_maps* (column **module\_id**) → references this table's *id* (Explicit)

### ■ password\_resets [Total Connections: 0 | Outbound: 0 | Inbound: 0]

*No active inbound or outbound connections.*

### ■ payment\_response\_codes [Total Connections: 0 | Outbound: 0 | Inbound: 0]

*No active inbound or outbound connections.*

### ■ per\_target\_scheme\_coupons [Total Connections: 2 | Outbound: 2 | Inbound: 0]

#### Outbound Connections (what this table connects to):

- Column **per\_target\_scheme\_id** → connects to *per\_target\_schemes.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

### ■ per\_target\_schemes [Total Connections: 1 | Outbound: 0 | Inbound: 1]

#### Inbound Connections (tables that reference this table):

- Table *per\_target\_scheme\_coupons* (column **per\_target\_scheme\_id**) → references this table's *id* (Logical)

### ■ permission [Total Connections: 2 | Outbound: 1 | Inbound: 1]

#### Outbound Connections (what this table connects to):

- Column **module\_id** → connects to *module.id* (Logical)

#### Inbound Connections (tables that reference this table):

- Table *role\_permission\_module* (column **permission\_id**) → references this table's *id* (Logical)

### ■ personal\_access\_tokens [Total Connections: 0 | Outbound: 0 | Inbound: 0]

*No active inbound or outbound connections.*

## ■ pincode\_address\_maps [Total Connections: 2 | Outbound: 2 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column **district\_id** → connects to *districts.id* (Logical)
- Column **state\_id** → connects to *state.id* (Logical)

## ■ pincode\_boundaries [Total Connections: 0 | Outbound: 0 | Inbound: 0]

*No active inbound or outbound connections.*

## ■ pincode\_population [Total Connections: 3 | Outbound: 3 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column **district\_id** → connects to *districts.id* (Logical)
- Column **state\_id** → connects to *state.id* (Logical)
- Column **zone\_id** → connects to *zones.id* (Logical)

## ■ pincode\_with\_pha\_values [Total Connections: 3 | Outbound: 3 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column **district\_id** → connects to *districts.id* (Logical)
- Column **financial\_year\_id** → connects to *financial\_years.id* (Logical)
- Column **state\_id** → connects to *state.id* (Logical)

## ■ points [Total Connections: 1 | Outbound: 1 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column **users\_id** → connects to *users.id* (Logical)

## ■ products [Total Connections: 10 | Outbound: 1 | Inbound: 9]

### Outbound Connections (what this table connects to):

- Column **brand\_id** → connects to *brands.id* (Logical)

### Inbound Connections (tables that reference this table):

- Table *cart\_items* (column **product\_id**) → references this table's *id* (Logical)
- Table *gift\_inventories* (column **product\_id**) → references this table's *id* (Logical)
- Table *inventory* (column **product\_id**) → references this table's *id* (Logical)
- Table *inventory\_values* (column **product\_id**) → references this table's *id* (Logical)
- Table *offer\_mapping* (column **product\_id**) → references this table's *id* (Logical)
- Table *order\_items* (column **product\_id**) → references this table's *id* (Logical)
- Table *sample\_order\_items* (column **product\_id**) → references this table's *id* (Logical)
- Table *sku\_inventories* (column **product\_id**) → references this table's *id* (Logical)
- Table *table\_qr\_pdfs* (column **product\_id**) → references this table's *id* (Logical)

## ■ products\_bulk\_imports [Total Connections: 1 | Outbound: 1 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column **user\_id** → connects to *users.id* (Logical)

**■ purchase\_targets [Total Connections: 1 | Outbound: 1 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **user\_id** → connects to *users.id* (Logical)

**■ qr\_universe [Total Connections: 0 | Outbound: 0 | Inbound: 0]**

*No active inbound or outbound connections.*

**■ razorpay\_transaction [Total Connections: 0 | Outbound: 0 | Inbound: 0]**

*No active inbound or outbound connections.*

**■ read\_notifications [Total Connections: 2 | Outbound: 2 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **notification\_id** → connects to *notifications.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

**■ redemption\_requests [Total Connections: 1 | Outbound: 1 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **user\_id** → connects to *users.id* (Explicit)

**■ referral\_details [Total Connections: 3 | Outbound: 3 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **user\_id** → connects to *users.id* (Logical)
- Column **user\_role** → connects to *role.id* (Logical)
- Column **wallet\_transaction\_id** → connects to *wallet\_transaction.id* (Logical)

**■ referral\_mappings [Total Connections: 0 | Outbound: 0 | Inbound: 0]**

*No active inbound or outbound connections.*

**■ reports [Total Connections: 1 | Outbound: 0 | Inbound: 1]****Inbound Connections (tables that reference this table):**

- Table *bulk\_reports* (column **report\_id**) → references this table's *id* (Logical)

**■ repository\_documents [Total Connections: 0 | Outbound: 0 | Inbound: 0]**

*No active inbound or outbound connections.*

**■ required\_mechanic\_details [Total Connections: 2 | Outbound: 2 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **branch\_id** → connects to *branches.id* (Logical)
- Column **company\_id** → connects to *companies.id* (Logical)

**■ retailer\_bulk\_requests [Total Connections: 0 | Outbound: 0 | Inbound: 0]**

No active inbound or outbound connections.

**■ retailer\_category\_qualified [Total Connections: 1 | Outbound: 1 | Inbound: 0]**

**Outbound Connections (what this table connects to):**

- Column **retailer\_id** → connects to *users.id* (Logical)

**■ retailer\_credit\_notes [Total Connections: 1 | Outbound: 1 | Inbound: 0]**

**Outbound Connections (what this table connects to):**

- Column **user\_id** → connects to *users.id* (Logical)

**■ retailer\_distributor\_mappings [Total Connections: 1 | Outbound: 1 | Inbound: 0]**

**Outbound Connections (what this table connects to):**

- Column **retailer\_id** → connects to *users.id* (Logical)

**■ retailer\_schemes\_mapping [Total Connections: 2 | Outbound: 2 | Inbound: 0]**

**Outbound Connections (what this table connects to):**

- Column **scheme\_id** → connects to *schemes.id* (Logical)
- Column **users\_id** → connects to *users.id* (Logical)

**■ retailer\_targets [Total Connections: 2 | Outbound: 2 | Inbound: 0]**

**Outbound Connections (what this table connects to):**

- Column **financial\_year\_id** → connects to *financial\_years.id* (Logical)
- Column **retailer\_id** → connects to *users.id* (Logical)

**■ retailer\_wholesaler\_mappings [Total Connections: 1 | Outbound: 1 | Inbound: 0]**

**Outbound Connections (what this table connects to):**

- Column **retailer\_id** → connects to *users.id* (Logical)

**■ role [Total Connections: 6 | Outbound: 0 | Inbound: 6]**

**Inbound Connections (tables that reference this table):**

- Table *mypoints* (column **user\_role**) → references this table's *id* (Logical)
- Table *offer* (column **user\_role**) → references this table's *id* (Logical)
- Table *otp* (column **user\_role**) → references this table's *id* (Logical)
- Table *referral\_details* (column **user\_role**) → references this table's *id* (Logical)
- Table *role\_permission\_module* (column **role\_id**) → references this table's *id* (Logical)
- Table *users* (column **user\_role**) → references this table's *id* (Logical)

**■ role\_conversion\_histories [Total Connections: 1 | Outbound: 1 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **user\_id** → connects to *users.id* (Logical)

**■ role\_permission\_module [Total Connections: 3 | Outbound: 3 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **module\_id** → connects to *module.id* (Logical)
- Column **permission\_id** → connects to *permission.id* (Logical)
- Column **role\_id** → connects to *role.id* (Logical)

**■ s\_e\_quaterly\_targets [Total Connections: 1 | Outbound: 1 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **financial\_year\_id** → connects to *financial\_years.id* (Logical)

**■ s\_e\_targets [Total Connections: 1 | Outbound: 1 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **financial\_year\_id** → connects to *financial\_years.id* (Logical)

**■ sample\_order\_feedbacks [Total Connections: 2 | Outbound: 2 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **sample\_order\_id** → connects to *sample\_orders.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

**■ sample\_order\_items [Total Connections: 2 | Outbound: 2 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **product\_id** → connects to *products.id* (Logical)
- Column **sample\_order\_id** → connects to *sample\_orders.id* (Logical)

**■ sample\_order\_timelines [Total Connections: 1 | Outbound: 1 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **sample\_order\_id** → connects to *sample\_orders.id* (Logical)

**■ sample\_orders [Total Connections: 5 | Outbound: 2 | Inbound: 3]****Outbound Connections (what this table connects to):**

- Column **address\_id** → connects to *addresses.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

**Inbound Connections (tables that reference this table):**

- Table *sample\_order\_feedbacks* (column **sample\_order\_id**) → references this table's *id* (Logical)
- Table *sample\_order\_items* (column **sample\_order\_id**) → references this table's *id* (Logical)
- Table *sample\_order\_timelines* (column **sample\_order\_id**) → references this table's *id* (Logical)

### ■ scanned\_qrcode\_history [Total Connections: 2 | Outbound: 2 | Inbound: 0]

#### Outbound Connections (what this table connects to):

- Column **sku\_inventories\_id** → connects to *sku\_inventories.id* (Logical)
- Column **users\_id** → connects to *users.id* (Logical)

### ■ scheduled\_visits [Total Connections: 3 | Outbound: 3 | Inbound: 0]

#### Outbound Connections (what this table connects to):

- Column **beat\_plan\_id** → connects to *beat\_plans.id* (Explicit)
- Column **retailer\_id** → connects to *users.id* (Explicit)
- Column **sales\_executive\_id** → connects to *users.id* (Explicit)

### ■ scheme\_gift\_items [Total Connections: 3 | Outbound: 2 | Inbound: 1]

#### Outbound Connections (what this table connects to):

- Column **gift\_product\_id** → connects to *gift\_products.id* (Logical)
- Column **scheme\_id** → connects to *schemes.id* (Logical)

#### Inbound Connections (tables that reference this table):

- Table *scheme\_gift\_orders* (column **scheme\_gift\_item\_id**) → references this table's *id* (Logical)

### ■ scheme\_gift\_orders [Total Connections: 4 | Outbound: 4 | Inbound: 0]

#### Outbound Connections (what this table connects to):

- Column **address\_id** → connects to *addresses.id* (Logical)
- Column **order\_id** → connects to *orders.id* (Logical)
- Column **scheme\_gift\_item\_id** → connects to *scheme\_gift\_items.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

### ■ scheme\_orders [Total Connections: 3 | Outbound: 3 | Inbound: 0]

#### Outbound Connections (what this table connects to):

- Column **brand\_id** → connects to *brands.id* (Logical)
- Column **scheme\_id** → connects to *schemes.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

### ■ scheme\_state\_mapping [Total Connections: 2 | Outbound: 2 | Inbound: 0]

#### Outbound Connections (what this table connects to):

- Column **scheme\_id** → connects to *schemes.id* (Logical)
- Column **state\_id** → connects to *state.id* (Logical)

### ■ scheme\_wallet\_transactions [Total Connections: 2 | Outbound: 2 | Inbound: 0]

#### Outbound Connections (what this table connects to):

- Column **scheme\_id** → connects to *schemes.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

## ■ schemes [Total Connections: 11 | Outbound: 0 | Inbound: 11]

### Inbound Connections (tables that reference this table):

- Table *campaign\_logs* (column **scheme\_id**) → references this table's *id* (Logical)
- Table *campaigns* (column **scheme\_id**) → references this table's *id* (Logical)
- Table *home\_banner* (column **scheme\_id**) → references this table's *id* (Logical)
- Table *retailer\_schemes\_mapping* (column **scheme\_id**) → references this table's *id* (Logical)
- Table *scheme\_gift\_items* (column **scheme\_id**) → references this table's *id* (Logical)
- Table *scheme\_orders* (column **scheme\_id**) → references this table's *id* (Logical)
- Table *scheme\_state\_mapping* (column **scheme\_id**) → references this table's *id* (Logical)
- Table *scheme\_wallet\_transactions* (column **scheme\_id**) → references this table's *id* (Logical)
- Table *spin\_history* (column **scheme\_id**) → references this table's *id* (Logical)
- Table *weekly\_scheme\_groups* (column **scheme\_id**) → references this table's *id* (Logical)
- Table *weekly\_scheme\_prizes* (column **scheme\_id**) → references this table's *id* (Logical)

## ■ se\_reports [Total Connections: 0 | Outbound: 0 | Inbound: 0]

*No active inbound or outbound connections.*

## ■ se\_task [Total Connections: 3 | Outbound: 2 | Inbound: 1]

### Outbound Connections (what this table connects to):

- Column **task\_issue\_id** → connects to *task\_issue.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

### Inbound Connections (tables that reference this table):

- Table *se\_task\_history* (column **se\_task\_id**) → references this table's *id* (Logical)

## ■ se\_task\_history [Total Connections: 1 | Outbound: 1 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column **se\_task\_id** → connects to *se\_task.id* (Logical)

## ■ sessions [Total Connections: 1 | Outbound: 1 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column **user\_id** → connects to *users.id* (Logical)

## ■ shop\_verification\_images [Total Connections: 1 | Outbound: 1 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column **user\_id** → connects to *users.id* (Logical)

## ■ sku\_bulk\_imports [Total Connections: 0 | Outbound: 0 | Inbound: 0]

*No active inbound or outbound connections.*

## ■ sku\_inventories [Total Connections: 3 | Outbound: 2 | Inbound: 1]

### Outbound Connections (what this table connects to):

- Column **distributor\_id** → connects to *users.id* (Logical)
- Column **product\_id** → connects to *products.id* (Logical)

### Inbound Connections (tables that reference this table):

- Table *scanned\_qrcode\_history* (column **sku\_inventories\_id**) → references this table's *id* (Logical)

## ■ sku\_products [Total Connections: 1 | Outbound: 1 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column **category\_sub\_group\_id** → connects to *category\_sub\_groups.id* (Logical)

## ■ sku\_qr\_points\_maps [Total Connections: 0 | Outbound: 0 | Inbound: 0]

*No active inbound or outbound connections.*

## ■ sources [Total Connections: 0 | Outbound: 0 | Inbound: 0]

*No active inbound or outbound connections.*

## ■ spin\_history [Total Connections: 2 | Outbound: 2 | Inbound: 0]

### Outbound Connections (what this table connects to):

- Column **scheme\_id** → connects to *schemes.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

## ■ state [Total Connections: 26 | Outbound: 1 | Inbound: 25]

### Outbound Connections (what this table connects to):

- Column **zone\_id** → connects to *zones.id* (Explicit)

### Inbound Connections (tables that reference this table):

- Table *beat\_plans* (column **state\_id**) → references this table's *id* (Logical)
- Table *blocked\_locations* (column **state\_id**) → references this table's *id* (Logical)
- Table *bulk\_sku\_mappings* (column **state\_ids**) → references this table's *id* (Logical)
- Table *conference\_events* (column **state\_id**) → references this table's *id* (Logical)
- Table *district\_population* (column **state\_id**) → references this table's *id* (Logical)
- Table *district\_with\_pha\_values* (column **state\_id**) → references this table's *id* (Logical)
- Table *engagement\_events* (column **state\_ids**) → references this table's *id* (Logical)
- Table *feedback\_forms* (column **state\_ids**) → references this table's *id* (Logical)
- Table *incentive\_schemes* (column **state\_ids**) → references this table's *id* (Logical)
- Table *inventory\_values* (column **state\_id**) → references this table's *id* (Logical)
- Table *monthly\_district\_pha* (column **state\_id**) → references this table's *id* (Logical)
- Table *monthly\_pincode\_pha* (column **state\_id**) → references this table's *id* (Logical)
- Table *notifications* (column **state\_ids**) → references this table's *id* (Logical)
- Table *offer* (column **state\_ids**) → references this table's *id* (Logical)
- Table *pincode\_address\_maps* (column **state\_id**) → references this table's *id* (Logical)
- Table *pincode\_population* (column **state\_id**) → references this table's *id* (Logical)
- Table *pincode\_with\_pha\_values* (column **state\_id**) → references this table's *id* (Logical)

- Table *scheme\_state\_mapping* (column **state\_id**) → references this table's *id* (Logical)
- Table *state\_user\_mapping* (column **state\_id**) → references this table's *id* (Logical)
- Table *state\_with\_pha\_values* (column **state\_id**) → references this table's *id* (Logical)
- Table *survey\_forms* (column **state\_ids**) → references this table's *id* (Logical)
- Table *users* (column **state\_id**) → references this table's *id* (Logical)
- Table *vendor\_element\_state\_mappings* (column **state\_id**) → references this table's *id* (Explicit)
- Table *vendors* (column **state\_id**) → references this table's *id* (Logical)
- Table *weekly\_schemes* (column **state\_ids**) → references this table's *id* (Logical)

### ■ **state\_user\_mapping** [Total Connections: 2 | Outbound: 2 | Inbound: 0]

#### Outbound Connections (what this table connects to):

- Column **state\_id** → connects to *state.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

### ■ **state\_with\_pha\_values** [Total Connections: 2 | Outbound: 2 | Inbound: 0]

#### Outbound Connections (what this table connects to):

- Column **financial\_year\_id** → connects to *financial\_years.id* (Logical)
- Column **state\_id** → connects to *state.id* (Logical)

### ■ **suppliers** [Total Connections: 0 | Outbound: 0 | Inbound: 0]

*No active inbound or outbound connections.*

### ■ **survey\_form\_submissions** [Total Connections: 2 | Outbound: 2 | Inbound: 0]

#### Outbound Connections (what this table connects to):

- Column **survey\_form\_id** → connects to *survey\_forms.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

### ■ **survey\_forms** [Total Connections: 2 | Outbound: 1 | Inbound: 1]

#### Outbound Connections (what this table connects to):

- Column **state\_ids** → connects to *state.id* (Logical)

#### Inbound Connections (tables that reference this table):

- Table *survey\_form\_submissions* (column **survey\_form\_id**) → references this table's *id* (Logical)

### ■ **sync\_tripur\_data** [Total Connections: 0 | Outbound: 0 | Inbound: 0]

*No active inbound or outbound connections.*

### ■ **table\_qr\_pdfs** [Total Connections: 2 | Outbound: 2 | Inbound: 0]

#### Outbound Connections (what this table connects to):

- Column **company\_id** → connects to *companies.id* (Logical)
- Column **product\_id** → connects to *products.id* (Logical)

**■ task\_issue [Total Connections: 1 | Outbound: 0 | Inbound: 1]****Inbound Connections (tables that reference this table):**

- Table *se\_task* (column *task\_issue\_id*) → references this table's *id* (Logical)

**■ tds\_certificates [Total Connections: 2 | Outbound: 2 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column *financial\_year\_id* → connects to *financial\_years.id* (Logical)
- Column *user\_id* → connects to *users.id* (Logical)

**■ tripur\_api\_tokens [Total Connections: 0 | Outbound: 0 | Inbound: 0]**

*No active inbound or outbound connections.*

**■ user\_flags [Total Connections: 1 | Outbound: 1 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column *user\_id* → connects to *users.id* (Logical)

**■ user\_geotag\_photos [Total Connections: 1 | Outbound: 1 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column *user\_id* → connects to *users.id* (Logical)

**■ user\_scan\_permissions [Total Connections: 2 | Outbound: 2 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column *blocked\_reason\_id* → connects to *blocked\_reasons.id* (Logical)
- Column *user\_id* → connects to *users.id* (Logical)

**■ user\_withdrawal\_block\_histories [Total Connections: 2 | Outbound: 2 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column *blocked\_reason\_id* → connects to *blocked\_reasons.id* (Logical)
- Column *user\_id* → connects to *users.id* (Logical)

**■ users [Total Connections: 104 | Outbound: 5 | Inbound: 99]****Outbound Connections (what this table connects to):**

- Column *business\_info\_id* → connects to *business\_information.id* (Logical)
- Column *distributor\_id* → connects to *users.id* (Logical)
- Column *employee\_id* → connects to *employees.id* (Logical)
- Column *state\_id* → connects to *state.id* (Logical)
- Column *user\_role* → connects to *role.id* (Logical)

**Inbound Connections (tables that reference this table):**

- Table *account\_deletion\_requests* (column *user\_id*) → references this table's *id* (Logical)
- Table *activate\_qrs\_requests* (column *user\_id*) → references this table's *id* (Logical)

- Table *addresses* (column **user\_id**) → references this table's *id* (Logical)
- Table *adhaar\_verifications* (column **user\_id**) → references this table's *id* (Logical)
- Table *automatic\_transactions* (column **user\_id**) → references this table's *id* (Logical)
- Table *bank\_accounts* (column **user\_id**) → references this table's *id* (Logical)
- Table *beat\_plan\_retailers* (column **user\_id**) → references this table's *id* (Explicit)
- Table *beat\_plans* (column **sales\_executive\_id**) → references this table's *id* (Logical)
- Table *blacklist\_reports* (column **user\_id**) → references this table's *id* (Logical)
- Table *blocked\_locations* (column **user\_id**) → references this table's *id* (Logical)
- Table *bonus\_transactions* (column **user\_id**) → references this table's *id* (Logical)
- Table *box\_gift\_orders* (column **user\_id**) → references this table's *id* (Logical)
- Table *brand\_wise\_limits* (column **user\_id**) → references this table's *id* (Logical)
- Table *branding\_requests* (column **user\_id**) → references this table's *id* (Logical)
- Table *bulk\_lpn\_imports* (column **user\_id**) → references this table's *id* (Logical)
- Table *bulk\_reports* (column **user\_id**) → references this table's *id* (Logical)
- Table *bulk\_sku\_mappings* (column **user\_id**) → references this table's *id* (Logical)
- Table *campaign\_logs* (column **user\_id**) → references this table's *id* (Logical)
- Table *cart\_items* (column **user\_id**) → references this table's *id* (Logical)
- Table *claimed\_offers* (column **user\_id**) → references this table's *id* (Logical)
- Table *connection\_request* (column **user\_id**) → references this table's *id* (Logical)
- Table *coupons* (column **user\_id**) → references this table's *id* (Logical)
- Table *credit\_notes* (column **user\_id**) → references this table's *id* (Logical)
- Table *deactivated\_qr\_wallet\_transactions* (column **user\_id**) → references this table's *id* (Logical)
- Table *details\_approvals* (column **user\_id**) → references this table's *id* (Logical)
- Table *digio\_kyc\_details* (column **user\_id**) → references this table's *id* (Logical)
- Table *distributor\_teams* (column **user\_id**) → references this table's *id* (Logical)
- Table *ecatalogue* (column **user\_id**) → references this table's *id* (Logical)
- Table *employees* (column **user\_id**) → references this table's *id* (Logical)
- Table *engagement\_event\_reward\_logs* (column **user\_id**) → references this table's *id* (Logical)
- Table *engagement\_events* (column **retailer\_ids**) → references this table's *id* (Logical)
- Table *event\_coupons* (column **user\_id**) → references this table's *id* (Logical)
- Table *event\_multiwin\_allowed\_users* (column **user\_id**) → references this table's *id* (Logical)
- Table *event\_orders* (column **user\_id**) → references this table's *id* (Logical)
- Table *executive\_attendances* (column **user\_id**) → references this table's *id* (Logical)
- Table *executive\_retailer\_mappings* (column **retailer\_id**) → references this table's *id* (Logical)
- Table *executive\_survey\_answer\_submissions* (column **user\_id**) → references this table's *id* (Logical)
- Table *feedback\_submissions* (column **user\_id**) → references this table's *id* (Logical)
- Table *feedbacks* (column **user\_id**) → references this table's *id* (Explicit)
- Table *gift\_gamification* (column **user\_id**) → references this table's *id* (Logical)
- Table *gift\_inventories* (column **retailer\_id**) → references this table's *id* (Logical)
- Table *gift\_orders* (column **user\_id**) → references this table's *id* (Logical)
- Table *gift\_scan\_wallet\_transactions* (column **user\_id**) → references this table's *id* (Logical)
- Table *group\_management* (column **user\_id**) → references this table's *id* (Logical)
- Table *incentive\_gift\_orders* (column **user\_id**) → references this table's *id* (Logical)
- Table *manual\_transactions* (column **uploaded\_by**) → references this table's *id* (Explicit)
- Table *mapping\_incentive\_users* (column **user\_id**) → references this table's *id* (Logical)
- Table *mom\_thread\_participants* (column **user\_id**) → references this table's *id* (Logical)
- Table *monthly\_averages* (column **user\_id**) → references this table's *id* (Logical)
- Table *mypoints* (column **users\_id**) → references this table's *id* (Logical)
- Table *notification\_logs* (column **user\_id**) → references this table's *id* (Logical)

- Table *notifications* (column **user\_id**) → references this table's *id* (Logical)
- Table *offline\_sku\_inventories* (column **user\_id**) → references this table's *id* (Logical)
- Table *order\_invoices* (column **order\_updated\_by**) → references this table's *id* (Explicit)
- Table *orders* (column **user\_id**) → references this table's *id* (Logical)
- Table *per\_target\_scheme\_coupons* (column **user\_id**) → references this table's *id* (Logical)
- Table *points* (column **users\_id**) → references this table's *id* (Logical)
- Table *products\_bulk\_imports* (column **user\_id**) → references this table's *id* (Logical)
- Table *purchase\_targets* (column **user\_id**) → references this table's *id* (Logical)
- Table *read\_notifications* (column **user\_id**) → references this table's *id* (Logical)
- Table *redemption\_requests* (column **user\_id**) → references this table's *id* (Explicit)
- Table *referral\_details* (column **user\_id**) → references this table's *id* (Logical)
- Table *retailer\_category\_qualified* (column **retailer\_id**) → references this table's *id* (Logical)
- Table *retailer\_credit\_notes* (column **user\_id**) → references this table's *id* (Logical)
- Table *retailer\_distributor\_mappings* (column **retailer\_id**) → references this table's *id* (Logical)
- Table *retailer\_schemes\_mapping* (column **users\_id**) → references this table's *id* (Logical)
- Table *retailer\_targets* (column **retailer\_id**) → references this table's *id* (Logical)
- Table *retailer\_wholesaler\_mappings* (column **retailer\_id**) → references this table's *id* (Logical)
- Table *role\_conversion\_histories* (column **user\_id**) → references this table's *id* (Logical)
- Table *sample\_order\_feedbacks* (column **user\_id**) → references this table's *id* (Logical)
- Table *sample\_orders* (column **user\_id**) → references this table's *id* (Logical)
- Table *scanned\_qrcode\_history* (column **users\_id**) → references this table's *id* (Logical)
- Table *scheduled\_visits* (column **retailer\_id**) → references this table's *id* (Explicit)
- Table *scheduled\_visits* (column **sales\_executive\_id**) → references this table's *id* (Explicit)
- Table *scheme\_gift\_orders* (column **user\_id**) → references this table's *id* (Logical)
- Table *scheme\_orders* (column **user\_id**) → references this table's *id* (Logical)
- Table *scheme\_wallet\_transactions* (column **user\_id**) → references this table's *id* (Logical)
- Table *se\_task* (column **user\_id**) → references this table's *id* (Logical)
- Table *sessions* (column **user\_id**) → references this table's *id* (Logical)
- Table *shop\_verification\_images* (column **user\_id**) → references this table's *id* (Logical)
- Table *sku\_inventories* (column **distributor\_id**) → references this table's *id* (Logical)
- Table *spin\_history* (column **user\_id**) → references this table's *id* (Logical)
- Table *state\_user\_mapping* (column **user\_id**) → references this table's *id* (Logical)
- Table *survey\_form\_submissions* (column **user\_id**) → references this table's *id* (Logical)
- Table *tds\_certificates* (column **user\_id**) → references this table's *id* (Logical)
- Table *user\_flags* (column **user\_id**) → references this table's *id* (Logical)
- Table *user\_geotag\_photos* (column **user\_id**) → references this table's *id* (Logical)
- Table *user\_scan\_permissions* (column **user\_id**) → references this table's *id* (Logical)
- Table *user\_withdrawal\_block\_histories* (column **user\_id**) → references this table's *id* (Logical)
- Table *users* (column **distributor\_id**) → references this table's *id* (Logical)
- Table *video\_responses* (column **user\_id**) → references this table's *id* (Logical)
- Table *visit\_check\_in\_check\_out* (column **user\_id**) → references this table's *id* (Logical)
- Table *visit\_trackings* (column **user\_id**) → references this table's *id* (Logical)
- Table *wallet\_transaction* (column **user\_id**) → references this table's *id* (Logical)
- Table *wholesale\_wallet\_transactions* (column **user\_id**) → references this table's *id* (Logical)
- Table *winter\_gift\_orders* (column **user\_id**) → references this table's *id* (Logical)
- Table *winter\_scan\_wallet\_transactions* (column **user\_id**) → references this table's *id* (Logical)
- Table *wishlists* (column **user\_id**) → references this table's *id* (Logical)
- Table *withdrawal\_request* (column **user\_id**) → references this table's *id* (Logical)

**■ vendor\_bank\_accounts [Total Connections: 1 | Outbound: 1 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **vendor\_id** → connects to *vendors.id* (Explicit)

**■ vendor\_element\_state\_logs [Total Connections: 0 | Outbound: 0 | Inbound: 0]**

*No active inbound or outbound connections.*

**■ vendor\_element\_state\_mappings [Total Connections: 3 | Outbound: 3 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **branding\_element\_id** → connects to *branding\_elements.id* (Explicit)
- Column **state\_id** → connects to *state.id* (Explicit)
- Column **vendor\_id** → connects to *vendors.id* (Explicit)

**■ vendors [Total Connections: 4 | Outbound: 1 | Inbound: 3]****Outbound Connections (what this table connects to):**

- Column **state\_id** → connects to *state.id* (Logical)

**Inbound Connections (tables that reference this table):**

- Table *branding\_requests* (column **vendor\_id**) → references this table's *id* (Logical)
- Table *vendor\_bank\_accounts* (column **vendor\_id**) → references this table's *id* (Explicit)
- Table *vendor\_element\_state\_mappings* (column **vendor\_id**) → references this table's *id* (Explicit)

**■ video\_responses [Total Connections: 1 | Outbound: 1 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **user\_id** → connects to *users.id* (Logical)

**■ visit\_check\_in\_check\_out [Total Connections: 2 | Outbound: 2 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **beat\_plan\_id** → connects to *beat\_plans.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

**■ visit\_trackings [Total Connections: 1 | Outbound: 1 | Inbound: 0]****Outbound Connections (what this table connects to):**

- Column **user\_id** → connects to *users.id* (Logical)

**■ wallet\_transaction [Total Connections: 3 | Outbound: 1 | Inbound: 2]****Outbound Connections (what this table connects to):**

- Column **user\_id** → connects to *users.id* (Logical)

**Inbound Connections (tables that reference this table):**

- Table *credit\_notes* (column **wallet\_transaction\_id**) → references this table's *id* (Logical)

- Table *referral\_details* (column **wallet\_transaction\_id**) → references this table's *id* (Logical)

### ■ **weekly\_scheme\_groups** [Total Connections: 1 | Outbound: 1 | Inbound: 0]

#### Outbound Connections (what this table connects to):

- Column **scheme\_id** → connects to *schemes.id* (Logical)

### ■ **weekly\_scheme\_prizes** [Total Connections: 1 | Outbound: 1 | Inbound: 0]

#### Outbound Connections (what this table connects to):

- Column **scheme\_id** → connects to *schemes.id* (Logical)

### ■ **weekly\_schemes** [Total Connections: 2 | Outbound: 2 | Inbound: 0]

#### Outbound Connections (what this table connects to):

- Column **state\_ids** → connects to *state.id* (Logical)
- Column **zone\_ids** → connects to *zones.id* (Logical)

### ■ **wholesale\_wallet\_transactions** [Total Connections: 1 | Outbound: 1 | Inbound: 0]

#### Outbound Connections (what this table connects to):

- Column **user\_id** → connects to *users.id* (Logical)

### ■ **wholesaler\_targets** [Total Connections: 1 | Outbound: 1 | Inbound: 0]

#### Outbound Connections (what this table connects to):

- Column **financial\_year\_id** → connects to *financial\_years.id* (Logical)

### ■ **wholesaler\_winter\_targets** [Total Connections: 1 | Outbound: 1 | Inbound: 0]

#### Outbound Connections (what this table connects to):

- Column **financial\_year\_id** → connects to *financial\_years.id* (Logical)

### ■ **winter\_gift\_items** [Total Connections: 1 | Outbound: 1 | Inbound: 0]

#### Outbound Connections (what this table connects to):

- Column **gift\_product\_id** → connects to *gift\_products.id* (Logical)

### ■ **winter\_gift\_order\_timelines** [Total Connections: 1 | Outbound: 1 | Inbound: 0]

#### Outbound Connections (what this table connects to):

- Column **winter\_gift\_order\_id** → connects to *winter\_gift\_orders.id* (Logical)

### ■ **winter\_gift\_orders** [Total Connections: 5 | Outbound: 4 | Inbound: 1]

#### Outbound Connections (what this table connects to):

- Column **address\_id** → connects to *addresses.id* (Logical)
- Column **gift\_card\_id** → connects to *gift\_cards.id* (Logical)

- Column **order\_id** → connects to *orders.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

**Inbound Connections (tables that reference this table):**

- Table *winter\_gift\_order\_timelines* (column **winter\_gift\_order\_id**) → references this table's *id* (Logical)

## ■ **winter\_scan\_wallet\_transactions** [Total Connections: 1 | Outbound: 1 | Inbound: 0]

**Outbound Connections (what this table connects to):**

- Column **user\_id** → connects to *users.id* (Logical)

## ■ **wishlists** [Total Connections: 2 | Outbound: 2 | Inbound: 0]

**Outbound Connections (what this table connects to):**

- Column **gift\_card\_id** → connects to *gift\_cards.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

## ■ **withdrawal\_request** [Total Connections: 5 | Outbound: 4 | Inbound: 1]

**Outbound Connections (what this table connects to):**

- Column **automatic\_transaction\_id** → connects to *automatic\_transactions.id* (Logical)
- Column **bank\_transaction\_id** → connects to *bank\_transactions.id* (Logical)
- Column **gift\_order\_id** → connects to *gift\_orders.id* (Logical)
- Column **user\_id** → connects to *users.id* (Logical)

**Inbound Connections (tables that reference this table):**

- Table *manual\_transactions* (column **withdrawal\_request\_id**) → references this table's *id* (Logical)

## ■ **zones** [Total Connections: 8 | Outbound: 0 | Inbound: 8]

**Inbound Connections (tables that reference this table):**

- Table *district\_population* (column **zone\_id**) → references this table's *id* (Logical)
- Table *engagement\_events* (column **zone\_ids**) → references this table's *id* (Logical)
- Table *geo\_states* (column **zone\_id**) → references this table's *id* (Logical)
- Table *monthly\_district pha* (column **zone\_id**) → references this table's *id* (Logical)
- Table *monthly\_pincode pha* (column **zone\_id**) → references this table's *id* (Logical)
- Table *pincode\_population* (column **zone\_id**) → references this table's *id* (Logical)
- Table *state* (column **zone\_id**) → references this table's *id* (Explicit)
- Table *weekly\_schemes* (column **zone\_ids**) → references this table's *id* (Logical)