

## Shell Scripting Assignment 2

### 1. Write steps for how to Execute a Shell Script?

- First create .sh file : vi [shell.sh](#)
- Write the script content in it with
  - Enter i to insert the content
  - `#!/bin/bash`
  - Echo "this is shell script file"
  - Then esc
  - And :wq
- Then give the permission : `chmod +x shell.sh`
- Then execute the file : `./shell.sh`

### 2. Create files and Set file permissions as below:

```
sneha_mhasalkar@cloudshell:~/sneha/assignment$ cd day2
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$ vi one.txt
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$ vi two.txt
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$ vi three.txt
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$ vi four.txt
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$ vi five.txt
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$ ls -l
total 20
-rw-rw-r-- 1 sneha_mhasalkar sneha_mhasalkar 15 Jun 18 06:46 five.txt
-rw-rw-r-- 1 sneha_mhasalkar sneha_mhasalkar 19 Jun 18 06:46 four.txt
-rw-rw-r-- 1 sneha_mhasalkar sneha_mhasalkar 16 Jun 18 06:45 one.txt
-rw-rw-r-- 1 sneha_mhasalkar sneha_mhasalkar 18 Jun 18 06:46 three.txt
-rw-rw-r-- 1 sneha_mhasalkar sneha_mhasalkar 16 Jun 18 06:45 two.txt
```

- a. For the files below, set read and write permissions for Users and only read permission for group and other  
one.txt, two.txt, three.txt, four.txt, five.txt

```
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$ chmod 644 *
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$ ls -l
total 20
-rw-r--r-- 1 sneha_mhasalkar sneha_mhasalkar 15 Jun 18 06:46 five.txt
-rw-r--r-- 1 sneha_mhasalkar sneha_mhasalkar 19 Jun 18 06:46 four.txt
-rw-r--r-- 1 sneha_mhasalkar sneha_mhasalkar 16 Jun 18 06:45 one.txt
-rw-r--r-- 1 sneha_mhasalkar sneha_mhasalkar 18 Jun 18 06:46 three.txt
-rw-r--r-- 1 sneha_mhasalkar sneha_mhasalkar 16 Jun 18 06:45 two.txt
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$ █
```

- b. For the files below, set read and write permissions for Users, group and other  
one1.txt, two2.txt, three3.txt, four4.txt, five5.txt

```
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$ chmod a+rw *
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$ ls -l
total 20
-rw-rw-rw- 1 sneha_mhasalkar sneha_mhasalkar 15 Jun 18 06:46 five.txt
-rw-rw-rw- 1 sneha_mhasalkar sneha_mhasalkar 19 Jun 18 06:46 four.txt
-rw-rw-rw- 1 sneha_mhasalkar sneha_mhasalkar 16 Jun 18 06:45 one.txt
-rw-rw-rw- 1 sneha_mhasalkar sneha_mhasalkar 18 Jun 18 06:46 three.txt
-rw-rw-rw- 1 sneha_mhasalkar sneha_mhasalkar 16 Jun 18 06:45 two.txt
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$
```

- c. For the files below, set read, write and execute permissions for Users and only read and execute permissions for group and other  
one11.txt, two22.txt, three33.txt, four44.txt, five55.txt

```
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$ chmod 755 *
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$ ls -l
total 20
-rwxr-xr-x 1 sneha_mhasalkar sneha_mhasalkar 15 Jun 18 06:46 five.txt
-rwxr-xr-x 1 sneha_mhasalkar sneha_mhasalkar 19 Jun 18 06:46 four.txt
-rwxr-xr-x 1 sneha_mhasalkar sneha_mhasalkar 16 Jun 18 06:45 one.txt
-rwxr-xr-x 1 sneha_mhasalkar sneha_mhasalkar 18 Jun 18 06:46 three.txt
-rwxr-xr-x 1 sneha_mhasalkar sneha_mhasalkar 16 Jun 18 06:45 two.txt
```

3. Create a file with some repeated lines .write command to filter out repeated lines in a file.

```
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$ vi file1.txt
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$ cat file1.txt
this is file.txt
this is file.txt
this is file.txt
hello world
world
java
shell
sql
sql
0
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$ sort -u file1.txt
0
hello world
java
shell
sql
this is file.txt
world
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$ █
```

4. Given a file, find the count of lines containing the word "ABC".

```
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$ grep -c "abc" file.txt
3
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$ █
```

5. Create file.txt that consist of following

```
Unix is opensource
Unix is powerful
unix is secure
unix is robust
Unix commands are easy to learn
abc wants to learn shell scripting
abc is name of a person
rank of abc is 7
rank of raju is 9
```

Q5 a) Find unix string in file.txt using grep

```
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$ grep -o "unix" file.txt
unix
unix
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$
```

Q5 b) Find unix string in all files from current directory using grep

```
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$ grep "unix" *
file.txt:unix is secure
file.txt:unix is robust
five.txt: unix in file five
one.txt:unix in one file t
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$
```

Q5 c) Print all the file names where “Unix” or “unix” string is found using grep

```
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$ grep -i "Unix" file.txt
Unix is opensource
Unix is powerful
unix is secure
unix is robust
Unix commands are easy to learn
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$
```

Q5 d) Print all the lines that has pen or per in file.txt using grep

```
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$ grep -e "pen" -e "per" file.txt
Unix is opensource
abc is name of a person
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$
```

6. Create 4 files with different text in it and then create a zip file to archive all 4 files ?

```
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$ zip zipfiles file1.txt file2.txt file3.txt file4.txt
adding: file1.txt (stored 0%)
adding: file2.txt (stored 0%)
adding: file3.txt (stored 0%)
adding: file4.txt (stored 0%)
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$
```

7. Create a separate directory and unzip the file created in the previous question ?

```
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$ unzip -l zipfiles
Archive:  zipfiles.zip
  Length      Date    Time    Name
-----
    19  2026-06-18  07:29   file1.txt
    22  2026-06-18  07:30   file2.txt
    19  2026-06-18  07:30   file3.txt
    18  2026-06-18  07:31   file4.txt
-----
    78                      4 files
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$
```

8. Create a file1.txt and file2.txt with text as below:

| file1.txt | file2.txt |
|-----------|-----------|
| 1         | 11        |
| 2         | 14        |
| 3         | 15        |
| 3         | 13        |
| 4         | 13        |
| 5         | 19        |
| 6         | 17        |
| 6         | 17        |
| 7         | 16        |
| 8         | 16        |
| 9         | 20        |
| 10        | 12        |

Sort the content of file1.txt and file2.txt and save the result with unique lines only in the file file3.txt

```
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$ sort -u file1.txt file2.txt > file3.txt
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$ cat file3.txt
1
10
11
12
13
14
15
16
17
19
2
20
3
4
5
6
7
8
9
sneha_mhasalkar@cloudshell:~/sneha/assignment/day2$ █
```