

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <title>Title</title>

  <style>

    body{

      font-family: sans-serif;

      display: flex;

      flex-direction: column;

      align-items: center;

      justify-content: center;

      height: 100vh;

      transition: background 0.5s;

    }

    .card {

      background: white;

      padding: 2rem;

      border-radius: 12px;

      box-shadow: 0 4px 15px rgba(0,0,0,0.1);

      text-align: center;

    }

    button {

      padding: 10px 20px;

      cursor: pointer;

      border: none;

      border-radius: 5px;

      background: #333;

      color: white;

    }

  </style>
```

```
</head>
```

```
<body>
```

```
<div class="card">
```

```
<h1 id="clock">00:00:00</h1>
```

```
<p>Type something: <input type="text" id="userInput"></p>
```

```
<h3 id="display">...</h3>
```

```
<button id="colorBtn">Change Background</button>
```

```
</div>
```

```
<script>
```

```
// 1. Real-time Clock (textContent)
```

```
function updateClock() {
```

```
  const now = new Date();
```

```
  document.getElementById('clock').textContent =  
now.toLocaleTimeString();
```

```
}
```

```
setInterval(updateClock, 1000);
```

```
updateClock();
```

```
// 2. Background Color Change (DOM Styles)
```

```
const btn = document.getElementById('colorBtn');
```

```
btn.addEventListener('click', () => {
```

```
  const randomColor = '#' +
```

```
Math.floor(Math.random()*16777215).toString(16);
```

```
  document.body.style.backgroundColor = randomColor;
```

```
});
```

```
// 3. Dynamic Text Sync (Event Listeners)
```

```
const input = document.getElementById('userInput');
```

```
const display = document.getElementById('display');
```

```
input.addEventListener('input', (e) => {  
    // This updates the H3 in real-time as you type  
    display.textContent = e.target.value || "...";  
});  
</script>  
  
</body>  
</html>
```