Power BI and KNIME Data Cleaning and Analysis

Name- Sneha Choudhary

Roll No.- 2601560024


Course- MCA- Core

Repo Link:- https://github.com/snehachoudhary2623/KNIME-AND-POWERBI-LA1.git

KNIME:-

Step 1:-

The CSV Reader imports the orders dataset into KNIME for data cleaning and analysis.



#	RowID	OrderID (Number (Integer))	OrderDate (String)	CustomerID (String)	Product (String)	Category (String)	Quantity (Number (Integer))	UnitPrice (Number (integer))	Region (String)
1	Row0	1001	2026-07-01	C01	Laptop	Electronics	2	55000	North
2	Row1	1002	2026-07-02	C02	Office Chair	Furniture	?	7500	south
3	Row2	1003	2026-07-03	C03	Printer	Electronics	1	12000	East
4	Row3	1004	2026-07-03	C01	Desk	?	1	15000	North
5	Row4	1005	2026-07-05	C04	Mouse	Electronics	5	?	West
6	Row5	1006	2026-07-06	C05	Bookshelf	Furniture	2	9000	SOUTH
7	Row6	1006	2026-07-06	C05	Bookshelf	Furniture	2	9000	SOUTH
8	Row7	1007	2026-07-08	C02	Monitor	Electronics	3	14000	?
9	Row8	1008	2026-07-08	C06	Table Lamp	Furniture	4	1200	East
10	Row9	1009	2026-07-10	C03	Keyboard	electronics	6	1500	west
11	Row10	1010	2026-07-11	C07	Laptop	Electronics	1	55000	North

Step 2:-

The original orders table contains 11 rows and 8 columns, including records that require cleaning.


File Table (Table)

Rows: 6 | Columns: 4 Sorting Filter Search

#	RowID	CustomerID String	CustomerName String	City String	Segment String
1	Row0	C01	Aarav Sharma	Gurugram	Corporate
2	Row1	C02	priya verma	Delhi	Consumer
3	Row2	C03	Rohan Mehta	Noida	Corporate
4	Row3	C04	Sneha Kapoor		Consumer
5	Row4	C05	Vikram Singh	Faridabad	Small Business
6	Row5	C06	Ananya Gupta	Gurugram	consumer

Step 3:-

The Excel Reader imports the customer details from the Excel workbook.



Step 4:-

The customer table contains six records and four columns, which will be cleaned before merging.


File Table (Table)

Rows: 6 | Columns: 4 Sorting Filter Search

#	RowID	CustomerID String	CustomerName String	City String	Segment String
1	Row0	C01	Aarav Sharma	Gurugram	Corporate
2	Row1	C02	priya verma	Delhi	Consumer
3	Row2	C03	Rohan Mehta	Noida	Corporate
4	Row3	C04	Sneha Kapoor	?	Consumer
5	Row4	C05	Vikram Singh	Faridabad	Small Business
6	Row5	C06	Ananya Gupta	Gurugram	consumer

Step5:-

The Duplicate Row Filter removes repeated records while retaining one copy of each unique row.




1: Filtered/Labeled Data Flow Variables

Rows: 10 | Columns: 8 Sorting Filter Table Statistics Search

#	RowID	OrderID Number (Integer)	OrderDate String	CustomerID String	Product String	Category String	Quantity Number (Integer)	UnitPrice Number (Integer)	Region String
1	Row0	1001	2026-07-01	C01	Laptop	Electronics	2	55000	North
2	Row1	1002	2026-07-02	C02	Office Chair	Furniture	?	7500	south
3	Row2	1003	2026-07-03	C03	Printer	Electronics	1	12000	East
4	Row3	1004	2026-07-03	C01	Desk	?	1	15000	North
5	Row4	1005	2026-07-05	C04	Mouse	Electronics	5	?	West
6	Row5	1006	2026-07-06	C05	Bookshelf	Furniture	2	9000	SOUTH
7	Row7	1007	2026-07-08	C02	Monitor	Electronics	3	14000	?
8	Row8	1008	2026-07-08	C06	Table Lamp	Furniture	4	1200	East
9	Row9	1009	2026-07-10	C03	Keyboard	electronics	6	1500	west
10	Row10	1010	2026-07-11	C07	Laptop	Electronics	1	55000	North

Step 6:-

Rows with missing UnitPrice values are excluded to ensure that sales calculations use valid prices.




▶ 1: Included Rows | Flow Variables

Rows: 9 | Columns: 8 | Sorting | Filter | Table | Statistics | Search

#	RowID	OrderID (Number (Integer))	OrderDate (String)	CustomerID (String)	Product (String)	Category (String)	Quantity (Number (Integer))	UnitPrice (Number (Integer))	Region (String)
1	Row0	1001	2026-07-01	C01	Laptop	Electronics	2	55000	North
2	Row1	1002	2026-07-02	C02	Office Chair	Furniture	?	7500	south
3	Row2	1003	2026-07-03	C03	Printer	Electronics	1	12000	East
4	Row3	1004	2026-07-03	C01	Desk	?	1	15000	North
5	Row5	1006	2026-07-06	C05	Bookshelf	Furniture	2	9000	SOUTH
6	Row7	1007	2026-07-08	C02	Monitor	Electronics	3	14000	?
7	Row8	1008	2026-07-08	C06	Table Lamp	Furniture	4	1200	East
8	Row9	1009	2026-07-10	C03	Keyboard	electronics	6	1500	west
9	Row10	1010	2026-07-11	C07	Laptop	Electronics	1	55000	North

Step 7:-

Missing Quantity values are replaced with 1, while existing quantities are preserved.




▶ 1: Output table | 2: PMML Transformations | Flow Variables

Rows: 9 | Columns: 8 | Sorting | Filter | Table | Statistics | Search

#	RowID	OrderID (Number (Integer))	OrderDate (String)	CustomerID (String)	Product (String)	Category (String)	Quantity (Number (Integer))	UnitPrice (Number (Integer))	Region (String)
1	Row0	1001	2026-07-01	C01	Laptop	Electronics	2	55000	North
2	Row1	1002	2026-07-02	C02	Office Chair	Furniture	1	7500	south
3	Row2	1003	2026-07-03	C03	Printer	Electronics	1	12000	East
4	Row3	1004	2026-07-03	C01	Desk	?	1	15000	North
5	Row5	1006	2026-07-06	C05	Bookshelf	Furniture	2	9000	SOUTH
6	Row7	1007	2026-07-08	C02	Monitor	Electronics	3	14000	?
7	Row8	1008	2026-07-08	C06	Table Lamp	Furniture	4	1200	East
8	Row9	1009	2026-07-10	C03	Keyboard	electronics	6	1500	west
9	Row10	1010	2026-07-11	C07	Laptop	Electronics	1	55000	North


Step 8:-

Missing Category and Region values are replaced with Unknown to avoid blank fields.



#	RowID	OrderID (Number (Integer))	OrderDate (String)	CustomerID (String)	Product (String)	Category (String)	Quantity (Number (Integer))	UnitPrice (Number (Integer))	Region (String)
1	Row0	1001	2026-07-01	C01	Laptop	Electronics	2	55000	North
2	Row1	1002	2026-07-02	C02	Office Chair	Furniture	?	7500	south
3	Row2	1003	2026-07-03	C03	Printer	Electronics	1	12000	East
4	Row3	1004	2026-07-03	C01	Desk	unknown	1	15000	North
5	Row5	1006	2026-07-06	C05	Bookshelf	Furniture	2	9000	SOUTH
6	Row7	1007	2026-07-08	C02	Monitor	Electronics	3	14000	unknown
7	Row8	1008	2026-07-08	C06	Table Lamp	Furniture	4	1200	East
8	Row9	1009	2026-07-10	C03	Keyboard	electronics	6	1500	west
9	Row10	1010	2026-07-11	C07	Laptop	Electronics	1	55000	North


Step 9:- Text values are trimmed and standardized so equivalent regions and categories use consistent capitalization.




#	RowID	OrderID Number (Integer)	OrderDate String	...	CustomerID String	Product String	Category String	Quantity Number (Integer)	UnitPrice Number (Integer)	Region String
1	Row0	1001	2026-07-01		C01	Laptop	Electronics	2	55000	North
2	Row1	1002	2026-07-02		C02	Office Chair	Furniture	?	7500	South
3	Row2	1003	2026-07-03		C03	Printer	Electronics	1	12000	East
4	Row3	1004	2026-07-03		C01	Desk	Unknown	1	15000	North
5	Row5	1006	2026-07-06		C05	Bookshelf	Furniture	2	9000	South
6	Row7	1007	2026-07-08		C02	Monitor	Electronics	3	14000	Unknown
7	Row8	1008	2026-07-08		C06	Table Lamp	Furniture	4	1200	East
8	Row9	1009	2026-07-10		C03	Keyboard	Electronics	6	1500	West
9	Row10	1010	2026-07-11		C07	Laptop	Electronics	1	55000	North

Step10:-

Date and numeric columns are converted to appropriate data types for reliable calculations.







merID	Product String	Category String	Quantity Number (Integer)	UnitPrice Number (Integer)	Region String
	Laptop	Electronics	2	55000	North
	Office Chair	Furniture	?	7500	South
	Printer	Electronics	1	12000	East
	Desk	unknown	1	15000	North
	Bookshelf	Furniture	2	9000	South
	Monitor	Electronics	3	14000	Unknown
	Table Lamp	Furniture	4	1200	East
	Keyboard	electronics	6	1500	West
	Laptop	Electronics	1	55000	North

Step 11:-


A new Sales column is calculated by multiplying Quantity by UnitPrice for each order.




Step 12:- The data is filtered to retain only orders with Sales greater than 5,000.




Step 13:- Orders are sorted by Sales in descending order to display the highest-value orders first.






ct	Category	Quantity	UnitPrice	Region	Sales
	String	Number (Integer)	Number (Integer)	String	Number (Integer)
	Electronics	2	55000	North	110000
	Electronics	1	55000	North	55000
r	Electronics	3	14000	Unknown	42000
elf	Furniture	2	9000	South	18000
	Unknown	1	15000	North	15000
	Electronics	1	12000	East	12000
ard	Electronics	6	1500	West	9000

Step 14:- GroupBy calculates total Sales and the number of orders for each Region.




#	RowID	Region	Sum(Sales)	Count*(OrderID)
		String	Number (Integer)	Number (Integer)
1	Row0	East	12000	1
2	Row1	North	180000	3
3	Row2	South	18000	1
4	Row3	Unknown	42 18000	1
5	Row4	West	9000	1

Step 15:- Orders and customer details are joined using CustomerID, preserving all cleaned orders.




#	RowID	CustomerID	CustomerN...	City	Segment	OrderID	OrderDate	CustomerID...	Product	Category	Quar
1	Row0...	C01	Aarav Sharma	Gurugram	Corporate	1001	2026-07-01	C01	Laptop	Electronics	2
2	Row1...	C02	priya verma	Delhi	Consumer	1002	2026-07-02	C02	Office Chair	Furniture	?
3	Row2...	C03	Rohan Mehta	Noida	Corporate	1003	2026-07-03	C03	Printer	Electronics	1
4	Row0...	C01	Aarav Sharma	Gurugram	Corporate	1004	2026-07-03	C01	Desk	?	1
5	Row3...	C04	Sneha Kapoor	?	Consumer	1005	2026-07-05	C04	Mouse	Electronics	5
6	Row4...	C05	Vikram Singh	Faridabad	Small Business	1006	2026-07-06	C05	Bookshelf	Furniture	2
7	Row4...	C05	Vikram Singh	Faridabad	Small Business	1006	2026-07-06	C05	Bookshelf	Furniture	2
8	Row1...	C02	priya verma	Delhi	Consumer	1007	2026-07-08	C02	Monitor	Electronics	3
9	Row5...	C06	Ananya Gupta	Gurugram	Consumer	1008	2026-07-08	C06	Table Lamp	Furniture	4
10	Row2...	C03	Rohan Mehta	Noida	Corporate	1009	2026-07-10	C03	Keyboard	electronics	6

Step 16:- The final dataset contains nine cleaned orders and twelve columns, including sales and customer details.




#	RowID	CustomerID	CustomerNa...	City	Segment	OrderID	OrderDate	CustomerID (...	Product	Category	Quantity	UnitPrice	Region
1	Row0...	C01	Aarav Sharma	Gurugram	Corporate	1001	2026-07-01	C01	Laptop	Electronics	2	55000	North
2	Row1...	C02	priya verma	Delhi	Consumer	1002	2026-07-02	C02	Office Chair	Furniture	0	7500	south
3	Row2...	C03	Rohan Mehta	Noida	Corporate	1003	2026-07-03	C03	Printer	Electronics	1	12000	East
4	Row0...	C01	Aarav Sharma	Gurugram	Corporate	1004	2026-07-03	C01	Desk	Unknown	1	15000	North
5	Row3...	C04	Sneha Kapoor	Unknown	Consumer	1005	2026-07-05	C04	Mouse	Electronics	5	0	West
6	Row4...	C05	Vikram Singh	Faridabad	Small Business	1006	2026-07-06	C05	Bookshelf	Furniture	2	9000	SOUTH
7	Row1...	C02	priya verma	Delhi	Consumer	1007	2026-07-08	C02	Monitor	Electronics	3	14000	Unknown
8	Row5...	C06	Ananya Gupta	Gurugram	Consumer	1008	2026-07-08	C06	Table Lamp	Furniture	4	1200	East
9	Row2...	C03	Rohan Mehta	Noida	Corporate	1009	2026-07-10	C03	Keyboard	electronics	6	1500	west

Step 17:- The orders-cleaning workflow is packaged into the reusable component LA1 Clean Orders.




#	RowID	OrderID (Number (Integer))	OrderDate (String)	CustomerID (String)	Product (String)	Category (String)	Quantity (Number (Integer))	UnitPrice (Number (Integer))	Region (String)	Sales (Number (Integer))
1	Row0	1001	2026-07-01	C01	Laptop	Electronics	2	55000	North	110000
2	Row2	1003	2026-07-03	C03	Printer	Electronics	1	12000	East	12000
3	Row3	1004	2026-07-03	C01	Desk	Unknown	1	15000	North	15000
4	Row5	1006	2026-07-06	C05	Bookshelf	Furniture	2	9000	South	18000
5	Row7	1007	2026-07-08	C02	Monitor	Electronics	3	14000	Unknown	42000
6	Row9	1009	2026-07-10	C03	Keyboard	Electronics	6	1500	West	9000
7	Row10	1010	2026-07-11	C07	Laptop	Electronics	1	55000	North	55000

Step 18:- The final cleaned sales dataset is exported to CSV for reuse and submission.



Power BI


Step 1:- The orders dataset is imported into Power Query for cleaning and transformation.



= Table.TransformColumnTypes(#"Promoted Headers",{{"OrderID", Int64.Type}, {"OrderDate", type date}, {"CustomerID", type text}, {"Product",

	OrderID	OrderDate	CustomerID	Product	Category	Quantity	UnitPrice
1	1001	01-07-2026	C01	Laptop	Electronics	2	
2	1002	02-07-2026	C02	Office Chair	Furniture	null	
3	1003	03-07-2026	C03	Printer	Electronics	1	
4	1004	03-07-2026	C01	Desk		1	
5	1005	05-07-2026	C04	Mouse	Electronics	5	
6	1006	06-07-2026	C05	Bookshelf	Furniture	2	
7	1006	06-07-2026	C05	Bookshelf	Furniture	2	
8	1007	08-07-2026	C02	Monitor	Electronics	3	
9	1008	08-07-2026	C06	Table Lamp	Furniture	4	
10	1009	10-07-2026	C03	Keyboard	electronics	6	
11	1010	11-07-2026	C07	Laptop	Electronics	1	


Step 2:- The orders and customers datasets are imported as separate queries for subsequent cleaning and merging.



= Table.TransformColumnTypes(customers_Sheet,{{"Column1", type

	Column1	Column2	Column3	Column4
1	CustomerID	CustomerName	City	Segment
2	C01	Aarav Sharma	Gurugram	Corporate
3	C02	priya verma	Delhi	Consumer
4	C03	Rohan Mehta	Noida	Corporate
5	C04	Sneha Kapoor		Consumer
6	C05	Vikram Singh	Faridabad	Small Business
7	C06	Ananya Gupta	Gurugram	consumer

Step 3:- Exact duplicate order records are removed while one copy of each unique order is retained.



= Table.Distinct(#"Changed Type")

	OrderID	OrderDate	CustomerID	Product	Category	Quantity	UnitPrice
1	1001	01-07-2026	C01	Laptop	Electronics	2	
2	1002	02-07-2026	C02	Office Chair	Furniture	null	
3	1003	03-07-2026	C03	Printer	Electronics	1	
4	1004	03-07-2026	C01	Desk		1	
5	1005	05-07-2026	C04	Mouse	Electronics	5	
6	1006	06-07-2026	C05	Bookshelf	Furniture	2	
7	1007	08-07-2026	C02	Monitor	Electronics	3	
8	1008	08-07-2026	C06	Table Lamp	Furniture	4	
9	1009	10-07-2026	C03	Keyboard	electronics	6	
10	1010	11-07-2026	C07	Laptop	Electronics	1	

Query Settings

PROPERTIES

Name

orders

All Properties

APPLIED STEPS


Source


Promoted Headers

Changed Type


Removed Duplicates


Step 4:- Rows with missing UnitPrice values are removed to ensure valid sales calculations






Step5:- The missing Quantity value is replaced with 1, preserving the order for further analysis.







Step 6:- Missing Category and Region values are replaced with Unknown to avoid blank fields.




Step 7:- Region and Category text is trimmed and standardized for consistent grouping and reporting.






Step 8:- OrderDate, Quantity, and UnitPrice are assigned appropriate data types for accurate calculations.




Step 9:- A Sales column is created by multiplying Quantity by UnitPrice for each order.




	Product	Category	Quantity	UnitPrice	Region	Sales
1	Laptop	Electronics	2	55000	North	110000
2	Office Chair	Furniture	1	7500	South	7500
3	Printer	Electronics	1	12000	East	12000
4	Desk	Unknown	1	15000	North	15000
5	Bookshelf	Furniture	2	9000	South	18000
6	Monitor	Electronics	3	14000	Unknown	42000
7	Table Lamp	Furniture	4	1200	East	4800
8	Keyboard	electronics	6	1500	West	9000
9	Laptop	Electronics	1	55000	North	55000


Step 10:- A separate copy of the cleaned orders table is created so that analysis does not alter the original cleaned dataset.




Step 11:- The analysis copy is filtered to retain only orders with Sales greater than 5,000.



Step 12:- Orders are sorted by Sales in descending order, placing the highest sales values first.




Step 13:- The regional summary calculates total Sales and order counts for each Region using the full cleaned orders table.



```
= Table.Group(Source, {"Region"}, {{"Total Sales", each List.Sum([Sales]), type number}})
```

	Region	Total Sales
1	North	110000
2	South	25500
3	East	16800
4	Unknown	42000
5	West	9000

Step 14:- Customer names and segments are standardized, and missing City values are replaced with Unknown.



```
= Table.ReplaceValue(#"Capitalized Each Word1","","Unknown",
```

	CustomerID	CustomerName	City	Segment
1	C01	Aarav Sharma	Gurugram	Corporate
2	C02	Priya Verma	Delhi	Consumer
3	C03	Rohan Mehta	Noida	Corporate
4	C04	Sneha Kapoor	Unknown	Consumer
5	C05	Vikram Singh	Faridabad	Small Business
6	C06	Ananya Gupta	Gurugram	Consumer

Query Settings

PROPERTIES

Name


customers

All Properties

APPLIED STEPS

Source
Navigation
Changed Type
Promoted Headers
Changed Type1
Trimmed Text
Capitalized Each Word
Trimmed Text1
Capitalized Each Word1
Replaced Value

Step 15:- Orders are merged with customer details using CustomerID and a Left Outer join to preserve every cleaned order.



```
= Table.NestedJoin(Sales_Analysis, {"CustomerID"}, Sales_Analysis, {"CustomerID"}, "Sales_Analysis", JoinKind.LeftOuter)
```

	OrderID	OrderDate	CustomerID	Product	Category	Quantity	UnitP
1	1001	01-07-2026	C01	Laptop	Electronics	2	
2	1007	08-07-2026	C02	Monitor	Electronics	3	
3	1006	06-07-2026	C05	Bookshelf	Furniture	2	
4	1003	03-07-2026	C03	Printer	Electronics	1	
5	1009	10-07-2026	C03	Keyboard	electronics	6	
6	1002	02-07-2026	C02	Office Chair	Furniture	1	
7	1008	08-07-2026	C06	Table Lamp	Furniture	4	

Query Settings

PROPERTIES

Name

First_cleaned_Sales

All Properties

APPLIED STEPS

Source

Step 16:- CustomerName, City, and Segment are expanded into separate columns in the merged dataset.

```
= Table.ExpandTableColumn(Source, "customers", {"CustomerName", "City", "Segment"}, {"CustomerName", "City", "Segment"})
```

	1.2 UnitPrice	Region	Sales	CustomerName	City	Segment
1	2	55000 North	110000	Aarav Sharma	Gurugram	Corporate
2	3	14000 Unknown	42000	Priya Verma	Delhi	Consumer
3	2	9000 South	18000	Vikram Singh	Faridabad	Small Business
4	1	12000 East	12000	Rohan Mehta	Noida	Corporate
5	6	1500 West	9000	Rohan Mehta	Noida	Corporate
6	1	7500 South	7500	Priya Verma	Delhi	Consumer
7	4	1200 East	4800	Ananya Gupta	Gurugram	Consumer

Step 17:- The cleaned and transformed queries are applied to the Power BI data model.

OrderDate	CustomerID	Product	Category	Quantity	UnitPrice	Region	Sales	CustomerName	City	Segment
01 July 2026	C01	Laptop	Electronics	2	55000	North	110000	Aarav Sharma	Gurugram	Corporate
11 July 2026	C07	Laptop	Electronics	1	55000	North	55000	Not Registered	Unknown	Unknown
08 July 2026	C02	Monitor	Electronics	3	14000	Unknown	42000	Priya Verma	Delhi	Consumer
06 July 2026	C05	Bookshelf	Furniture	2	9000	South	18000	Vikram Singh	Faridabad	Small Business
03 July 2026	C01	Desk	Unknown	1	15000	North	15000	Aarav Sharma	Gurugram	Corporate
03 July 2026	C03	Printer	Electronics	1	12000	East	12000	Rohan Mehta	Noida	Corporate
10 July 2026	C03	Keyboard	Electronics	6	1500	West	9000	Rohan Mehta	Noida	Corporate
02 July 2026	C02	Office Chair	Furniture	1	7500	South	7500	Priya Verma	Delhi	Consumer
08 July 2026	C06	Table Lamp	Furniture	4	1200	East	4800	Ananya Gupta	Gurugram	Consumer

Step 18:- The final cleaned sales dataset is exported as a CSV file for submission and reuse.

	A	B	C	D	E	F	G	H	I	J	K
1	OrderDate	CustomerI	Product	Category	Quantity	UnitPrice	Region	Sales	CustomerN	City	Segment
2	01-Jul-26	C01	Laptop	Electronics	2	55000	North	110000	Aarav Shar	Gurugram	Corporate
3	11-Jul-26	C07	Laptop	Electronics	1	55000	North	55000	Not Regist	Unknown	Unknown
4	08-Jul-26	C02	Monitor	Electronics	3	14000	Unknown	42000	Priya Verm	Delhi	Consumer
5	06-Jul-26	C05	Bookshelf	Furniture	2	9000	South	18000	Vikram Sin	Faridabad	Small Business
6	03-Jul-26	C01	Desk	Unknown	1	15000	North	15000	Aarav Shar	Gurugram	Corporate
7	03-Jul-26	C03	Printer	Electronics	1	12000	East	12000	Rohan Me	Noida	Corporate
8	10-Jul-26	C03	Keyboard	Electronics	6	1500	West	9000	Rohan Me	Noida	Corporate
9	02-Jul-26	C02	Office Cha	Furniture	1	7500	South	7500	Priya Verm	Delhi	Consumer
10	08-Jul-26	C06	Table Lam	Furniture	4	1200	East	4800	Ananya Gu	Gurugram	Consumer