ASSIGNMENT NO.1.

Aim :- To create ADT that implement the "set" concept.

a. Add (newElement) -Place a value into the set
b. Remove (element)
c. Contains (element) Return true if element is in collection
d. Size () Return number of values in collection
e. Intersection of two sets
f. Union of two sets
g. Difference between two sets h.Subset .

Objective:- to study the different set operations.

Theory:-

A **Set** is an unordered collection of objects, known as elements or members of the set. An element 'a' belong to a set A can be written as 'a ∈ A', 'a ∉ A' denotes that a is not an element of the set A..

Unlike an array, sets are unordered and unindexed. You can think about sets as a room full of people you know. They can move around the room, changing order, without altering the set of people in that room. Plus, there are no duplicate people (unless you know someone who has cloned themselves). These are the two properties of a set: the data is unordered and it is not duplicated.

Sets have the most impact in mathematical set theory. These theories are used in many kinds of proofs, structures, and abstract algebra. Creating relations from different sets and codomains are also an important applications of sets.

In computer science, set theory is useful if you need to collect data and do not care about their multiplcity or their order. In databases, especially for relational databases, sets are very useful. There are many commands that finds unions, intersections, and differences of different tables and sets of data.

Algorithm:

Let **Array** be a linear unordered array of **MAX** elements.

Example

Result

Let **LA** be a Linear Array (unordered) with **N** elements and **K** is a positive integer such that **K<=N**. Following is the algorithm where ITEM is inserted into the K^{th} position of LA –

```
1. Start
2. Set J = N
3. Set N = N+1
4. Repeat steps 5 and 6 while J >= K
5. Set LA[J+1] = LA[J]
6. Set J = J-1
7. Set LA[K] = ITEM
8. Stop
```

Program Code:-

```
#include<iostream>
#include<stdlib.h>
using namespace std;

void create(int set[])
{
int n;
cout<<"\n enter the size of set : ";
cin>>n;
cout<<"\n enter the elements in the set : ";
for(inti=1;i<=n;i++)
cin>>set[i];

set[0]=n;
}

bool member(int set[],intnum)
{
for(inti=1;i<=set[0];i++)
if(set[i]==num)
return true;

return false;
}


void intersection(int set1[],int set2[],int set3[])
{
for(inti=1;i<=set2[0];i++)
```

```
    {
if(member(set1,set2[i])== true)
        {
set3[0]++;
set3[set3[0]]=set2[i];
        }

    }
}


void union1(int set1[],int set2[],int set4[])
{

for(inti=0;i<=set1[0];i++)
set4[i]=set1[i];

for(inti=1;i<=set2[0];i++)
    {
if(member(set1,set2[i])== false)
        {
set4[0]++;
set4[set4[0]]=set2[i];
        }
    }
}

void difference1(int set1[],int set2[],int set5[])
{
for(inti=1;i<=set1[0];i++)
    {
if((member(set2,set1[i]) == false))
        {
set5[0]++;
set5[set5[0]]=set1[i];
        }
 ;    }
}

void contains(int set[])
{
intnum;
cout<<"\n enter the element to be searched ";
cin>>num;
```

```
if((member(set,num))== true)
cout<<"\n element is present ";
else
cout<<"\n element is not present ";
}

bool subset(int seta[],intsetb[])
{
for(inti=1;i<=setb[0];i++)
    {
if((member(seta,setb[i]))==true)
continue;
else
return false;
    }
return true;
}

void remove(int set[])
{
intpos;
cout<<"\n enter the position from which you want to remove the element : ";
cin>>pos;
if(pos<=set[0])
    {
if(pos<set[0])
        {
for(inti=pos;i<=set[0];i++)
            {
set[i]=set[i+1];
            }
set[0]--;
        }
else if(pos==set[0])
        {
set[0]--;
        }
    }
else
    {
cout<<"\n entered position exceeds the size of the set " ;
    }
}
```

```
void size(int set[])
{
cout<<set[0];

}


void display(int set[])
{
cout<<"\n size : "<<set[0]<<"\t";
for(inti=1;i<=set[0];i++)
   {
cout<<set[i]<<"    ";
   }
}



int main()
{
int set1[10];
cout<<"\n FOR SET 1 ";
create(set1);

int set2[10];
cout<<"\n FOR SET 2 ";
create(set2);

intch,c;
char choice;
do{
cout<<"\n\n -------------- OPERATION MENU ---------------- ";
cout<<"\n 1 for INTERSECTION ";
cout<<"\n 2 for UNION ";
cout<<"\n 3 for DIFFERENCE ";
cout<<"\n 4 for CONTAINS( if element is present in set or not)";
cout<<"\n 5 for SUBSET";
cout<<"\n 6 for REMOVE";
cout<<"\n 7 for SIZE";
cout<<"\n 8 for DISPLAY";
cout<<"\n 9 for EXIT";
cout<<"\n\n Enter your choice : ";
cin>>ch;
switch(ch)
```

```
{
case 1:
        {
int set3[1];
set3[0]=0;
cout<<"\n the intersection of two sets : \t";
intersection(set1,set2,set3);
display(set3);
break;
        }
case 2:
        {
int set4[set1[0]+1];
set4[0]=0;
cout<<"\n the union of two sets \t";
union1(set1,set2,set4);
display(set4);
break;
        }
case 3:
        {
int set5[1];
set5[0]=0;
cout<<"\n the difference of two sets \t";
difference1(set1,set2,set5);
display(set5);
break;
        }
case 4:
        {
cout<<"\n enter 1 for searching in set1 and 2 for searching in set2 ";
cin>>c;
switch(c)
           {
case 1: contains(set1); break;
case 2: contains(set2); break;
default: cout<<"\n wrong choice entered ";
           }

break;
        }

case 5:
        {
```

```
label:
cout<<"\n enter 1 for checking if set1 is subset of set2 else enter 2 ";
cin>>c;
switch(c)
          {
case 1:
             {
if(subset(set2,set1)==true )
cout<<"\n set1 is subset of set2";
else
cout<<"\n set1 is not a subset of set2";
break;
             }
case 2:
             {
if(subset(set1,set2)==true )
cout<<"\n set2 is subset of set1";
else
cout<<"\n set2 is not a subset of set1";
break;
             }
default:
cout<<"\n wrong choice entered ";
goto label;
          }
break;
       }
case 6:
       {
          label2:
cout<<"\n enter 1 for removing element from set 1 and 2 for removal from set 2 ";
cin>>c;
switch(c)
          {
case 1:
             {
remove(set1);
break;
             }
case 2:
             {
remove(set2);
break;
             }
```

```
default:
cout<<"\n wrong choice entered ";
goto label2;
            }
break;
        }
case 7:
        {
cout<<"\n size of set 1 : ";
size(set1);
cout<<"\n size of set 2 : ";
size(set2);
break;
        }
case 8:
        {
display(set1);
display(set2);
break;
        }

case 9:
exit(0);
default:
cout<<"\n wrong choice entered ";
}

cout<<"\n want to continue with the operation ?(y/n) :";
cin>>choice;

}while((choice=='y')||(choice=='Y'));

return 0;
}
```

OUTPUT:

```
FOR SET 1
enter the size of set : 4

enter the elements in the set : 1 2 3 4

FOR SET 2
enter the size of set : 3

enter the elements in the set : 3 4 5


------------- OPERATION MENU ---------------
1 for INTERSECTION
2 for UNION
3 for DIFFERENCE
4 for CONTAINS( if element is present in set or not)
5 for SUBSET
6 for REMOVE
7 for SIZE
8 for DISPLAY
9 for EXIT

Enter your choice : 1

the intersection of two sets :
size : 2       3    4
want to continue with the operation ?(y/n) :Y


------------- OPERATION MENU ---------------
1 for INTERSECTION
2 for UNION
3 for DIFFERENCE
4 for CONTAINS( if element is present in set or not)
5 for SUBSET
6 for REMOVE
7 for SIZE
8 for DISPLAY
9 for EXIT

Enter your choice : 2
```

```
Enter your choice : 2

the union of two sets
size : 5       1    2    3    4    5
want to continue with the operation ?(y/n) :Y


------------- OPERATION MENU ---------------
1 for INTERSECTION
2 for UNION
3 for DIFFERENCE
4 for CONTAINS( if element is present in set or not)
5 for SUBSET
6 for REMOVE
7 for SIZE
8 for DISPLAY
9 for EXIT

Enter your choice : 3

the difference of two sets
size : 2       1    2
want to continue with the operation ?(y/n) :Y


------------- OPERATION MENU ---------------
1 for INTERSECTION
2 for UNION
3 for DIFFERENCE
4 for CONTAINS( if element is present in set or not)
5 for SUBSET
6 for REMOVE
7 for SIZE
8 for DISPLAY
9 for EXIT

Enter your choice : 4

enter 1 for searching in set1 and 2 for searching in set2 1

enter the element to be searched 2

element is present
want to continue with the operation ?(y/n) :
```

```
Enter your choice : 4

enter 1 for searching in set1 and 2 for searching in set2 1

enter the element to be searched 2

element is present
want to continue with the operation ?(y/n) :Y


------------- OPERATION MENU ---------------
1 for INTERSECTION
2 for UNION
3 for DIFFERENCE
4 for CONTAINS( if element is present in set or not)
5 for SUBSET
6 for REMOVE
7 for SIZE
8 for DISPLAY
9 for EXIT

Enter your choice : 5

enter 1 for checking if set1 is subset of set2 else enter 2 1

set1 is not a subset of set2
want to continue with the operation ?(y/n) :Y


------------- OPERATION MENU ---------------
1 for INTERSECTION
2 for UNION
3 for DIFFERENCE
4 for CONTAINS( if element is present in set or not)
5 for SUBSET
6 for REMOVE
7 for SIZE
8 for DISPLAY
9 for EXIT

Enter your choice : 6

enter 1 for removing element from set 1 and 2 for removal from set 2 _
```

```
set1 is not a subset of set2
want to continue with the operation ?(y/n) :Y


------------- OPERATION MENU ---------------
1 for INTERSECTION
2 for UNION
3 for DIFFERENCE
4 for CONTAINS( if element is present in set or not)
5 for SUBSET
6 for REMOVE
7 for SIZE
8 for DISPLAY
9 for EXIT

Enter your choice : 6

enter 1 for removing element from set 1 and 2 for removal from set 2 1

enter the position from which you want to remove the element : 2

want to continue with the operation ?(y/n) :Y


------------- OPERATION MENU ---------------
1 for INTERSECTION
2 for UNION
3 for DIFFERENCE
4 for CONTAINS( if element is present in set or not)
5 for SUBSET
6 for REMOVE
7 for SIZE
8 for DISPLAY
9 for EXIT

Enter your choice : 8

size : 3        1    3    4
size : 3        3    4    5
want to continue with the operation ?(y/n) :7

--------------------------------
Process exited after 261.4 seconds with return value 0
Press any key to continue . . .
```



<u>Conclusion:-</u> Thus,we have studied different operations on set ADT.

ASSIGNMENT 2

AIM:

Construct a threaded binary search tree by inserting values in the given order and traverse it in inorder traversal using threads.

Theory:

Inorder traversal of a Binary tree can either be done using recursion or with the use of a auxiliary stack. The idea of threaded binary trees is to make inorder traversal faster and do it without stack and without recursion. A binary tree is made threaded by making all right child pointers that would normally be NULL point to the inorder successor of the node (if it exists).

There are two types of threaded binary trees.

Single Threaded: Where a NULL right pointers is made to point to the inorder successor (if successor exists)

Double Threaded: Where both left and right NULL pointers are made to point to inorder predecessor and inorder successor respectively. The predecessor threads are useful for reverse inorder traversal and postorder traversal.

Algorithm

Step-1: For the current node check whether it has a left child which is not there in the visited list. If it has then go to step-2 or else step-3.

Step-2: Put that left child in the list of visited nodes and make it your current node in consideration. Go to step-6

Step-3: Print the node and If the node has the right child then go to step 4 else go to step 5

Step-4: Make the right child as the current node.

Step-5: if there is a thread node then make it the current node.

Step-6: if all nodes have been printed then END else go to step 1

CODE:

```
#include<iostream>
using namespace std;

class ttree
{
	private:
```

```
        struct thtree
        {
            int left;
            thtree *leftchild;
            int data;
            thtree *rightchild;
            int right;
        }*th_head;

    public:
        ttree();
        void insert(int num);
        void inorder();

};

ttree::ttree()
{
    th_head=NULL;
}
void ttree::insert(int num)
{


    thtree *head=th_head,*p,*z;

    z=new thtree;
    z->left=true;
    z->data=num;
    z->right=true;

    if(th_head==NULL)
    {
        head=new thtree;
        head->left=false;
        head->leftchild=z;
        head->data=-9999;
        head->rightchild=head;
        head->right=false;
```

```
            th_head=head;
            z->leftchild=head;
            z->rightchild=head;

        }
        else
        {
            p=head->leftchild;
            while(p!=head)
            {
                if(p->data > num)
                {
                    if(p->left!=true)
                    p=p->leftchild;
                    else
                    {
                        z->leftchild=p->leftchild;
                        p->leftchild=z;

                        p->left=false;
                        z->right=true;
                        z->rightchild=p;
                        return;
                    }
                }
                else
                {
                    if(p->data < num)
                    {
                        if(p->right!=true)
                        p=p->rightchild;
                        else
                        {
                            z->rightchild=p->rightchild;
                            p->rightchild=z;

                            p->right=false;
                            z->left=true;
                            z->leftchild=p;
                            return;
```

```
                                        }
                                }
                        }
                }
        }
}
void ttree::inorder()
{
        thtree *a;
        a=th_head->leftchild;
        while(a!=th_head)
        {
                while(a->left==false)

                        a=a->leftchild;
                        cout<<a->data<<"\t";



                while(a->right==true)
                {
                        a=a->rightchild;

                        if(a==th_head)
                        break;

                        cout<<a->data<<"\t";
                }
                a=a->rightchild;
        }
}

int main()
{
        ttree th;
        int n,e;
        cout<<"Enter no. of elements: ";
        cin>>n;
        cout<<"\nEnter elements: ";
        for(int i=0;i<n;i++)
```

```
        {
                cin>>e;
                th.insert(e);
        }

        cout<<"\n\n\tThreaded binary tree in inorder:  ";
        th.inorder();
}
```



Conclusion-

Successfully created binary threaded binary tree.

ASSIGNMENT NO.3.

Aim :-

There are flight paths between cities. If there is a flight between city A and city B then there is an edge between the cities. The cost of the edge can be the time that flight takes to reach city B from A, or the amount of fuel used for the journey. Represent this as a graph. The node can be represented by airport name or name of the city. Use adjacency list representation of the graph or use adjacency matrix representation of the graph. Justify the storage representations used .

Objective:- To learn adjacency list representation of graph.

Theory:-

Following two are the most commonly used representations of a graph.

1. Adjacency Matrix

2. Adjacency List

There are other representations also like, Incidence Matrix and Incidence List. The choice of the graph representation is situation specific. It totally depends on the type of operations to be performed and ease of use.

Adjacency Matrix:

Adjacency Matrix is a 2D array of size V x V where V is the number of vertices in a graph. Let the 2D array be adj[][], a slot adj[i][j] = 1 indicates that there is an edge from vertex i to vertex j. Adjacency matrix for undirected graph is always symmetric. Adjacency Matrix is also used to represent weighted graphs. If adj[i][j] = w, then there is an edge from vertex i to vertex j with weight w.

The adjacency matrix for the above example graph is:

	0	1	2	3	4
0	0	1	0	0	1
1	1	0	1	1	1
2	0	1	0	1	0
3	0	1	1	0	1
4	1	1	0	1	0

Adjacency List:
An array of lists is used. Size of the array is equal to the number of vertices. Let the array be array[]. An entry array[i] represents the list of vertices adjacent to the ***i***th vertex. This representation can also be used to represent a weighted graph. The weights of edges can be represented as lists of pairs. Following is adjacency list representation of the above graph.

Algorithm:-

1.BFS :-

- **Step 1:** SET STATUS = 1 (ready state) for each node in G
- **Step 2:** Enqueue the starting node A and set its STATUS = 2 (waiting state)
- **Step 3:** Repeat Steps 4 and 5 until QUEUE is empty
- **Step 4:** Dequeue a node N. Process it and set its STATUS = 3 (processed state).

- **Step 5:** Enqueue all the neighbours of
  N that are in the ready state
  (whose STATUS = 1) and set
  their STATUS = 2
  (waiting state)
  [END OF LOOP]
- **Step 6:** EXIT

2.DFS :-

- **Step 1:** SET STATUS = 1 (ready state) for each node in G
- **Step 2:** Push the starting node A on the stack and set its STATUS = 2 (waiting state)
- **Step 3:** Repeat Steps 4 and 5 until STACK is empty
- **Step 4:** Pop the top node N. Process it and set its STATUS = 3 (processed state)
- **Step 5:** Push on the stack all the neighbours of N that are in the ready state
  (whose STATUS = 1) and set their
  STATUS = 2 (waiting state)
  [END OF LOOP]
- **Step 6:** EXIT

Program Code:-

```
#include <iostream>

#include<iomanip>

using namespace std;


const int MAX=30;


class Queue //Queue for BFS TRAVERSAL

{

	int front,rear;
```

```
    string data[MAX];
public:
    Queue()
{
        front=-1;
        rear=-1;
}
    bool empty()
    {
        if(rear==-1)
            return 1;
        else
            return 0;
    }
    bool inqueue(string str)
    {
        if(front==-1 && rear==-1)
        {
            front=rear=0;
            data[rear]=str;
            return true;
        }
        else
        {
            rear=rear+1;
            data[rear]=str;
            return true;
```

```
		}
	}
	string dequeue()
	{
		string  p;
		if(front==rear)
		{
			p=data[front];
			front=-1;
			rear=-1;
		}
		else
		{
			p=data[front];
			front=front+1;
		}
		return p;
	}

};

class node //node class for each airport
{
	node *next;
	string city;
	int timeCost;
public:
```

```
	friend class graph;
	node()
	{
		next=NULL;
		city="";
		timeCost=-1;
	}
	node(string city,int weight)
	{
		next=NULL;
		this->city=city;
		timeCost=weight;
	}
};
class graph //Contains total graph of airports
{
	node *head[MAX];
	int n;
	int visited[MAX];
public:
	graph(int num)
{
		n=num;
		for(int i=0;i<n;i++)
			head[i]=NULL;
}
	void insert(string city1,string city2,int time);
```

```
        void insertUndirected(string city1,string city2,int time);
        void readdata(int gType);
        int getindex(string s1);
        void outFlights();
        void inFlights();
        void DFS(string str);
        void BFS();
        void dfsTraversal();

};
void graph::BFS()
{
        string str=head[0]->city;
        int j;
        //node *p;
        for(int i=0;i<n;i++)
                visited[i]=0;
        Queue queue;
        queue.inqueue(str);
        int i=getindex(str);
                cout<<"BFS Traversal: \n";
                cout<<" "<<str<<" ";
                visited[i]=1;
                while(!queue.empty())
                {
                        string p=queue.dequeue();
                        i=getindex(p);
```

```
                        //visited[i]=1;

                        for(node *q=head[i];q!=NULL;q=q->next)
                        {
                                i=getindex(q->city);
                                str=q->city;
                                if(!visited[i])
                                {
                                        queue.inqueue(q->city);
                                        visited[i]=1;
                                        cout<<" "<<str<<" ";
                                }
                        }
                }
                cout<<"\n";
}
void graph::dfsTraversal()
        {
                for( int i=0;i<n;i++)
                        visited[i]=0;
                cout<<"\nDFS TRAVERSAL: \n";
                DFS(head[0]->city);
                cout<<"\n";
        }
void graph::DFS(string str)
```

```
{
	node *p;
	int i=getindex(str);

	cout<<" "<<str<<" ";
	p=head[i];
	visited[i]=1;
	while(p!=NULL)
	{
		str=p->city;
		i=getindex(str);
		if(!visited[i])
			DFS(str);
		p=p->next;
	}

}
void graph::inFlights()
{
	int count[n];
	for(int i=0;i<n;i++)
		count[i]=0;
	cout<<"====== In degree =========\n";
	for(int i=0;i<n;i++)
	{
		cout<<"\n"<<setw(8)<<"Source"<<setw(8)<<"Destin."<<setw(8)<<"Time";
		for(int j=0;j<n;j++)
```

```
		{
			node *p=head[j]->next;
			while(p!=NULL)
			{
				if(p->city==head[i]->city)
				{
					count[i]=count[i]+1;
					cout<<"\n"<<setw(8)<<head[j]-
>city<<setw(8)<<head[i]->city<<setw(8)<<p->timeCost;
				}

				p=p->next;
			}
		}
		cout<<"\nFlights to "<<head[i]->city<<" = "<<count[i]<<endl;
		cout<<"------------------------------------\n";
	}

}
void graph::outFlights()
{
	int count;
	for(int i=0;i<n;i++)
	{
		node *p=head[i]->next;
		count=0;
		cout<<"\n"<<setw(8)<<"Source"<<setw(8)<<"Destin."<<setw(8)<<"Time";
		if(p==NULL)
```

```
        {
            cout<<"\nNo Flights from "<<head[i]->city;
        }
        else
        {
            while(p!=NULL)

            {
                cout<<"\n"<<setw(8)<<head[i]->city<<setw(8)<<p-
>city<<setw(8)<<p->timeCost;
                count++;
                p=p->next;
            }
        }
        cout<<"\nNo. of flights: "<<count<<endl;;
        cout<<"------------------------------------\n";
    }
}
int graph::getindex(string s1)
{
    for(int i=0;i<n;i++)
    {
        if(head[i]->city==s1)
            return i;
    }
    return -1;
}
void graph::insert(string city1,string city2,int time)
```

```
{
        node *source;
        node *dest=new node(city2,time);

        int ind=getindex(city1); //for getting head nodes index in array
        if(head[ind]==NULL)
                head[ind]=dest;
        else
        {
                source=head[ind];
                while(source->next!=NULL)
                        source=source->next;
                source->next=dest;
        }
}
void graph::insertUndirected(string city1,string city2,int time)
{
        node *source;
        node *dest=new node(city2,time);
        node *dest2=new node(city1,time); //for second flight insertion

        int ind=getindex(city1); //for getting head nodes index in array
        int ind2=getindex(city2);
/*      if(head[ind]==NULL && head[ind2]==NULL) //when no flights in graph
        {
                head[ind]=dest;
                head[ind2]=dest2;
```

```
	}
	else if(head[ind]==NULL && head[ind2]!=NULL) //no flight in first list but flight in
second list
	{
		head[ind]=dest; //inserted first flight
		source=head[ind2];
		while(source->next!=NULL)
			source=source->next;
		source->next=dest2;
	}
	else if(head[ind]!=NULL && head[ind2]==NULL)
	{
		head[ind2]=dest2; //inserted first flight
		source=head[ind];
		while(source->next!=NULL)
			source=source->next;
		source->next=dest;
	}
	else
	{*/
		source=head[ind];
		while(source->next!=NULL)
			source=source->next;
		source->next=dest;

		source=head[ind2];
		while(source->next!=NULL)
			source=source->next;
```

```
                source->next=dest2;

        //}
}
void graph::readdata(int gType)
{
        string city1,city2,tmpcity;
        int fcost;
        int flight;
        cout<<"\nENter City Details:\n ";
        for(int i=0;i<n;i++)
        {
                head[i]=new node;
                cout<<"Enter City "<<i+1<<" ";
                cin>>tmpcity;
                head[i]->city=tmpcity;
        }
        cout<<"\nEnter Number of Flights to insert: ";
        cin>>flight;
        if(gType==1)
        {
                for(int i=0;i<flight;i++)
                {
                        cout<<"\nEnter Source:";
                        cin>>city1;
                        cout<<"Enter Destination:";
                        cin>>city2;
```

```
                    cout<<"Enter Time:";
                    cin>>fcost;
                    insert(city1,city2,fcost);
            }
    }
    else
    {
            for(int i=0;i<flight;i++)
            {
                    cout<<"\nEnter Source:";
                    cin>>city1;
                    cout<<"Enter Destination:";
                    cin>>city2;
                    cout<<"Enter Time:";
                    cin>>fcost;
                    insertUndirected(city1,city2,fcost);
                    //cout<<"\ninserted"<<i+1;
            }
    }
}
int main() {
    int number,choice;
    int graphype;
    cout<<"-------INDIA AIRLINES PVT LTD--------"
            <<"\n0. Undirected\n1.Directed\nEnter Flight data Insertion Type:";
    cin>>graphype;
    cout<<"\nENter Number of Airport Stations:";
```

```
    cin>>number;
    graph g1(number);
    g1.readdata(graphype);
    do
    {
        cout<<"-------- Menu --------"
                <<"\n1.Incoming Flights(In degree)"
                <<"\n2.Outgoing Flights(Out degree)"
                <<"\n3.DFS"
                <<"\n4.BFS"
                <<"\n5.Exit"
                <<"\nEnter your choice: ";
        cin>>choice;
        switch(choice)
        {
        case 1:
            cout <<"" << endl;
            g1.inFlights();
            break;
        case 2:
            g1.outFlights();
            break;
        case 3:
            g1.dfsTraversal();
            break;
        case 4:
            g1.BFS();
```

```
                break;
            default:
                cout<<"\nWrong Choice";
            }
    }while(choice!=5);



    return 0;
}
```

Output Screenshots:-



```
C:\Users\USER\Documents\sd3.exe
====== In degree =========

 Source Destin.    Time
 chennai  mumbai      9
 nagpur  mumbai       9
 nagpur  mumbai       9
Flights to mumbai = 3
-------------------------------------

 Source Destin.    Time
 mumbai chennai       9
 nagpur chennai       9
 nagpur chennai       9
Flights to chennai = 3
-------------------------------------

 Source Destin.    Time
 mumbai  nagpur       9
 mumbai  nagpur       9
 chennai  nagpur      9
 chennai  nagpur      9
Flights to nagpur = 4
-------------------------------------
-------- Menu --------
1.Incoming Flights(In degree)
2.Outgoing Flights(Out degree)
3.DFS
4.BFS
5.Exit
Enter your choice: 2

 Source Destin.    Time
 mumbai chennai       9
 mumbai  nagpur       9
 mumbai  nagpur       9
No. of flights: 3
-------------------------------------

 Source Destin.    Time
 chennai  mumbai      9
 chennai  nagpur      9
 chennai  nagpur      9
No. of flights: 3
```

```
C:\Users\USER\Documents\sd3.exe
 Source Destin.    Time
 chennai  mumbai      9
 chennai  nagpur      9
 chennai  nagpur      9
No. of flights: 3
-------------------------------------

 Source Destin.    Time
 nagpur  mumbai       9
 nagpur chennai       9
 nagpur chennai       9
 nagpur  mumbai       9
No. of flights: 4
-------------------------------------
-------- Menu --------
1.Incoming Flights(In degree)
2.Outgoing Flights(Out degree)
3.DFS
4.BFS
5.Exit
Enter your choice: 3

DFS TRAVERSAL:
 mumbai  chennai  nagpur
-------- Menu --------
1.Incoming Flights(In degree)
2.Outgoing Flights(Out degree)
3.DFS
4.BFS
5.Exit
Enter your choice: 4
BFS Traversal:
 mumbai  chennai  nagpur
-------- Menu --------
1.Incoming Flights(In degree)
2.Outgoing Flights(Out degree)
3.DFS
4.BFS
5.Exit
Enter your choice: 5_
```

Conclusion:- Thus,we have studied adjacency graph representation.

ASSIGNMENT NO.4.

Aim :- For a weighted graph G, find the minimum spanning tree using Prims algorithm .

Objective:- To study the prims algorithm.

Theory:-

Prim's algorithm is also a Greedy algorithm. It starts with an empty spanning tree. The idea is to maintain two sets of vertices. The first set contains the vertices already included in the MST, the other set contains the vertices not yet included. At every step, it considers all the edges that connect the two sets, and picks the minimum weight edge from these edges. After picking the edge, it moves the other endpoint of the edge to the set containing MST.
A group of edges that connects two set of vertices in a graph is called cut in graph theory. *So, at every step of Prim's algorithm, we find a cut (of two sets, one contains the vertices already included in MST and other contains rest of the verices), pick the minimum weight edge from the cut and include this vertex to MST Set (the set that contains already included vertices)*
.
How does Prim's Algorithm Work? The idea behind Prim's algorithm is simple, a spanning tree means all vertices must be connected. So the two disjoint subsets (discussed above) of vertices must be connected to make a *Spanning* Tree. And they must be connected with the minimum weight edge to make it a *Minimum* Spanning Tree.

Algorithm:-

1) Create a set *mstSet* that keeps track of vertices already included in MST.

2) Assign a key value to all vertices in the input graph. Initialize all key values as INFINITE. Assign key value as 0 for the first vertex so that it is picked first.

3) While mstSet doesn't include all vertices
….**a)** Pick a vertex *u* which is not there in *mstSet* and has minimum key value.
….**b)** Include *u* to mstSet.
….**c)** Update key value of all adjacent vertices of *u*. To update the key values, iterate through all adjacent vertices. For every adjacent vertex *v*, if weight of edge *u-v* is less than the previous key value of *v*, update the key value as weight of *u-v*

The idea of using key values is to pick the minimum weight edge from cut. The key values are used only for vertices which are not yet included in MST, the key value for these vertices indicate the minimum weight edges connecting them to the set of vertices included in MST.

Program Code:-

```
#include<iostream>

#include<conio.h>

#include<stdlib.h>

using namespace std;

int cost[10][10],i,j,k,n,stk[10],top,v,visit[10],visited[10],u;


main()

{

	int m,c;

	cout <<"enterno of vertices";

	cin >> n;

	cout <<"ente no of edges";

	cin >> m;

	cout <<"\nEDGES Cost\n";

	for(k=1;k<=m;k++)

	{

		cin >>i>>j>>c;

		cost[i][j]=c;

	}

	for(i=1;i<=n;i++)

	for(j=1;j<=n;j++)
```

```
        if(cost[i][j]==0)
        cost[i][j]=31999;

    cout <<"ORDER OF VISITED VERTICES";
    k=1;
    while(k<n)
    {
        m=31999;
        if(k==1)
        {
            for(i=1;i<=n;i++)
                for(j=1;j<=m;j++)
                if(cost[i][j]<m)
                {
                    m=cost[i][j];
                    u=i;
                }
        }
        else
        {
            for(j=n;j>=1;j--)
            if(cost[v][j]<m && visited[j]!=1 && visit[j]!=1)
            {
                visit[j]=1;
                stk[top]=j;
                top++;
                m=cost[v][j];
```

```
                    u=j;
               }
          }
          cost[v][u]=31999;
          v=u;
          cout<<v << " ";
          k++;
          visit[v]=0; visited[v]=1;
     }
}
```

Output Screenshots:-



Conclusion:- Thus,we have studied prims algorithm.

ASSIGNMENT NO.5.

Aim :-

You have a business with several offices; you want to lease phone lines to connect them up with each other; and the phone company charges different amounts of money to connect different pairs of cities. You want a set of lines that connects all your offices with a minimum total cost. Solve the problem by suggesting appropriate data structures .

Objective:- To study the use of kruskal's and prims algorithm in given problem.

Theory:- *What is Minimum Spanning Tree?*

Given a connected and undirected graph, a *spanning tree* of that graph is a subgraph that is a tree and connects all the vertices together. A single graph can have many different spanning trees. A *minimum spanning tree (MST)* or minimum weight spanning tree for a weighted, connected and undirected graph is a spanning tree with weight less than or equal to the weight of every other spanning tree. The weight of a spanning tree is the sum of weights given to each edge of the spanning tree.

How many edges does a minimum spanning tree has?

A minimum spanning tree has (V – 1) edges where V is the number of vertices in the given graph.

What are the applications of Minimum Spanning Tree?

See this for applications of MST.

Below are the steps for finding MST using Kruskal's algorithm

1. *Sort all the edges in non-decreasing order of their weight.*
2. *Pick the smallest edge. Check if it forms a cycle with the spanning tree formed so far. If cycle is not formed, include this edge. Else, discard it.*
3. *Repeat step#2 until there are (V-1) edges in the spanning tree.*

The step#2 uses Union-Find algorithm to detect cycle.

The algorithm is a Greedy Algorithm. The Greedy Choice is to pick the smallest weight edge that does not cause a cycle in the MST constructed so far.

Algorithm:-

- create a forest *F* (a set of trees), where each vertex in the graph is a separate tree
- create a set *S* containing all the edges in the graph
- while *S* is nonempty and *F* is not yet spanning
  - remove an edge with minimum weight from *S*
  - if the removed edge connects two different trees then add it to the forest *F*, combining two trees into a single tree

At the termination of the algorithm, the forest forms a minimum spanning forest of the graph. If the graph is connected, the forest has a single component and forms a minimum spanning tree.

Program Code:-

```
#include <iostream>

#include<iomanip>

using namespace std;


const int MAX=10;

class EdgeList;  //forward declaration

class Edge              //USED IN KRUSKAL

{

        int u,v,w;

public:

        Edge(){} //Empty Constructor

        Edge(int a,int b,int weight)

        {

                u=a;

                v=b;

                w=weight;

        }

        friend class EdgeList;

        friend class PhoneGraph;

};

//---- EdgeList Class ----------
```

```
class EdgeList
{
	Edge data[MAX];
	int n;
public:
	friend class PhoneGraph;
	EdgeList()
	{ n=0;}
	void sort();
	void print();

};
//----Bubble Sort for sorting edges in increasing weights' order ---//
void EdgeList::sort()
{
	Edge temp;
	for(int i=1;i<n;i++)
		for(int j=0;j<n-1;j++)
			if(data[j].w>data[j+1].w)
			{
				temp=data[j];
				data[j]=data[j+1];
				data[j+1]=temp;
			}
}
```

```
void EdgeList::print()
{
	int cost=0;
	for(int i=0;i<n;i++)
	{
		cout<<"\n"<<i+1<<" "<<data[i].u<<"--"<<data[i].v<<" = "<<data[i].w;
		cost=cost+data[i].w;
	}
	cout<<"\nMinimum cost of Telephone Graph = "<<cost;
}
//------------ Phone Graph Class---------------
class PhoneGraph
{
	int data[MAX][MAX]={{0, 28, 0, 0, 0,10,0},
	 {28,0,16,0,0,0,14},
	 {0,16,0,12,0,0,0},
	 {0,0,12,0,22,0,18},
	 {0,0,0,22,0,25,24},
	 {10,0,0,0,25,0,0},
	 {0,14,0,18,24,0,0},
	};
	int n;

public:
	PhoneGraph(int num)
```

```
{
        n=num;
}
    void readgraph();
    void printGraph();
    int mincost(int cost[],bool visited[]);
    int prim();
    void kruskal(EdgeList &spanlist);
    int find(int belongs[], int vertexno);
    void unionComp(int belongs[], int c1,int c2);
};
void PhoneGraph::readgraph()
{
    cout<<"Enter Adjacency(Cost) Matrix: \n";
    for(int i=0;i<n;i++)
    {
        for(int j=0;j<n; j++)
            cin>>data[i][j];
    }
}
void PhoneGraph::printGraph()
{
    cout<<"\nAdjacency (COST) Matrix: \n";
    for(int i=0;i<n;i++)
    {
```

```
            for(int j=0;j<n;j++)
            {
                cout<<setw(3)<<data[i][j];
            }
            cout<<endl;
        }
}
int PhoneGraph::mincost(int cost[],bool visited[]) //finding vertex with minimum cost
{
        int min=9999,min_index; //initialize min to MAX value(ANY) as temporary
        for(int i=0;i<n;i++)
        {
            if(visited[i]==0 && cost[i]<min)
            {
                min=cost[i];
                min_index=i;
            }
        }
        return min_index; //return index of vertex which is not visited and having
minimum cost

}
int PhoneGraph::prim()
{
        bool visited[MAX];
```

```
int parents[MAX]; //storing vertices
int cost[MAX]; //saving minimum cost
for(int i=0;i<n;i++)
{
    cost[i]=9999;  //set cost as infinity/MAX_VALUE
    visited[i]=0; //initialize visited array to false
}

cost[0]=0; //starting vertex cost
parents[0]=-1; //make first vertex as a root

for(int i=0;i<n-1;i++)
{
    int k=mincost(cost,visited); //minimum cost elemets index
    visited[k]=1; //set visited

    for(int j=0;j<n;j++)//for adjacent verices comparision
    {
        if(data[k][j] && visited[j]==0 && data[k][j] < cost[j])
        {
            parents[j]=k;
            cost[j]=data[k][j];
        }
    }
}
```

```
        cout<<"Minimum Cost Telephone Map:\n";
        for(int i=1;i<n;i++)
        {
                cout<<i<<" -- "<<parents[i]<<" = "<<cost[i]<<endl;
        }
        int mincost=0;
        for (int i = 1; i < n; i++)
                mincost+=cost[i];                       //data[i][parents[i]];
        return mincost;
}
//------- Kruskal's Algorithm
void PhoneGraph::kruskal(EdgeList &spanlist)
{
        int belongs[MAX]; //Separate Components at start (No Edges, Only vertices)
        int cno1,cno2;          //Component 1 & 2
        EdgeList elist;
        for(int i=1;i<n;i++)
                for(int j=0;j<i;j++)
                {
                        if(data[i][j]!=0)
                        {
                                elist.data[elist.n]=Edge(i,j,data[i][j]); //constructor for
initializing edge
                                elist.n++;
                        }
```

```
        }
    elist.sort(); //sorting in increasing weight order
    for(int i=0;i<n;i++)
        belongs[i]=i;

    for(int i=0;i<elist.n;i++)
    {
        cno1=find(belongs,elist.data[i].u); //find set of u
        cno2=find(belongs,elist.data[i].v); ////find set of v
        if(cno1!=cno2) //if u & v belongs to different sets
        {
            spanlist.data[spanlist.n]=elist.data[i]; //ADD Edge to spanlist
            spanlist.n=spanlist.n+1;
            unionComp(belongs,cno1,cno2); //ADD both components to same
set
        }
    }
}
void PhoneGraph::unionComp(int belongs[],int c1,int c2)
{
    for(int i=0;i<n;i++)
    {
        if(belongs[i]==c2)
            belongs[i]=c1;
    }
```

```
}
int PhoneGraph::find(int belongs[],int vertexno)
{
	return belongs[vertexno];
}

//--------- MAIN PROGRAM----------------------------------
int main() {
	int vertices,choice;
	EdgeList spantree;
	cout<<"Enter Number of cities: ";
	cin>>vertices;
	PhoneGraph p1(vertices);
	//p1.readgraph();
	do
	{
		cout<<"\n1.Find Minimum Total Cost(By Prim's Algorithm)"
				<<"\n2.Find Minimum Total Cost(by Kruskal's Algorithms)"
				<<"\n3.Re-Read Graph(INPUT)"
				<<"\n4.Print Graph"
				<<"\n0. Exit"
				<<"\nEnter your choice: ";
		cin>>choice;
		switch(choice)
		{
```

```
            case 1:
                cout<<" Minimum cost of Phone Line to cities is: "<<p1.prim();
                break;
            case 2:
                p1.kruskal(spantree);
                spantree.print();
                break;
            case 3:
                p1.readgraph();
                break;
            case 4:
                p1.printGraph();
                break;
            default:
                cout<<"\nWrong Choice!!!";
            }
        }while(choice!=0);


        return 0;
}
/*      Sample INPUT: vertices =7
 *          {{0, 28, 0, 0, 0,10,0},
         {28,0,16,0,0,0,14},
         {0,16,0,12,0,0,0},
         {0,0,12,0,22,0,18},
```

{0,0,0,22,0,25,24},

{10,0,0,0,25,0,0},

{0,14,0,18,24,0,0},

};

Minimum Cost: 99

*/

Output Screenshots:-



Conclusion:- Thus,we have studied implementation of kruskal's algorithm.

ASSIGNMENT NO.6.

Aim :-

Read the marks obtained by students of second year in an online examination of particular subject. Find out maximum and minimum marks obtained in that subject using heap data structure.

Objective:- To study the heap data structure.

Theory:-

A Heap is a special Tree-based data structure in which the tree is a complete binary tree. Generally, Heaps can be of two types:

1. **Max-Heap**: In a Max-Heap the key present at the root node must be greatest among the keys present at all of it's children. The same property must be recursively true for all sub-trees in that Binary Tree.
2. **Min-Heap**: In a Min-Heap the key present at the root node must be minimum among the keys present at all of it's children. The same property must be recursively true for all sub-trees in that Binary Tree.



Applications:-

1) Heap Sort: Heap Sort uses Binary Heap to sort an array in O(nLogn) time.

2) Priority Queue: Priority queues can be efficiently implemented using Binary Heap because it supports insert(), delete() and extractmax(), decreaseKey() operations in O(logn) time. Binomoial Heap and Fibonacci Heap are variations of Binary Heap. These variations perform union also efficiently.
3) Graph Algorithms: The priority queues are especially used in Graph Algorithms like Dijkstra's Shortest Path and Prim's Minimum Spanning Tree.
4) Many problems can be efficiently solved using Heaps. See following for example.
a) K'th Largest Element in an array.
b) Sort an almost sorted array/
c) Merge K Sorted Arrays.

Algorithm:-

1.max heap:-

Step 1 − Create a new node at the end of heap.
Step 2 − Assign new value to the node.
Step 3 − Compare the value of this child node with its parent.
Step 4 − If value of parent is less than child, then swap them.
Step 5 − Repeat step 3 & 4 until Heap property holds.

Program Code:-

```
#include<iostream>

using namespace std;


class hp

{

  int heap[20],heap1[20],x,n1,i;

  public:

  hp()

  { heap[0]=0;  heap1[0]=0;

  }

  void getdata();

  void insert1(int heap[],int);

  void upadjust1(int heap[],int);

  void insert2(int heap1[],int);
```

```
   void upadjust2(int heap1[],int);
   void minmax();
};
void hp::getdata()
{
   cout<<"\n enter the no. of students";
   cin>>n1;
   cout<<"\n enter the marks";
   for(i=0;i<n1;i++)
   {   cin>>x;
       insert1(heap,x);
       insert2(heap1,x);
   }
}
void hp::insert1(int heap[20],int x)
{
   int n;
   n=heap[0];
   heap[n+1]=x;
   heap[0]=n+1;

   upadjust1(heap,n+1);
}
void hp::upadjust1(int heap[20],int i)
{
    int temp;
    while(i>1&&heap[i]>heap[i/2])
```

```
    {
       temp=heap[i];
       heap[i]=heap[i/2];
       heap[i/2]=temp;
       i=i/2;
    }
}
void hp::insert2(int heap1[20],int x)
{
   int n;
   n=heap1[0];
   heap1[n+1]=x;
   heap1[0]=n+1;

   upadjust2(heap1,n+1);
}
void hp::upadjust2(int heap1[20],int i)
{
    int temp1;
    while(i>1&&heap1[i]<heap1[i/2])
    {
       temp1=heap1[i];
       heap1[i]=heap1[i/2];
       heap1[i/2]=temp1;
       i=i/2;
    }
}
```

```
void hp::minmax()
{
   cout<<"\n max marks"<<heap[1];
   cout<<"\n##";
   for(i=0;i<=n1;i++)
   {   cout<<"\n"<<heap[i];  }
   cout<<"\n min marks"<<heap1[1];
   cout<<"\n##";
   for(i=0;i<=n1;i++)
   {   cout<<"\n"<<heap1[i];  }
}
int main()
{
  hp h;
  h.getdata();
  h.minmax();
  return 0;
}
```

Output Screenshots:-



Conclusion:- Thus,we have studied heap data structure,

ASSIGNMENT NO.7.

Aim :- Insert the keys into a hash table of length m using open addressing using double hashing with h(k)=1+(k mod(m-1)).

Objective:- to study the hashing concept and its techniques.

Theory:-

Open Addressing—

Like separate chaining, open addressing is a method for handling collisions. In Open Addressing, all elements are stored in the hash table itself. So at any point, size of the table must be greater than or equal to the total number of keys (Note that we can increase table size by copying old data if needed).
Insert(k): Keep probing until an empty slot is found. Once an empty slot is found, insert k.

Search(k): Keep probing until slot's key doesn't become equal to k or an empty slot is reached.

Delete(k): ***Delete operation is interesting***. If we simply delete a key, then search may fail. So slots of deleted keys are marked specially as "deleted".
Insert can insert an item in a deleted slot, but the search doesn't stop at a deleted slot.

Open Addressing is done following ways:

a) Linear Probing: In linear probing, we linearly probe for next slot. For example, typical gap between two probes is 1 as taken in below example also.
let **hash(x)** be the slot index computed using hash function and **S** be the table size

```
If slot hash(x) % S is full, then we try (hash(x) + 1) % S

If (hash(x) + 1) % S is also full, then we try (hash(x) + 2) % S

If (hash(x) + 2) % S is also full, then we try (hash(x) + 3) % S
```

Double Hashing:-

Double hashing is a collision resolving technique in **Open Addressed** Hash tables. Double hashing uses the idea of applying a second hash function to key when a collision occurs.

Double hashing can be done using :
(hash1(key) + i * hash2(key)) % TABLE_SIZE
Here hash1() and hash2() are hash functions and TABLE_SIZE
is size of hash table.
(We repeat by increasing i when collision occurs)

First hash function is typically hash1(key) = key % TABLE_SIZE

A popular second hash function is : **hash2(key) = PRIME – (key % PRIME)** where PRIME is a prime smaller than the TABLE_SIZE.
A good second Hash function is:

- It must never evaluate to zero
- Must make sure that all cells can be probed



Algorithm:-

Program Code:-

```
#include <bits/stdc++.h>
using namespace std;

#define TABLE_SIZE 13

#define PRIME 7

class DoubleHash
{
   int *hashTable;
   int curr_size;

public:

   bool isFull()
   {

      return (curr_size == TABLE_SIZE);
   }
   int hash1(int key)
   {
      return (key % TABLE_SIZE);
   }
```

```
int hash2(int key)
{
    return (PRIME - (key % PRIME));
}

DoubleHash()
{
    hashTable = new int[TABLE_SIZE];
    curr_size = 0;
    for (int i=0; i<TABLE_SIZE; i++)
        hashTable[i] = -1;
}

void insertHash(int key)
{
    if (isFull())
        return;

    int index = hash1(key);

    if (hashTable[index] != -1)
    {
        int index2 = hash2(key);
        int i = 1;
```

```
        while (1)
        {
            int newIndex = (index + i * index2) %
                                  TABLE_SIZE;

            if (hashTable[newIndex] == -1)
            {
                hashTable[newIndex] = key;
                break;
            }
            i++;
        }
    }

    else
        hashTable[index] = key;
    curr_size++;
}

// function to display the hash table
void displayHash()
{
    for (int i = 0; i < TABLE_SIZE; i++)
    {
        if (hashTable[i] != -1)
```

```
                cout << i << " --> "
                     << hashTable[i] << endl;
            else
                cout << i << endl;
        }
    }
};

// Driver's code
int main()
{

    int a[] = {19, 27, 36, 10, 64};
    int n = sizeof(a)/sizeof(a[0]);
  cout<<"inserted elements in hash table are as follows:";
    // inserting keys into hash table
    DoubleHash h;
    for (int i = 0; i < n; i++)
        h.insertHash(a[i]);

    // display the hash Table
    h.displayHash();
    return 0;
}
```

Output Screenshots:-



<u>Conclusion:-</u> Thus,we have studied double hashing and hashing technique.

ASSIGNMENT NO.8.

Aim :- Department maintains a student information. The file contains roll number, name, division and address. Allow user to add, delete information of student. Display information of particular employee. If record of student does not exist an appropriate message is displayed. If it is, then the system displays the student

Objective:- To study the different data structure concepts to implement this program.

Theory:-

Input/output formatting

Writing to or reading from a file is similar to writing onto a terminal screen or reading from a keyboard. Differences are:

- File must be opened with an OPEN statement, in which the unit number and (optionally) the filename are given
- Subsequent writes (or reads) must refer to a known unit number (used for open)
- File should be closed at the end

File opening and closing

The syntax is:

```
OPEN([unit=]lunit,file='name' [,options])

CLOSE([unit=]lunit [,options])
```

For example:

```
OPEN(10, file='output.dat', status='new')

CLOSE(unit=10)
```

- The first parameter is the unit number and the keyword unit= can be omitted.
- The unit numbers 0,5 and 6 are predefined.
  - 0 is output for standard (system) error messages
  - 5 is for standard (user) input
  - 6 is for standard (user) output
  - These units are opened by default and should not be re-opened nor closed by users

Some options for opening a file:

- status: existence of the file ('old', 'new', 'replace', 'scratch', 'unknown')
- position: offset, where to start writing ('append')
- action: file operation mode ('write','read','readwrite')
- form: text or binary file ('formatted', 'unformatted')
- access: direct or sequential file access ('direct','sequential','stream')
- iostat: error indicator, (output) integer (non zero only upon an error)
- err: the label number to jump upon error
- recl: record length, (input) integer for direct access files only. Be careful, it can be in bytes or words...

Algorithm:-

Program Code:-

```
#include <iostream>

#include <fstream>

#include <cstring>

#include <iomanip>

#include<cstdlib>

#define max 50

using namespace std;

class Student

{

   char name[max];

   int rollNo;

   int year;
```

```
    int division;
    char address[50];
    friend class FileOperations;
    public:     Student()
                {
                            strcpy(name,"");
                            rollNo=year=division=0;
                            strcpy(address,"");
                }
                Student(char name[max],int rollNo,int year,int division,char address[max])
                {
                        strcpy(this->address,address);
                        strcpy(this->name,name);
                        this->division=division;
                        this->rollNo=rollNo;
                        this->year=year;
                }
                int getRollNo()
                {
                        return rollNo;
                }
                void displayStudentData()
                {

        cout<<endl<<setw(3)<<rollNo<<setw(10)<<name<<setw(3)<<year<<setw(2)<<di
vision<<setw(10)<<address;
```

```
            }
};
class FileOperations
{
    fstream file;
    public:FileOperations(char *name)
        {
            //strcpy(this->name,name);
            this->file.open(name,ios::in|ios::out|ios::ate|ios::binary);
        }
        void insertRecord(int rollNo,char name[max],int year,int division,char
address[max])
        {
            Student s=Student(name,rollNo,year,division,address);
            file.seekp(0,ios::end);
            file.write((char*)&s,sizeof(Student));
            file.clear();
        }
        void displayAllRecords()
        {
            Student s;
            file.seekg(0,ios::beg);
            while(file.read((char *)&s,sizeof(Student)))
            {
                s.displayStudentData();
```

```
        }
        file.clear();
    }
    void displayRecord(int rollNo)
    {
        Student s;
        file.seekg(0,ios::beg);
        void *p;
        while(file.read((char *)&s,sizeof(Student)))
        {
            if(s.rollNo==rollNo)
            {
                s.displayStudentData();
                break;
            }
        }
        if(p==NULL)
            throw "Element not present";
        file.clear();
    }
    void deleteRecord(int rollNo)
    {
        ofstream newFile("new.txt",ios::binary);
        file.seekg(0,ios::beg);
        bool flag=false;
```

```
        Student s;
        while(file.read((char *)&s,sizeof(s)))
        {
            if(s.rollNo==rollNo)
            {
                flag=true;
                continue;
            }
            newFile.write((char *)&s,sizeof(s));
        }
        if(!flag)
        {
            cout<<"Element Not Present";
        }
        file.close();
        newFile.close();
        remove("student.txt");
        rename("new.txt","student.txt");
        file.open("student.txt",ios::in|ios::ate|ios::out|ios::binary);
    }
    ~FileOperations()
    {
        file.close();
        cout<<"Closing file..";
    }
```

```
};
int  main()
{
        ofstream newFile("student.txt",ios::app|ios::binary);
        newFile.close();
        FileOperations file((char *)"student.txt");
   int rollNo,year,choice=0;
   char division;
   char name[max],address[max];
   while(choice!=5)
   {
      //clrscr();
      cout<<"\n*****Phone Book*****\n";
      cout<<"1) Add New Record\n";
      cout<<"2) Display All Records\n";
      cout<<"3) Display by RollNo\n";
      cout<<"4) Deleting a Record\n";
      cout<<"5) Exit\n";
      cout<<"Choose your choice : ";
      cin>>choice;
      switch(choice)
      {
         case 1 : //New Record
                        cout<<endl<<"Enter RollNo and name : \n";
```

```
                cin>>rollNo>>name;
                cout<<"Enter Year and Division : \n";
                cin>>year>>division;
                cout<<"Enter address : \n";
                cin>>address;
                file.insertRecord(rollNo,name,year,division,address);
                break;
        case 2 :
                file.displayAllRecords();
                break;
        case 3 :
                cout<<"Enter Roll Number";
                cin>>rollNo;
                try
                {
                        file.displayRecord(rollNo);
                }
                catch(const char *str)
                {
                        cout<<str;
                }
                break;
        case 4:
                cout<<"Enter rollNo";
                cin>>rollNo;
```

```
                    file.deleteRecord(rollNo);
                    break;
            case 5 :break;
        }

    }
}
```

Output Screenshots:-





```
C:\Users\USER\Documents\sd3.exe
3) Display by RollNo
4) Deleting a Record
5) Exit
Choose your choice : 3
Enter Roll Number121

121     smita  299      bhor
*****Phone Book*****
1) Add New Record
2) Display All Records
3) Display by RollNo
4) Deleting a Record
5) Exit
Choose your choice : 2

  1        mk 18 2      pune
  1mohinikale 1965      pune
121     smita  299      bhor
*****Phone Book*****
1) Add New Record
2) Display All Records
3) Display by RollNo
4) Deleting a Record
5) Exit
Choose your choice : 4
Enter rollNo1

*****Phone Book*****
1) Add New Record
2) Display All Records
3) Display by RollNo
4) Deleting a Record
5) Exit
Choose your choice : 2

121     smita  299      bhor
*****Phone Book*****
1) Add New Record
2) Display All Records
3) Display by RollNo
4) Deleting a Record
5) Exit
Choose your choice : 5
```


<u>Conclusion:-</u> Thus,this assignment implemented successfully.

ASSIGNMENT NO.9.

Aim :- Company maintains employee information as employee ID, name, designation and salary. Allow user to add, delete information of employee. Display information of particular employee. If employee does not exist an appropriate message is displayed. If it is, then the system displays the employee details. Use index sequential file to maintain the data.

Objective:- to study use of different data structure concepts in this program.

Theory:-

Input/output formatting

Writing to or reading from a file is similar to writing onto a terminal screen or reading from a keyboard. Differences are:

- File must be opened with an OPEN statement, in which the unit number and (optionally) the filename are given
- Subsequent writes (or reads) must refer to a known unit number (used for open)
- File should be closed at the end

File opening and closing

The syntax is:

```
OPEN([unit=]lunit,file='name' [,options])

CLOSE([unit=]lunit [,options])
```

For example:

```
OPEN(10, file='output.dat', status='new')

CLOSE(unit=10)
```

- The first parameter is the unit number and the keyword unit= can be omitted.
- The unit numbers 0,5 and 6 are predefined.
  - 0 is output for standard (system) error messages
  - 5 is for standard (user) input
  - 6 is for standard (user) output
  - These units are opened by default and should not be re-opened nor closed by users

Some options for opening a file:

- status: existence of the file ('old', 'new', 'replace', 'scratch', 'unknown')
- position: offset, where to start writing ('append')
- action: file operation mode ('write','read','readwrite')
- form: text or binary file ('formatted', 'unformatted')
- access: direct or sequential file access ('direct','sequential','stream')
- iostat: error indicator, (output) integer (non zero only upon an error)
- err: the label number to jump upon error
- recl: record length, (input) integer for direct access files only. Be careful, it can be in bytes or words...

Algorithm:-

Program Code:-

```
#include <iostream>

#include <fstream>

#include <cstring>

#include <iomanip>

#include<cstdlib>

#define max 50

using namespace std;

class Employee

{

   char name[max];

   int empid;
```

```
int sal;
char de[50];
friend class FileOperations;
public:     Employee()
            {
                        strcpy(name,"");
                        empid=sal==0;
                        strcpy(de,"");
            }
            Employee(char name[max],int empid,int sal,char de[max])
            {
                  strcpy(this->de,de);
                  strcpy(this->name,name);

                  this->empid=empid;
                  this->sal=sal;
            }
            int getEmpId()
            {
                  return empid;
            }
            void displayEmployeeData()
            {
```

```
                        cout<<endl<<empid<<"\t\t\t"<<name<<"\t\t\t"<<sal<<"\t\t\t"<<de;
                }
};
class FileOperations
{
        fstream file;
        public:FileOperations(char *name)
                {
                        //strcpy(this->name,name);
                        this->file.open(name,ios::in|ios::out|ios::ate|ios::binary);
                }
                void insertRecord(int empid,char name[max],int sal,char de[max])
                {
                        Employee s=Employee(name,empid,sal,de);
                        file.seekp(0,ios::end);
                        file.write((char*)&s,sizeof(Employee));
                        file.clear();
                }
                void displayAllRecords()
                {
                        Employee s;
                        file.seekg(0,ios::beg);
                        while(file.read((char *)&s,sizeof(Employee)))
                        {
```

```
                s.displayEmployeeData();
            }
            file.clear();
        }
        void displayRecord(int empid)
        {
            Employee s;
            file.seekg(0,ios::beg);
            void *p;
            while(file.read((char *)&s,sizeof(Employee)))
            {
                if(s.empid==empid)
                {
                    s.displayEmployeeData();
                    break;
                }
            }
            if(p==NULL)
                throw "Element not present";
            file.clear();
        }
        void deleteRecord(int empid)
        {
            ofstream newFile("new.txt",ios::binary);
```

```
        file.seekg(0,ios::beg);
        bool flag=false;
        Employee s;
        while(file.read((char *)&s,sizeof(s)))
        {
            if(s.empid==empid)
            {
                flag=true;
                continue;
            }
            newFile.write((char *)&s,sizeof(s));
        }
        if(!flag)
        {
            cout<<"Element Not Present";
        }
        file.close();
        newFile.close();
        remove("Employee.txt");
        rename("new.txt","Employee.txt");
        file.open("Employee.txt",ios::in|ios::ate|ios::out|ios::binary);
    }
    ~FileOperations()
    {
```

```
                file.close();

                cout<<"Closing file..";

            }


};

int  main()

{

    ofstream newFile("Employee.txt",ios::app|ios::binary);

    newFile.close();

    FileOperations file((char *)"Employee.txt");

  int empid,sal,choice=0;

  char name[max],de[max];

  while(choice!=5)

  {

    cout<<"\n\n1) Add New Record\n";

    cout<<"2) Display All Records\n";

    cout<<"3) Display by RollNo\n";

    cout<<"4) Deleting a Record\n";

    cout<<"5) Exit\n";

    cout<<"Choose your choice : ";

    cin>>choice;

    switch(choice)

    {

      case 1 : //New Record
```

```
            cout<<endl<<"Enter employee id and name : \n";
            cin>>empid>>name;
            cout<<"Enter sal  \n";
            cin>>sal;
            cout<<"Enter designation : \n";
            cin>>de;
            file.insertRecord(empid,name,sal,de);
            break;
        case 2 :

                    cout<<"Employee
ID"<<"\t\t"<<"Name"<<"\t\t"<<"Salary"<<"\t\t"<<"designation\n";
         cout<<"------------------------------------------------------------------";
                                file.displayAllRecords();
            break;
        case 3 :
            cout<<"Enter employee id";
            cin>>empid;
            try
            {
                file.displayRecord(empid);
            }
            catch(const char *str)
            {
```

```
                cout<<str;
            }
            break;
      case 4:
            cout<<"Enter employe id";
            cin>>empid;
            file.deleteRecord(empid);
            break;
     case 5 :break;
    }

  }
}
```

Output Screenshots:-



```
C:\Users\USER\Documents\sd10.exe

1) Add New Record
2) Display All Records
3) Display by RollNo
4) Deleting a Record
5) Exit
Choose your choice : 1

Enter employee id and name :
213 Ramesh
Enter sal
90000
Enter designation :
manager


1) Add New Record
2) Display All Records
3) Display by RollNo
4) Deleting a Record
5) Exit
Choose your choice : 2
Employee ID            Name            Salary          designation
----------------------------------------------------------------------
221                    suresh                  60000                   cashier
12                     mk                      10000                   clerk
213                    Ramesh                  90000                   manager

1) Add New Record
2) Display All Records
3) Display by RollNo
4) Deleting a Record
5) Exit
Choose your choice : 4
Enter employe id 12


1) Add New Record
2) Display All Records
3) Display by RollNo
4) Deleting a Record
5) Exit
Choose your choice : 4
```

Conclusion:- Thus, this assignment is completed successfully.