

CODETANTRA

Home

Learn Anywhere

202501040161@mitaoe.ac.inSupportLogout

Essentials of Data Science Laboratory - 2304102L - 2026

Search course

4. Practical 4

4.1. Practice Lab Assignment

4.1.1. Pandas - series creation and manipu...

4.1.2. Dictionary to dataframe

4.1.3. Student Information

4.2. Lab Assignment

4.2.1. Month with the Highest Total Sales

4.2.2. Best Selling Product

4.2.3. City that Sold the Most Products

4.2.4. Most Frequently Sold Product Pairs

4.2.5. Titanic Dataset Analysis and Data Cl...

4.2.6. Titanic Dataset Analysis and Data Cl...

4.2.7. Titanic Dataset Analysis and Data Cl...

4.2.8. Titanic Dataset Analysis and Data Cl...

4.1.1. Pandas - series creation and manipulation05:00

Write a Python program that takes a list of numbers from the user, creates a Pandas series from it, and then calculates the mean of even and odd numbers separately using the `groupby` and `mean()` operations.

Hint: You can group the Series based on whether each number is even or odd.

Input Format:

- The user should enter a list of numbers separated by space when prompted.

Output Format:

- The program should display the mean of even and odd numbers separately.
- Each mean value should be displayed with a label indicating whether it corresponds to even or odd numbers.

Refer to the sample test cases for better understanding regarding input and output format.

Sample Test Cases

seriesMa...

Submit

1import pandas as pd

2

3# Take inputs from the user to create a list of numbers

4numbers = list(map(int, input().split()))

5

6# Create a Pandas series from the list of numbers

7series = pd.Series(numbers)

8

Average time:0.024 s23.67 ms

Maximum time:0.058 s58.00 ms

3 out of 3 shown test case(s) passed

3 out of 3 hidden test case(s) passed

Test case 158 msDebug

Expected output1 2 3 4 5 6 7 8 9 10

Actual output1 2 3 4 5 6 7 8 9 10

Mean of even and odd numbers:Mean of even and odd numbers:

Odd: 5.0Odd: 5.0

Even: 6.0Even: 6.0

dtype: float64dtype: float64

TerminalTest cases

PrevResetSubmitNext

CODETANTRA

HomeLearn Anywhere

202501040161@mitaoe.ac.inSupportLogout

Essentials of Data Science
Laboratory - 2304102L - 2026

Search coursectrl + k

3.2.5. Numpy: Copying and Viewing Arrays

3.2.6. Numpy: Searching, Sorting, Countin...

3.2.7. Student Data Analysis and Operations

4. Practical 4

4.1. Practice Lab Assignment

4.1.1. Pandas - series creation and manipu...

4.1.2. Dictionary to dataframe

4.1.3. Student Information

4.2. Lab Assignment

4.2.1. Month with the Highest Total Sales

4.2.2. Best Selling Product

4.2.3. City that Sold the Most Products

4.2.4. Most Frequently Sold Product Pairs

4.1.2. Dictionary to dataframe28.32

A dictionary of lists has been provided to you in the editor. Create a DataFrame from the dictionary of lists and perform the listed operations, then display the DataFrame before and after each manipulation.

Create the DataFrame:

- Convert the dictionary to a Pandas DataFrame.

Add a new row:

- Take inputs from the user for the new row data (name, age).
- Add the new row to the DataFrame.
- Display the DataFrame after adding the new row.

Modify a row:

- Modify a specific row by changing the age. Take the row index and new age value from the user.
- Display the DataFrame after modifying the row.

Delete a row:

- Take the row index to be deleted from the user.
- Remove the specified row.
- Display the DataFrame after deleting the row.

Add a new column:

- Add a column **Gender** with values taken from the user.

datafram...

Submit

1import pandas as pd

2

3# Provided dictionary of lists

4data = {

5 'Name': ['Alice', 'Bob', 'Charlie'],

6 'Age': [25, 30, 35],

7}

8

9# Convert the dictionary to a DataFrame

Average time0.210 s210.60 ms

Maximum time0.212 s212.00 ms

1 out of 1 shown test case(s) passed

1 out of 1 hidden test case(s) passed

Test case 1212 msDebug

Expected output

Original DataFrame:

-----Name--Age--

0----Alice---25--

1----Bob---30--

2--Charlie---35--

New name: Susan

Actual output

Original DataFrame:

-----Name--Age--

0----Alice---25--

1----Bob---30--

2--Charlie---35--

New name: Susan

TerminalTest cases

PrevResetSubmitNext

CODETANTRA

HomeLearn Anywhere

202501040161@mitaoe.ac.inSupportLogout

Essentials of Data Science
Laboratory - 2304102L - 2026

Search coursectrl + k

4. Practical 4

4.1. Practice Lab Assignment

4.1.1. Pandas - series creation and manipu...

4.1.2. Dictionary to dataframe

4.1.3. Student Information

4.2. Lab Assignment

4.2.1. Month with the Highest Total Sales

4.2.2. Best Selling Product

4.2.3. City that Sold the Most Products

4.2.4. Most Frequently Sold Product Pairs

4.2.5. Titanic Dataset Analysis and Data Cl...

4.2.6. Titanic Dataset Analysis and Data Cl...

4.2.7. Titanic Dataset Analysis and Data Cl...

4.2.8. Titanic Dataset Analysis and Data Cl...

4.1.3. Student Information03:01

Write a program to read a text file containing student information (name, age, and grade) using Pandas. Perform the following tasks:

• Display the first five rows of the data frame.

• Calculate the average age of the students (limit the average age up to 2 decimal places).

• Filter out the students who have a grade above a certain threshold (consider the threshold grade is 'B').

Note:
Refer to the displayed test cases for better understanding.

Sample Test Cases

studentin...

Submit

1import pandas as pd

2

3# Read the text file into a DataFrame

4file = input()

5data = pd.read_csv(file, sep="\s+", header=None, names=["Name", "Age", "Grade"])

6

7

8# write your code here..

Average time0.093 s93.80 ms

Maximum time0.124 s124.00 ms

1 out of 1 shown test case(s) passed

1 out of 1 hidden test case(s) passed

Test case 1124 msDebug

Expected outputActual output

studentdata.txtstudentdata.txt

First five rows:

NameAgeGrade

0John25A

1Allin22B

2Emma24A

NameAgeGrade

0John25A

1Allin22B

2Emma24A

TerminalTest cases

PrevResetSubmitNext

CODETANTRA

HomeLearn Anywhere

202501040161@mitaoe.ac.inSupportLogout

Essentials of Data Science
Laboratory - 2304102L - 2026

Search course

4. Practical 4

4.1. Practice Lab Assignment

4.1.1. Pandas - series creation and manipu...

4.1.2. Dictionary to dataframe

4.1.3. Student Information

4.2. Lab Assignment

4.2.1. Month with the Highest Total Sales

4.2.2. Best Selling Product

4.2.3. City that Sold the Most Products

4.2.4. Most Frequently Sold Product Pairs

4.2.5. Titanic Dataset Analysis and Data Cl...

4.2.6. Titanic Dataset Analysis and Data Cl...

4.2.7. Titanic Dataset Analysis and Data Cl...

4.2.8. Titanic Dataset Analysis and Data Cl...

4.2.1. Month with the Highest Total Sales

03:45

Write a Python program that takes the file name of a CSV file as input, reads the data, and performs the following operations:

The CSV file contains the columns: Date, Product, Quantity, Price, and City.

Group the data by Month and calculate the total sales for each month.

Find the month with the highest total sales and display it.

Also, display the total sales for the best month.

Sample Data:

Date,Product,Quantity,Price,City

2025-01-01,Product A,5,20,New York

2025-01-01,Product B,3,15,Los Angeles

2025-01-02,Product A,7,20,New York

2025-01-02,Product C,4,30,Chicago

2025-01-03,Product B,2,15,Chicago

2025-01-03,Product A,8,20,Los Angeles

2025-01-04,Product C,6,30,New York

2025-01-04,Product B,5,15,Los Angeles

2025-01-05,Product A,3,20,Chicago

2025-01-05,Product C,10,30,Los Angeles

Note:

The data cannot be displayed in the file. You can refer to the sample data

monthFor...

Submit

1import pandas as pd

2

3# Prompt the user for the file name

4file_name = input()

5

6# Load the data

7df = pd.read_csv(file_name)

8

9# Convert Date to datetime

Average time0.065 s65.00 ms

Maximum time0.134 s134.00 ms

1 out of 1 shown test case(s) passed

2 out of 2 hidden test case(s) passed

Test case 1134 msDebug

Expected output

Actual output

sales_data.csvsales_data.csv

Best month: 2025-01Best month: 2025-01

Total sales: \$1210.00Total sales: \$1210.00

TerminalTest cases

PrevResetSubmitNext

CODETANTRA

HomeLearn Anywhere

202501040161@mitaoe.ac.inSupportLogout

Essentials of Data Science
Laboratory - 2304102L - 2026

Search course

4. Practical 4

4.1. Practice Lab Assignment

4.1.1. Pandas - series creation and manipu...

4.1.2. Dictionary to dataframe

4.1.3. Student Information

4.2. Lab Assignment

4.2.1. Month with the Highest Total Sales

4.2.2. Best Selling Product

4.2.3. City that Sold the Most Products

4.2.4. Most Frequently Sold Product Pairs

4.2.5. Titanic Dataset Analysis and Data Cl...

4.2.6. Titanic Dataset Analysis and Data Cl...

4.2.7. Titanic Dataset Analysis and Data Cl...

4.2.8. Titanic Dataset Analysis and Data Cl...

4.2.2. Best Selling Product

05:36

Write a Python program that takes the file name of a CSV file as input, reads the data, and performs the following operations:

The CSV file contains the columns: Date, Product, Quantity, Price, and City.

Find the product that sold the most in terms of quantity sold.

Display the product that sold the most and the total quantity sold for that product.

Sample Data:

Date,Product,Quantity,Price,City

2025-01-01,Product A,5,20,New York

2025-01-01,Product B,3,15,Los Angeles

2025-01-02,Product A,7,20,New York

2025-01-02,Product C,4,30,Chicago

2025-01-03,Product B,2,15,Chicago

2025-01-03,Product A,8,20,Los Angeles

2025-01-04,Product C,6,30,New York

2025-01-04,Product B,5,15,Los Angeles

2025-01-05,Product A,3,20,Chicago

2025-01-05,Product C,10,30,Los Angeles

Note:

The data cannot be displayed in the file. You can refer to the sample data provided for insights.

monthFor...

Submit

1import pandas as pd

2

3# Prompt the user for the file name

4file_name = input()

5

6# Load the data

7df = pd.read_csv(file_name)

8

9

Average time0.046 s46.33 ms

Maximum time0.098 s98.00 ms

1 out of 1 shown test case(s) passed

2 out of 2 hidden test case(s) passed

Test case 198 msDebug

Expected output

Actual output

sales_data.csv

Best-selling product: Product A

Best-selling product: Product A

Total quantity sold: 23

Total quantity sold: 23

TerminalTest cases

PrevResetSubmitNext

CODETANTRA

HomeLearn Anywhere

202501040161@mitaoe.ac.inSupportLogout

Essentials of Data Science Laboratory - 2304102L - 2026

Search course

4. Practical 4

4.1. Practice Lab Assignment

4.1.1. Pandas - series creation and manipu...

4.1.2. Dictionary to dataframe

4.1.3. Student Information

4.2. Lab Assignment

4.2.1. Month with the Highest Total Sales

4.2.2. Best Selling Product

4.2.3. City that Sold the Most Products

4.2.4. Most Frequently Sold Product Pairs

4.2.5. Titanic Dataset Analysis and Data Cl...

4.2.6. Titanic Dataset Analysis and Data Cl...

4.2.7. Titanic Dataset Analysis and Data Cl...

4.2.8. Titanic Dataset Analysis and Data Cl...

4.2.3. City that Sold the Most Products

03/26

Write a Python program that takes the file name of a CSV file as input, reads the data, and performs the following operations:

The CSV file contains the columns: Date, Product, Quantity, Price, and City.

Group the data by City and calculate the total quantity of products sold for each city.

Find the city that sold the most products (based on the total quantity sold).

Sample Data:

Date,Product,Quantity,Price,City

2025-01-01,Product A,5,20,New York

2025-01-01,Product B,3,15,Los Angeles

2025-01-02,Product A,7,20,New York

2025-01-02,Product C,4,30,Chicago

2025-01-03,Product B,2,15,Chicago

2025-01-03,Product A,8,20,Los Angeles

2025-01-04,Product C,6,30,New York

2025-01-04,Product B,5,15,Los Angeles

2025-01-05,Product A,3,20,Chicago

2025-01-05,Product C,10,30,Los Angeles

Note:

The data cannot be displayed in the file. You can refer to the sample data

monthFor...

Submit

1import pandas as pd

2

3# Prompt the user for the file name

4file_name = input()

5

6# Load the data

7df = pd.read_csv(file_name)

8

9# write the code..

Average time0.044 s44.00 ms

Maximum time0.093 s93.00 ms

1 out of 1 shown test case(s) passed

2 out of 2 hidden test case(s) passed

Test case 193 ms

Debug

Expected output

Actual output

sales_data.csv

City sold the most products: Los Angeles

City sold the most products: Los Angeles

Terminal

Test cases

< Prev

Reset

Submit

Next >

CODETANTRA

HomeLearn Anywhere

202501040161@mitaoe.ac.inSupportLogout

Essentials of Data Science
Laboratory - 2304102L - 2026

Search coursectrl + k

4. Practical 4

4.1. Practice Lab Assignment

4.1.1. Pandas - series creation and manipu...

4.1.2. Dictionary to dataframe

4.1.3. Student Information

4.2. Lab Assignment

4.2.1. Month with the Highest Total Sales

4.2.2. Best Selling Product

4.2.3. City that Sold the Most Products

4.2.4. Most Frequently Sold Product Pairs

4.2.5. Titanic Dataset Analysis and Data Cl...

4.2.6. Titanic Dataset Analysis and Data Cl...

4.2.7. Titanic Dataset Analysis and Data Cl...

4.2.8. Titanic Dataset Analysis and Data Cl...

4.2.4. Most Frequently Sold Product Pairs06:36

Write a Python program that takes the file name of a CSV file as input, reads the data, and performs the following operations:

The CSV file contains the following columns: Date, Product, Quantity, Price, and City.

For each date, find all pairs of products that were sold together (i.e., two products sold on the same date).

Output the product pair/s that was sold most frequently.

Sample Data:

Date,Product,Quantity,Price,City

2025-01-01,Product A,5,20,New York

2025-01-01,Product B,3,15,Los Angeles

2025-01-02,Product A,7,20,New York

2025-01-02,Product C,4,30,Chicago

2025-01-03,Product B,2,15,Chicago

2025-01-03,Product A,8,20,Los Angeles

2025-01-04,Product C,6,30,New York

2025-01-04,Product B,5,15,Los Angeles

2025-01-05,Product A,3,20,Chicago

2025-01-05,Product C,10,30,Los Angeles

Explanation:

Transactions:

2025-01-01: Product A, Product B

2025-01-02: Product A, Product C

frequentl...

Submit

1import pandas as pd

2from itertools import combinations

3from collections import Counter

4

5# Prompt user to input the file name

6file_name = input()

7

8# Read data from the specified CSV file

9df = pd.read_csv(file_name)

Average time0.062 s61.67 ms

Maximum time0.133 s133.00 ms

1 out of 1 shown test case(s) passed

2 out of 2 hidden test case(s) passed

Test case 1133 msDebug

Expected output

Actual output

sales_data.csvsales_data.csv

Product A and Product B: 2 timesProduct A and Product B: 2 times

Product A and Product C: 2 timesProduct A and Product C: 2 times

TerminalTest cases

PrevResetSubmitNext

4.2.5. Titanic Dataset Analysis and Data Cleaning

You are provided with the Titanic dataset containing information about passengers on the Titanic. Your task is to write Python code to answer the following questions based on the dataset. For each question, perform necessary data cleaning, transformations, and calculations as required.

1. Display the first 5 rows of the dataset.
2. Display the last 5 rows of the dataset.
3. Get the shape of the dataset (number of rows and columns).
4. Get a summary of the dataset (using `.info()`).
5. Get basic statistics (mean, standard deviation, etc.) of the dataset using `.describe()`.
6. Check for missing values and display the count of missing values for each column.
7. Fill missing values in the 'Age' column with the median age.
8. Fill missing values in the 'Embarked' column with the most frequent value (`mode()`).
9. Drop the 'Cabin' column due to many missing values.
10. Create a new column, 'FamilySize' by adding the 'SibSp' and 'Parch' columns.

The Titanic dataset contains columns as shown below.

[illegible]

```
1 import pandas as pd
2 import numpy as np
3
4 # Load the Titanic dataset
5 data = pd.read_csv('Titanic-Dataset.csv')
6
7 # 1. Display the first 5 rows of the dataset
8 print(data.head())
9
```

Average time	Maximum time	
1.609 s	1.609 s	1 out of 1 shown test case(s) passed
1609.00 ms	1609.00 ms	

```
✓ Test case 1 1609 ms Debug
```

Expected output					Actual output						
PassengerId	Survived	Pclass	Fare	Cabin	Embarked	PassengerId	Survived	Pclass	Fare	Cabin	Embarked
0	1	0	7.2500	NaN	S	0	1	0	7.2500	NaN	S
1	2	1	71.2833	C85	C	1	2	1	71.2833	C85	C
2	3	1	7.9250	NaN	S	2	3	1	7.9250	NaN	S

CODETANTRA

HomeLearn Anywhere

202501040161@mitaoe.ac.inSupportLogout

Essentials of Data Science
Laboratory - 2304102L - 2026

Search coursectrl + k

4.1.1. Pandas - series creation and manipu...

4.1.2. Dictionary to dataframe

4.1.3. Student Information

4.2. Lab Assignment

4.2.1. Month with the Highest Total Sales

4.2.2. Best Selling Product

4.2.3. City that Sold the Most Products

4.2.4. Most Frequently Sold Product Pairs

4.2.5. Titanic Dataset Analysis and Data Cl...

4.2.6. Titanic Dataset Analysis and Data Cl...

4.2.7. Titanic Dataset Analysis and Data Cl...

4.2.8. Titanic Dataset Analysis and Data Cl...

5. Practical 5

4.2.6. Titanic Dataset Analysis and Data Cleaning - 204:00

You are provided with the Titanic dataset containing information about passengers on the Titanic. Your task is to write Python code to answer the following questions based on the dataset.

1. Create a new column 'IsAlone' which is 1 if the passenger is alone (FamilySize = 0), otherwise 0.

2. Convert the 'Sex' column to numeric values (male: 0, female: 1).

3. One-hot encode the 'Embarked' column, dropping the first category.

4. Get the mean age of passengers.

5. Get the median fare of passengers.

6. Get the number of passengers by class.

7. Get the number of passengers by gender.

8. Get the number of passengers by survival status.

9. Calculate the survival rate of passengers.

10. Calculate the survival rate by gender.

The Titanic dataset contains columns as shown below,

P	S	P	N	S	A	S	P	Ti	F	C	E
a	u	l	a	e	g	i	a	c	a	a	m
s	r	a	m	x	e	b	r	k	r	b	b
s	v	s	e				c	e	e		
e	e						h	t			

titanicDat...

Submit

1import pandas as pd

2import numpy as np

3

4# Load the Titanic dataset

5data = pd.read_csv('Titanic-Dataset.csv')

6data['FamilySize'] = data['SibSp'] + data['Parch']

7

8# 1. Create a new column 'IsAlone' (1 if alone, 0 otherwise)

Average time0.196 s196.00 ms

Maximum time0.196 s196.00 ms

1 out of 1 shown test case(s) p

Test case 1196 msDebug

Expected output

Actual output

29.6991176470588229.69911764705882

14.454214.4542

3...4913...491

1...2161...216

2...1842...184

Name: Pclass, dtype: int64Name: Pclass, dtype: int64

Terminal

Test cases

Prev

Reset

Submit

Next

CODETANTRA

HomeLearn Anywhere

202501040161@mitaoe.ac.inSupportLogout

Essentials of Data Science
Laboratory - 2304102L - 2026

Search coursectrl+k

4.1.1. Pandas - series creation and manipu...

4.1.2. Dictionary to dataframe

4.1.3. Student Information

4.2. Lab Assignment

4.2.1. Month with the Highest Total Sales

4.2.2. Best Selling Product

4.2.3. City that Sold the Most Products

4.2.4. Most Frequently Sold Product Pairs

4.2.5. Titanic Dataset Analysis and Data Cl...

4.2.6. Titanic Dataset Analysis and Data Cl...

4.2.7. Titanic Dataset Analysis and Data Cl...

4.2.8. Titanic Dataset Analysis and Data Cl...

5. Practical 5

4.2.7. Titanic Dataset Analysis and Data Cleaning - 306:42

You are provided with the Titanic dataset containing information about passengers on the Titanic. Your task is to write Python code to answer the following questions based on the dataset.

1. Calculate the survival rate by class.
2. Calculate the survival rate by embarkation location (Embarked_S).
3. Calculate the survival rate by family size (FamilySize).
4. Calculate the survival rate by being alone (IsAlone).
5. Get the average fare by passenger class (Pclass).
6. Get the average age by passenger class (Pclass).
7. Get the average age by survival status (Survived).
8. Get the average fare by survival status (Survived).
9. Get the number of survivors by class (Pclass).
10. Get the number of non-survivors by class (Pclass).

The Titanic dataset contains columns as shown below,

P	a	s	s	a	g	e	S	i	b	S	p	P	a	r	c	h	T	i	c	k	e	t	F	a	r	e	C	a	b	i	n	E	m	b	a	r	k	e
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

titanicDat...

```
1 import pandas as pd
2 import numpy as np
3
4 # Load the Titanic dataset
5 data = pd.read_csv('Titanic-Dataset.csv')
6 data['FamilySize'] = data['SibSp'] + data['Parch']
7 data['IsAlone'] = np.where(data['FamilySize'] > 0,
8                             0, 1)
9 data = pd.get_dummies(data, columns=['Embarked'],
```

Average time0.221 s221.00 ms

Maximum time0.221 s221.00 ms

1 out of 1 shown test case(s) p

Test case 1221 ms

Debug

Expected output

Actual output

Pclass:1 ... 0.6296302 ... 0.4728263 ... 0.242363Name: Survived, dtype: float64Embarked_S:1 ... 0.6296302 ... 0.4728263 ... 0.242363Name: Survived, dtype: float64

Terminal

Test cases

< Prev

Reset

Submit

Next >

CODETANTRA

HomeLearn Anywhere

202501040161@mitaoe.ac.inSupportLogout

Essentials of Data Science
Laboratory - 2304102L - 2026

Search coursectrl+k

4.1.1. Pandas - series creation and manipu...

4.1.2. Dictionary to dataframe

4.1.3. Student Information

4.2. Lab Assignment

4.2.1. Month with the Highest Total Sales

4.2.2. Best Selling Product

4.2.3. City that Sold the Most Products

4.2.4. Most Frequently Sold Product Pairs

4.2.5. Titanic Dataset Analysis and Data Cl...

4.2.6. Titanic Dataset Analysis and Data Cl...

4.2.7. Titanic Dataset Analysis and Data Cl...

4.2.8. Titanic Dataset Analysis and Data Cl...

5. Practical 5

4.2.8. Titanic Dataset Analysis and Data Cleaning - 404:08

You are provided with the Titanic dataset containing information about passengers on the Titanic. Your task is to write Python code to answer the following questions based on the dataset.

1. Get the number of survivors by gender (Sex).
2. Get the number of non-survivors by gender (Sex).
3. Get the number of survivors by embarkation location (Embarked_S).
4. Get the number of non-survivors by embarkation location (Embarked_S).
5. Calculate the percentage of children (Age < 18) who survived.
6. Calculate the percentage of adults (Age >= 18) who survived.
7. Get the median age of survivors.
8. Get the median age of non-survivors.
9. Get the median fare of survivors.
10. Get the median fare of non-survivors.

The Titanic dataset contains columns as shown below,

P	S	P	N	S	A	S	P	T	F	C	E
a	u	l	a	e	g	i	a	i	a	a	m
s	r	a	m	x	e	b	r	c	r	b	b
e	v	s	e								k

titanicDat...

```
1 import pandas as pd
2 import numpy as np
3
4 # Load the Titanic dataset
5 data = pd.read_csv('Titanic-Dataset.csv')
6 data = pd.get_dummies(data, columns=['Embarked'],
7 drop_first=True)
8
9 # 1. Get the number of survivors by gender
```

Average time0.190 s190.00 ms

Maximum time0.190 s190.00 ms

1 out of 1 shown test case(s) p

Test case 1190 msDebug

Expected output

Actual output

female---233female---233

male-----109male-----109

Name: Sex, dtype: int64Name: Sex, dtype: int64

male-----468male-----468

female-----81female-----81

Name: Sex, dtype: int64Name: Sex, dtype: int64

Terminal

Test cases

< Prev

Reset

Submit

Next >