

SCREENING VISIT

DEMOGRAPHY [DM]

GENDER [DM_GD] : MALE - 0
FEMALE -1

PROVIDE CHECKBOX FOR THE OPTIONS
IF none of the checkboxes selected RAISE
QUERY

DATE OF BIRTH : ____/____/____

[DM_DOB]

Entry Should be in DD/MM/YY

[6 digit]format,

Allow only numerical values.

IF ALPHABET /DECIMAL ENTRY
MADE,RAISE QUERY.

IF NO ENTRY MADE,RAISE QUERY.

RACE [DM_RC] :

CAUCASIAN -0
BLACK-1
ORIENTAL-2
OTHERS-3

PROVIDE CHECKBOX FOR THE OPTIONS
IF NONE OF THE CHECKBOXES SELECTED,RAISE
QUERY

ETHNIC ORIGIN [DM_EO] :

ASIAN -0
BLACK-1
WHITE-2
INDIGENOUS-3
HISPANIC-4
LATINO-5

PROVIDE CHECKBOX FOR THE
OPTIONS

IF NONE OF THE CHECKBOXES
SELECTED, and If ethnic origin
can't be disclosed,entry can
be left blank

ROUTINE HAEMATOLOGY[RH]

HEMATOCRIT: __%

[RH_HCT]

FOR MALES 41-50

FEMALES 36 – 44

ENTRY SHOULD BE A NUMERICAL VALUE ,LIMITED TO 3 DIGITS,DECIMALS CAN BE ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED.

RAISE QUERY IF LESS THAN 2 DIGITS OR MORE THAN 3 DIGITS ENTERED

GO TO screening visit folder,go to DEMOGRAPHY FORM ,IN GENDER i.e DM_GD, CHECK option chosen:

IF MALE - RAISE QUERY IF VALUE ENTERED 40 .

IF FEMALE- RAISE QUERY IF VALUE ENTERED 35

HAEMOGLOBIN (RH_HB): __g/dL

FOR MALES 13.5-16,

FEMALES 12.5-14.5

ENTRY SHOULD BE NUMERICAL VALUE,LIMITED TO 3 DIGITS. DECIMALS CAN BE ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED.

RAISE QUERY IF LESS THAN 2 DIGITS OR MORE THAN 3 DIGITS ENTERED

RAISE QUERY IF VALUE ENTERED 13.5 AND BELOW/16 AND ABOVE

GO TO screening visit folder, go to DEMOGRAPHY FORM ,IN GENDER i.e DM_GD, CHECK option chosen:

IF MALE - RAISE QUERY IF VALUE ENTERED 13.4.

IF FEMALE- RAISE QUERY IF VALUE ENTERED 12.4

MEAN CELLULAR HAEMOGLOBIN (RH_MCH): __pg

FOR BOTH MALES AND FEMALES , 27-32

ENTRY SHOULD BE NUMERICAL VALUES,LIMITED TO 3 DIGITS.DECIMALS ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED.

RAISE QUERY IF LESS THAN 2 DIGITS OR MORE THAN 3 DIGITS ENTERED

RAISE QUERY IF VALUE ENTERED 26.

MEAN CELLULAR HAEMOGLOBIN CONCENTRATION (RH_MCHC): __g/dL

FOR BOTH MALES AND FEMALES , 31.5-34.5

ENTRY SHOULD BE NUMERICAL VALUES,LIMITED TO 3 DIGITS.DECIMALS ALLOWED.
RAISE QUERY IF ALPHABET INPUT ENTERED.

RAISE QUERY IF LESS THAN 2 DIGITS OR MORE THAN 3 DIGITS ENTERED

entered data 31 then RAISE QUERY

MEAN CELLULAR VOLUME (RH_MCV): __fL

FOR BOTH MALES AND FEMALES , 83-101,

ENTRY SHOULD BE NUMERICAL VALUES,LIMITED TO 3 DIGITS.DECIMALS
ALLOWED. RAISE QUERY IF ALPHABET INPUT ENTERED.

RAISE QUERY IF LESS THAN 2 DIGITS OR MORE THAN 3 DIGITS ENTERED

entered data 82 then RAISE QUERY

PLATELET COUNT [RH_PTC]: __lakhs cells/mm³

FOR BOTH MALES AND FEMALES , 1.50-4.50,

ENTRY SHOULD BE NUMERICAL VALUES,LIMITED TO 3 DIGITS.DECIMALS
ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED.

RAISE QUERY IF LESS THAN 2 DIGITS OR MORE THAN 3 DIGITS ENTERED

entered data 1.40 then RAISE QUERY

RED BLOOD CELL (RH_RBC) COUNT: __million cells/microlitre

FOR BOTH MALES AND FEMALES , 4-5

ENTRY SHOULD BE NUMERICAL VALUES, LIMITED TO 3 DIGITS. DECIMALS ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED.

RAISE QUERY IF LESS THAN 2 DIGITS OR MORE THAN 3 DIGITS ENTERED

ENTER DATA 3 , RAISE QUERY

WHITE BLOOD CELL (RH_WBC) COUNT : __cells/mm³ FOR BOTH MALES AND FEMALES ,
4000-10000

ENTRY SHOULD BE NUMERICAL VALUES, LIMITED TO 5 DIGITS, NOT LESS THAN 4 DIGITS. DECIMALS ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED.

RAISE QUERY IF LESS THAN 4 DIGITS OR MORE THAN 5 DIGITS ENTERED

RAISE QUERY IF VALUE ENTERED 3999

NEUTROPHILS (RH_NPL): __% FOR BOTH MALES AND FEMALES , 40-70,

ENTRY SHOULD BE NUMERICAL VALUES, LIMITED TO 3 DIGITS. DECIMALS ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED.

RAISE QUERY IF LESS THAN 2 DIGITS OR MORE THAN 3 DIGITS ENTERED

RAISE QUERY IF VALUE ENTERED 39

LYMPHOCYTES **[RH_LMP]** : __% **FOR BOTH MALES AND FEMALES , 20-40,**

ENTRY SHOULD BE NUMERICAL VALUES,LIMITED TO 3 DIGITS.DECIMALS ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED.

RAISE QUERY IF LESS THAN 2 DIGITS OR MORE THAN 3 DIGITS ENTERED

RAISE QUERY IF VALUE ENTERED 19

MONOCYTES **[RH_MNC]**: __% **FOR BOTH MALES AND FEMALES , 2-10**

ENTRY SHOULD BE NUMERICAL VALUES,LIMITED TO 2 DIGITS.DECIMALS ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED.

RAISE QUERY IF MORE THAN 2 DIGITS ENTERED

RAISE QUERY IF VALUE ENTERED 11

EOSINOPHILS **[RH_ESP]** : __% **FOR BOTH MALES AND FEMALES , 0-6**

ENTRY SHOULD BE NUMERICAL VALUES,LIMITED TO 2 DIGIT.DECIMALS ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED.

RAISE QUERY IF VALUE ENTERED 7

BASOPHILS **[RH_BSL]**: __% **FOR BOTH MALES AND FEMALES , 0-1**

ENTRY SHOULD BE NUMERICAL VALUES,LIMITED TO 2 DIGIT. DECIMALS ALLOWED. FOR EXAMPLE,0.5

RAISE QUERY IF ALPHABET INPUT ENTERED.

RAISE QUERY IF VALUE ENTERED 2

ROUTINE CLINICAL CHEMISTRY [RCC]:

ALANINE TRANSAMINASE (RCC_ALT): __ U/L

FOR BOTH MALES AND FEMALES, VALUE LESS THAN 35

ENTRY SHOULD BE A NUMERICAL VALUE LIMITED TO 3 DIGITS.DECIMAL ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED

RAISE QUERY IF DATA ENTER 36

ALBUMIN (RCC_ALB):__ g/Dl

FOR BOTH MALES AND FEMALES, VALUE 3.5-5.2

ENTRY SHOULD BE A NUMERICAL VALUE LIMITED TO 2 DIGITS.DECIMAL ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED

RAISE QUERY IF MORE THAN 2 DIGITS

Raise query if DATA ENTER 3.4

Alkaline phosphatase (RCC_AP): __ U/L

FOR BOTH MALES AND FEMALES, VALUE 33-98

ENTRY SHOULD BE A NUMERICAL VALUE LIMITED TO 3 DIGITS.DECIMAL ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED

RAISE QUERY IF MORE THAN 3 DIGITS

Raise query if DATA ENTER 32

Aspartate transaminase (RCC_AST): __U/L

FOR BOTH MALES AND FEMALES, VALUE LESS THAN 35

ENTRY SHOULD BE A NUMERICAL VALUE LIMITED TO 3 DIGITS.DECIMAL ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED

RAISE QUERY IF MORE THAN 3 DIGITS

Raise query if DATA ENTERED 36

Bicarbonate (RCC_BCT): __mmol/L

FOR BOTH MALES AND FEMALES, VALUE 22-29

ENTRY SHOULD BE A NUMERICAL VALUE LIMITED TO 3 DIGITS.DECIMAL ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED

RAISE QUERY IF MORE THAN 3 DIGITS

Raise query if DATA ENTERED 21

Bilirubin – total (RCC_BRT): __mg/Dl

FOR BOTH MALES AND FEMALES, VALUE 0.3-1.2

ENTRY SHOULD BE A NUMERICAL VALUE LIMITED TO 3 DIGITS.DECIMAL ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED

RAISE QUERY IF MORE THAN 3 DIGITS

Raise query if data entered 0.2.

Bilirubin – direct [RCC_BRD] __mg/dL

FOR BOTH MALES AND FEMALES, VALUE LESS THAN 0.2

GO TO RCC_BRT , CHECK VALUE ,IF VALUE IS OUTSIDE REFERENCE RANGE THEN GENERATE THIS FIELD.

SHOULD BE NUMERICAL VALUE LIMITED TO 3 DIGITS.DECIMAL ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED.

RAISE QUERY IF MORE THAN 3 DIGITS ENTERED.

RAISE QUERY, IF data entered 0.3

Calcium [RCC_CAL] : __mg/dL

FOR BOTH MALES AND FEMALES, VALUE 8.6-10.6

SHOULD BE NUMERICAL VALUE LIMITED TO 3 DIGITS.DECIMAL ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED.

RAISE QUERY IF MORE THAN 3 DIGITS ENTERED.

RAISE QUERY IF VALUE ABOVE 3 DIGITS

RAISE QUERY IF data entered 8.5

Chloride [RCC_CHL]: __mmol/L

FOR BOTH MALES AND FEMALES, VALUE 94-110

SHOULD BE NUMERICAL VALUE LIMITED TO 4 DIGITS.DECIMAL ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED.

RAISE QUERY IF MORE THAN 4 DIGITS ENTERED.

RAISE QUERY IF data entered 93

Creatinine [RCC_CRT]: __mg/dL

FOR BOTH MALES AND FEMALES, VALUE 0.6-1.2

SHOULD BE NUMERICAL VALUE LIMITED TO 3 DIGITS.DECIMAL ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED.

RAISE QUERY IF MORE THAN 3 DIGITS ENTERED.

RAISE QUERY IF VALUE entered 0.5

C-Reactive protein (RCC_CRP): __mg/dL

FOR BOTH MALES AND FEMALES, VALUE less than 1

SHOULD BE NUMERICAL VALUE LIMITED TO 3 DIGITS.DECIMAL ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED.

RAISE QUERY IF MORE THAN 3 DIGITS ENTERED

Raise query if value entered 2

Gamma glutamyl transferase (RCC_GGT): __U/L

FOR BOTH MALES AND FEMALES, VALUE 5-40

SHOULD BE NUMERICAL VALUE LIMITED TO 3 DIGITS.DECIMAL ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED.

RAISE QUERY IF MORE THAN 3 DIGITS ENTERED

Raise query if value entered 4

Glucose [RCC_GLU]

FOR BOTH MALES AND FEMALES, VALUE LESS THAN 100

SHOULD BE NUMERICAL VALUE LIMITED TO 4 DIGITS.DECIMAL ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED.

RAISE QUERY IF MORE THAN 4 DIGITS ENTERED

Raise query if value 102

Insulin [RCC_INS]: __μU/mL

FOR BOTH MALES AND FEMALES, VALUE 2-25

SHOULD BE NUMERICAL VALUE LIMITED TO 3 DIGITS.DECIMAL ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED.

RAISE QUERY IF MORE THAN 3 DIGITS ENTERED

Raise query if value entered 26

HbA1c [RCC_HBC]: __%

FOR BOTH MALES AND FEMALES, VALUE less than 5.7

SHOULD BE NUMERICAL VALUE LIMITED TO 2 DIGITS.DECIMAL ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED.

RAISE QUERY IF MORE THAN 2 DIGITS ENTERED

Raise query if value entered 5.8

Potassium [RCC_PTS]: __mmol/L

FOR BOTH MALES AND FEMALES, VALUE 3.5-5

SHOULD BE NUMERICAL VALUE LIMITED TO 3 DIGITS.DECIMAL ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED.

RAISE QUERY IF MORE THAN 3 DIGITS ENTERED

Raise query if value entered 5.2

Total cholesterol, [RCC_TCL] : __mg/dL

FOR BOTH MALES AND FEMALES, VALUE less than 180

SHOULD BE NUMERICAL VALUE LIMITED TO 4 DIGITS.DECIMAL ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED.

RAISE QUERY IF MORE THAN 4 DIGITS ENTERED

Raise query if value entered 181

LDL cholesterol, [RCC_LDL] __mg/dL

FOR BOTH MALES AND FEMALES, VALUE less than 70

SHOULD BE NUMERICAL VALUE LIMITED TO 3 DIGITS.DECIMAL ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED.

RAISE QUERY IF MORE THAN 3 DIGITS ENTERED

Raise query if value entered 71.

HDL cholesterol [RCC_HDL] __mg/dL

FOR BOTH MALES AND FEMALES, VALUE less than 40

SHOULD BE NUMERICAL VALUE LIMITED TO 3 DIGITS.DECIMAL ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED.

RAISE QUERY IF MORE THAN 3 DIGITS ENTERED

Raise query if value entered 41

Triglycerides [RCC_TGLC] __mg/dL

FOR BOTH MALES AND FEMALES, VALUE less than 150

SHOULD BE NUMERICAL VALUE LIMITED TO 4 DIGITS.DECIMAL ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED.

RAISE QUERY IF MORE THAN 4 DIGITS ENTERED

Raise query if value entered 151

Protein – total [RCC_PRT]: __g/dL **FOR BOTH MALES AND FEMALES, VALUE 6-8.3**

SHOULD BE NUMERICAL VALUE LIMITED TO 3 DIGITS.DECIMAL ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED.

RAISE QUERY IF MORE THAN 3 DIGITS ENTERED

Raise query if value entered 8.4

Sodium [RCC_SDM]: __mEq/L **FOR BOTH MALES AND FEMALES, VALUE 135-145**

SHOULD BE NUMERICAL VALUE LIMITED TO 4 DIGITS.DECIMAL ALLOWED.

RAISE QUERY IF ALPHABET INPUT ENTERED.

RAISE QUERY IF MORE THAN 4 DIGITS ENTERED

Raise query if value entered 132