Data Import & Transformation

1. Data Import:


○ Import List of Orders.csv into Power BI.


○ Open the list of orders in the Power Query Editor using the Transform Data option.


○ Import Order Details.csv and Sales Target.csv into Power Query Editor.


Steps :

1. Open Power BI Desktop.
2. Click the Home tab.
3. Click Get Data.
4. Select Text/CSV.
5. Browse and select List of Orders.csv.
6. Click Open.
7. Preview the data.
8. Click Transform Data if you want to clean the data.
9. Click Close & Apply in Power Query Editor.
10. Wait for the data to load.





Open
BABLU -... › Documents ›
Search Documents
Organize
New folder
Home
Gallery
BABLU - Person
Desktop
Documents
Microsoft Cop
Music
Pictures
Name
Status
Date modified
DA-EXCEL
13-10-2026 09:49
New folder
01-10-2026 00:33
New folder (2)
18-09-2026 21:03
Outlook Files
19-10-2026 22:49
List of Orders (2).csv
19-10-2026 22:47
Order Details.csv
19-10-2026 22:44
Sales target.csv
19-10-2026 22:42
File name: List of Orders (2).csv
Excel Files (*.xl;*.xlsx;*.xlsm;*.xls
Open
Cancel
Text box
More visuals
Insert
Calculations
Sensitivity
Publish
Share
Data pane.
Use sample data
Get data from another source →


Navigator
Display Options
List of Orders (2).csv.xlsx [1]
List of Orders (2)
List of Orders (2)
Order ID
Order Date
CustomerName
State
City
B-25601 01-04-2018 Bharat Gujarat Ahmedabad
B-25602 01-04-2018 Pearl Maharashtra Pune
B-25603 03-04-2018 Jahan Madhya Pradesh Bhopal
B-25604 03-04-2018 Divsha Rajasthan Jaipur
B-25605 05-04-2018 Kasheen West Bengal Kolkata
B-25606 06-04-2018 Hazel Karnataka Bangalore
B-25607 06-04-2018 Sonakshi Jammu and Kashmir Kashmir
B-25608 08-04-2018 Aarushi Tamil Nadu Chennai
B-25609 09-04-2018 Jitesh Uttar Pradesh Lucknow
B-25610 09-04-2018 Yogesh Bihar Patna
B-25611 11-04-2018 Anita Kerala Thiruvananthap
B-25612 12-04-2018 Shrichand Punjab Chandigarh
B-25613 12-04-2018 Mukesh Haryana Chandigarh
B-25614 13-04-2018 Vandana Himachal Pradesh Simla
B-25615 15-04-2018 Bhavna Sikkim Gangtok
B-25616 15-04-2018 Kanak Goa Goa
B-25617 17-04-2018 Sagar Nagaland Kohima
B-25618 18-04-2018 Manju Andhra Pradesh Hyderabad
B-25619 18-04-2018 Ramesh Gujarat Ahmedabad
B-25620 20-04-2018 Sarita Maharashtra Pune
B-25621 20-04-2018 Deepak Madhya Pradesh Bhopal
B-25622 22-04-2018 Monisha Rajasthan Jaipur
B-25623 22-04-2018 Atharv West Bengal Kolkata
Load
Transform Data
Cancel
Visualizations
Build visual
Values
Add data fields here
Drill through
Cross-report
Keep all filters
Add drill-through fields here
Filters
Data
Page 1


Untitled - Power Query Editor
File
Home
Transform
Add Column
View
Tools
Help
Queries [1]
List of Orders (2)
= Table.TransformColumnTypes(#"Promoted Headers",{{"Order ID", type text}, {"Order Date", type date},
Order ID
Order Date
CustomerName
State
City
1 B-25601 01-04-2018 Bharat Gujarat Ahmedabad
2 B-25602 01-04-2018 Pearl Maharashtra Pune
3 B-25603 03-04-2018 Jahan Madhya Pradesh Bhopal
4 B-25604 03-04-2018 Divsha Rajasthan Jaipur
5 B-25605 05-04-2018 Kasheen West Bengal Kolkata
6 B-25606 06-04-2018 Hazel Karnataka Bangalore
7 B-25607 06-04-2018 Sonakshi Jammu and Kashmir Kashmir
8 B-25608 08-04-2018 Aarushi Tamil Nadu Chennai
9 B-25609 09-04-2018 Jitesh Uttar Pradesh Lucknow
10 B-25610 09-04-2018 Yogesh Bihar Patna
11 B-25611 11-04-2018 Anita Kerala Thiruvananthapuram
12 B-25612 12-04-2018 Shrichand Punjab Chandigarh
13 B-25613 12-04-2018 Mukesh Haryana Chandigarh
14 B-25614 13-04-2018 Vandana Himachal Pradesh Simla
15 B-25615 15-04-2018 Bhavna Sikkim Gangtok
16 B-25616 15-04-2018 Kanak Goa Goa
17 B-25617 17-04-2018 Sagar Nagaland Kohima
18 B-25618 18-04-2018 Manju Andhra Pradesh Hyderabad
19 B-25619 18-04-2018 Ramesh Gujarat Ahmedabad
20 B-25620 20-04-2018 Sarita Maharashtra Pune
21 B-25621 20-04-2018 Deepak Madhya Pradesh Bhopal
22 B-25622 22-04-2018 Monisha Rajasthan Jaipur
23 B-25623 22-04-2018 Atharv West Bengal Kolkata
Query Settings
PROPERTIES
Name
List of Orders (2)
All Properties
APPLIED STEPS
Source
Navigation
Promoted Headers
Changed Type
5 COLUMNS, 500 ROWS
Column profiling based on top 1000 rows
PREVIEW DOWNLOADED AT 22:52
29°C
Light rain
Search
ENG
IN
22:53
19-10-2026

Final Result:





2. Row Limiting & Data Types:

○ Restrict the List of Orders table to the first 500 rows.


Steps:

1. Open Power Query Editor.
2. Select the List of Orders table.
3. Go to the Home tab → Keep Rows → Keep Top Rows.
4. Enter 500 and click OK.






Final result:




○ Set the Order Date column to the Date data type.

1. Select the Order Date column.
2. Go to Transform → Data Type → Date.





Final result:




○ Change the Amount and Target columns to fixed decimal numbers.

1. Select the Amount column.
2. Go to Transform → Data Type → Fixed Decimal Number.







Final output:



1. Select the Target column.
2. Go to Transform → Data Type → Fixed Decimal Number.
3. Click Close & Apply.



Final output;




3. Text Formatting:


○ Format the CustomerName column to proper case to ensure consistent capitalization.

Steps:

1. Click Transform Data.
2. Select the CustomerName column.
3. Go to the Transform tab.
4. Click Format → Capitalize Each Word.
5. Check that the names have consistent capitalization.
6. Click Close & Apply.



Final output:





4. Column Creation:


○ Merge the City and State columns to create a new column named Location in the format: City, State.

1. Click Transform Data.
2. Select the City column.


3. Hold Shift and select the State column.
4. Go to Transform → Merge Columns.
5. Select Custom as the separator and enter , .
6. Enter Location as the new column name.
7. Click OK.







Final output:





○ Create a custom column named Profit Margin calculated as: Profit / Amount (expressed as a percentage)

1. Go to Add Column → Custom Column.
2. Enter Profit Margin as the new column name.
3. Enter this formula:


[Profit] / [Amount]

4. Click OK.
5. Select the Profit Margin column.
6. Change its data type to Percentage.


power bi first
File
Home
Transform
Add Column
View
Tools
Help
Column From Examples
Custom Column
Invoke Custom Function
Conditional Column
Index Column
Duplicate Column
General
Format
Merge Columns
Extract
Parse
From Text
Statistics
Standard
Scientific
Trigonometry
Rounding
Information
From Number
Date
Time
Duration
From Date & Time
Queries [3]
Custom Column
Create a new column in this table, based on a custom formula.
= Table.TransformColumnTypes(#"Promoted Headers",{{"Order ID", type text}, {"Amount", Currency.Type}, {"Profit",
List of O
Order Details
Sales target
Amount
Profit
Quantity
Category
Sub-Categor
Query Settings
PROPERTIES
Name
Order Details
All Properties
APPLIED STEPS
Source
Navigation
Promoted Headers
Changed Type
6 COLUMNS, 999+ ROWS
Column profiling based on top 1000 rows
PREVIEW DOWNLOADED ON MONDAY
Thunderstorm w...
In effect
Search
ENG
IN
10:26
22-10-2026


power bi first
File
Home
Transform
Add Column
View
Tools
Help
Queries [3]
List of Orders (2)
Order Details
Sales target
Custom Column
Add a column that is computed from the other columns.
New column name
Profit Margin
Custom column formula
= [Profit]/[Amount]
Available columns
Order ID
Amount
Profit
Quantity
Category
Sub-Category
<< Insert
Learn about Power Query formulas
No syntax errors have been detected.
OK
Cancel
Query Settings
PROPERTIES
Name
Order Details
All Properties
APPLIED STEPS
Source
Navigation
Promoted Headers
Changed Type
6 COLUMNS, 999+ ROWS
Column profiling based on top 1000 rows
PREVIEW DOWNLOADED ON MONDAY
Thunderstorm w...
In effect
Search
ENG
IN
10:27
22-10-2026

Final output:



5. Conditional Column:

○ Add a conditional column named Profit Status based on:

■ Profit < 0 → Loss


■ Profit = 0 → Break-Even


■ Profit > 0 → Profit

Steps:


1. Click Transform Data.
2. Go to the Add Column tab.
3. Click Conditional Column.
4. Enter the column name: Profit Status.
5. Set the first condition:
   - Column Name: Profit
   - Operator: is less than
   - Value: 0
   - Output: Loss
6. Click Add Clause and set:
   - Column Name: Profit
   - Operator: equals
   - Value: 0
   - Output: Break-Even
7. In Else, enter Profit.

8. Click OK.





Final output:



	Quantity	Category	Sub-Category	Profit Margin	Profit Status
1	-1148	7 Furniture	Bookcases	-90.04%	Loss
2	-12	5 Clothing	Stole	-18.18%	Loss
3	-2	3 Clothing	Hankerchief	-25.00%	Loss
4	-56	4 Electronics	Electronic Games	-70.00%	Loss
5	-111	2 Electronics	Phones	-66.07%	Loss
6	-272	5 Electronics	Phones	-64.15%	Loss
7	1151	4 Electronics	Phones	43.98%	Profit
8	212	3 Clothing	Saree	37.79%	Profit
9	-5	8 Clothing	Saree	-4.20%	Loss
10	-60	5 Clothing	Trousers	-4.43%	Loss
11	-30	1 Furniture	Chairs	-125.00%	Loss
12	-166	3 Clothing	Saree	-86.01%	Loss
13	5	3 Clothing	Trousers	2.78%	Profit
14	16	4 Clothing	Stole	13.79%	Profit
15	36	6 Clothing	Stole	33.64%	Profit
16	1	2 Clothing	Hankerchief	8.33%	Profit
17	18	1 Clothing	Kurti	47.37%	Profit
18	17	2 Clothing	T-shirt	26.15%	Profit
19	5	9 Clothing	Saree	3.18%	Profit
20	0	7 Clothing	Saree	0.00%	Break even
21	4	2 Clothing	Shirt	4.60%	Profit
22	15	4 Clothing	Leggings	30.00%	Profit
23	-1864	5 Furniture	Tables	-136.66%	Loss


6. Merging Data (Joins)


○ Merge the List of Orders and Order Details tables using Order ID.


○ Name the merged output table as Orders Data.


Steps:

1. Select the List of Orders table.
2. Go to Home → Merge Queries → Merge Queries as New.
3. Select Order Details as the second table.
4. Click the Order ID column in both tables.
5. Select Left Outer Join as the Join Kind.
6. Click OK.
7. Rename the new merged table to Orders Data.
8. Click Close & Apply.


power bi first
File
Home
Transform
Add Column
View
Tools
Help
Merge Queries
Merge Queries
Merge Queries as New
Merge this query with another query in this file to create a new query.
Queries [3]
List of Orders (2)
Order Details
Sales target
This preview may be up to 4 days old.
Refresh
= Table.CombineColumns(#"Capitalized Each Word",{"City", "State"},Combiner.CombineTextByDelimiter("",
Order ID
Order Date
CustomerName
Location
1 B-25601 01-04-2018 Bharat AhmedabadGujarat
2 B-25602 01-04-2018 Pearl PuneMaharashtra
3 B-25603 03-04-2018 Jahan BhopalMadhya Pradesh
4 B-25604 03-04-2018 Divsha JaipurRajasthan
5 B-25605 05-04-2018 Kasheen KolkataWest Bengal
6 B-25606 06-04-2018 Hazel BangaloreKarnataka
7 B-25607 06-04-2018 Sonakshi KashmirJammu and Kashmir
8 B-25608 08-04-2018 Aarushi ChennaiTamil Nadu
9 B-25609 09-04-2018 Jitesh LucknowUttar Pradesh
10 B-25610 09-04-2018 Yogesh PatnaBihar
11 B-25611 11-04-2018 Anita ThiruvananthapuramKerala
12 B-25612 12-04-2018 Shrichand ChandigarhPunjab
13 B-25613 12-04-2018 Mukesh ChandigarhHaryana
14 B-25614 13-04-2018 Vandana SimlaHimachal Pradesh
15 B-25615 15-04-2018 Bhavna GangtokSikkim
16 B-25616 15-04-2018 Kanak GoaGoa
17 B-25617 17-04-2018 Sagar KohimaNagaland
18 B-25618 18-04-2018 Manju HyderabadAndhra Pradesh
19 B-25619 18-04-2018 Ramesh AhmedabadGujarat
20 B-25620 20-04-2018 Sarita PuneMaharashtra
21 B-25621 20-04-2018 Deepak BhopalMadhya Pradesh
22 B-25622 22-04-2018 Monisha JaipurRajasthan
4 COLUMNS, 500 ROWS
Column profiling based on top 1000 rows
PREVIEW DOWNLOADED ON MONDAY
PROPERTIES
Name
List of Orders (2)
All Properties
APPLIED STEPS
Source
Navigation
Promoted Headers
Changed Type
Capitalized Each Word
Merged Columns
27°C
Mostly cloudy
Search
ENG
IN
23:38
22-10-2026


power bi first
Merge
Select tables and matching columns to create a merged table.
List of Orders (2)
Order ID
Order Date
CustomerName
Location
B-25601 01-04-2018 Bharat AhmedabadGujarat
B-25602 01-04-2018 Pearl PuneMaharashtra
B-25603 03-04-2018 Jahan BhopalMadhya Pradesh
B-25604 03-04-2018 Divsha JaipurRajasthan
B-25605 05-04-2018 Kasheen KolkataWest Bengal
List of Orders (2)
Order Details
Sales target
Order Details
No preview is available
Join Kind
Left Outer (all from first, matching from second)
Use fuzzy matching to perform the merge
Fuzzy matching options
OK
Cancel
Merge Queries
Append Queries
Combine Files
Combine
Query Settings
PROPERTIES
Name
List of Orders (2)
All Properties
APPLIED STEPS
Source
Navigation
Promoted Headers
Changed Type
Capitalized Each Word
Merged Columns
4 COLUMNS, 500 ROWS
Column profiling based on top 1000 rows
PREVIEW DOWNLOADED ON MONDAY
27°C
Mostly cloudy
Search
ENG
IN
23:39
22-10-2026





7. Handling Missing Data & Duplicate Data

- **Identify missing values across all tables.**

Steps

1. Click Home → Transform
2. Select each table one by one.
3. Check all columns for blank or null values.
4. Select the column containing missing values.

5. Replace missing values using Transform → Replace Values, if appropriate.
6. Remove records with missing values if they are unusable.
7. Retain null values if the information is unknown and cannot be safely replaced.

● **Define and apply appropriate strategies such as:**
    ○ **Replacing missing values**
    ○ **Removing records**
    ○ **Retaining nulls with justification**

Steps to Handle Duplicate Rows

1. Select the required table in Power Query Editor.
2. Select the columns to check for duplicates.
3. Go to Home → Remove Rows → Remove Duplicates.
4. Check the data to ensure valid records are not removed.
5. Repeat for other tables if necessary.
6. Click Close & Apply.

● Identify duplicate rows and define a suitable handling strategy based on business logic.


- Replace missing values only when the correct value is known.
- Remove records only when they are invalid or unusable.
- Retain nulls when information is unknown.
- Remove duplicate records only when they are confirmed duplicates based on business rules.

8. Sorting and Filtering Data


● Sort records in the Orders Data table by Order Date in descending order.

Steps

1. Select the Orders Data table.
2. Select the Order Date column.
3. Click the dropdown arrow in the column header.
4. Select Sort Descending.
5. The latest order dates will appear first.




Final output:




● Apply filters to analyze orders from a specific state (e.g., Tamil Nadu).

Steps

1. Select the Location column.
2. Click the dropdown arrow in the column header.
3. Uncheck Select All.
4. Select Tamil Nadu.
5. Click OK.
6. Only orders from Tamil Nadu will be displayed.



Final output:



9. Grouping and Aggregating Data


● Duplicate the Order Details table and perform the following:


Duplicate the Order Details table

1. Click Home → Transform Data.
2. Right-click the Order Details table.
3. Select Duplicate.


Count of Order ID

1. Select the duplicated table Order details(2).
2. Go to Home → Group By.
3. Select Order ID in Group by.
4. Enter the new column name: Count of Order ID.
5. Select Count Rows under Operation.
6. Click OK






Final output:




Average Profit by Category

1. Right-click the original Order Details table and select Duplicate.
2. Click Home → Group By.
3. Select Category under Group by.
4. New column name: Average Profit.
5. Operation: Average.
6. Column: Profit.
7. Click OK.




Final output:




Total Amount by Sub-Category

1. Duplicate the Order Details table again.
2. Click Home → Group By.
3. Select Sub-Category under Group by.
4. New column name: Total Amount.
5. Operation: Sum.
6. Column: Amount.
7. Click OK.





Final output:





- Duplicate the Sales Target table and aggregate the total Target by Month of order date.


1. Click the Sales Target table.
2. Right-click and select Duplicate.
3. To get the order month, merge the duplicated table with List of Orders using the Order Date relationship or an appropriate common key, if available.
4. Extract the month from Order Date using Add Column → Date → Month → Name of Month.
5. Click Home → Group By.
6. Group by the month column.
7. New column name: Total Target.
8. Operation: Sum.
9. Column: Target.
10. Click OK



power bi first
File
Home
Transform
Add Column
View
Tools
Help
Close & Apply
New Source
Recent Sources
Enter Data
Data source settings
Close
New Query
Data Sources
Merge Queries
Append Queries
Combine Files
Combine
Queries [6]
List of Orders
Order Details
Sales target
Orders Datas
Order Details (2)
Sales target (2)
Merge
Select a table and matching columns to create a merged table.
Sales target (2)
Month of Order Date | Category | Target
01-04-2018 | Furniture | 10400
01-05-2018 | Furniture | 10500
01-06-2018 | Furniture | 10600
01-07-2018 | Furniture | 10800
01-08-2018 | Furniture | 10900
List of Orders
Order ID | Order Date | CustomerName | Location
B-25601 | 01-04-2018 | Bharat | AhmedabadGujarat
B-25602 | 01-04-2018 | Pearl | PuneMaharashtra
B-25603 | 03-04-2018 | Jahan | BhopalMadhya Pradesh
B-25604 | 03-04-2018 | Divsha | JaipurRajasthan
B-25605 | 05-04-2018 | Kasheen | KolkataWest Bengal
Join Kind
Left Outer (all from first, matching from second)
Use fuzzy matching to perform the merge
Fuzzy matching options
The selection matches 36 of 36 rows from the first table.
OK
Cancel
Query Settings
PROPERTIES
Name
Sales target (2)
All Properties
APPLIED STEPS
Source
Navigation
Promoted Headers
Changed Type
3 COLUMNS, 36 ROWS
Column profiling based on top 1000 rows
PREVIEW DOWNLOADED ON MONDAY
Search
ENG IN
00:48
23-10-2026


power bi first
File
Home
Transform
Add Column
View
Tools
Help
Close & Apply
New Source
Recent Sources
Enter Data
Data source settings
Manage Parameters
Export query results
Refresh Preview
Properties
Advanced Editor
Manage
Query
Choose Columns
Remove Columns
Keep Rows
Remove Rows
Manage Columns
Reduce Rows
Sort
Split Column
Group By
Data Type: Table
Use First Row as Headers
Replace Values
Transform
Merge Queries
Append Queries
Combine Files
Combine
Queries [6]
List of Orders
Order Details
Sales target
Orders Datas
Order Details (2)
Sales target (2)
= Table.NestedJoin(#"Changed Type", {"Month of Order Date"}, #"List of Orders", {"Order Date"}, "List of Orders",
Month of Order Date | Category | Target | List of Orders
01-04-2018 | Furniture | 10400 | Table
01-05-2018 | Furniture | 10500 | Table
01-06-2018 | Furniture | 10600 | Table
01-07-2018 | Furniture | 10800 | Table
01-08-2018 | Furniture | 10900 | Table
01-09-2018 | Furniture | 11000 | Table
01-10-2018 | Furniture | 11200 | Table
01-11-2018 | Furniture | 11400 | Table
01-12-2018 | Furniture | 11600 | Table
01-01-2019 | Furniture | 11700 | Table
01-02-2019 | Furniture | 11800 | Table
01-03-2019 | Furniture | 11800 | Table
01-04-2018 | Clothing | 12000 | Table
01-05-2018 | Clothing | 12000 | Table
01-06-2018 | Clothing | 12000 | Table
01-07-2018 | Clothing | 14000 | Table
01-08-2018 | Clothing | 14000 | Table
01-09-2018 | Clothing | 14000 | Table
01-10-2018 | Clothing | 16000 | Table
01-11-2018 | Clothing | 16000 | Table
01-12-2018 | Clothing | 16000 | Table
01-01-2019 | Clothing | 16000 | Table
01-02-2019 | Clothing | 16000 | Table
Search Columns to Expand
Expand
Aggregate
(Select All Columns)
Order ID
Order Date
CustomerName
Location
Use original column name as prefix
OK
Cancel
Query Settings
PROPERTIES
Name
Sales target (2)
All Properties
APPLIED STEPS
Source
Navigation
Promoted Headers
Changed Type
Merged Queries
4 COLUMNS, 36 ROWS
Column profiling based on top 1000 rows
PREVIEW DOWNLOADED ON MONDAY
Search
ENG IN
00:49
23-10-2026



power bi first
File
Home
Transform
Add Column
View
Tools
Help
Close & Apply
New Source
Recent Sources
Enter Data
Data source settings
Manage Parameters
Export query results
Refresh Preview
Properties
Advanced Editor
Manage
Choose Columns
Remove Columns
Keep Rows
Remove Rows
Split Column
Group By
Data Type: Date
Use First Row as Headers
Replace Values
Merge Queries
Append Queries
Combine Files
Close
New Query
Data Sources
Parameters
Output Data
Query
Manage Columns
Reduce Rows
Sort
Transform
Combine
Queries [6]
List of Orders
Order Details
Sales target
Orders Datas
Order Details (2)
Sales target (2)
= Table.ExpandTableColumn(#"Merged Queries", "List of Orders", {"Order Date"}, {"List of Orders.Order Date"})
Month of Order Date
Category
Target
List of Orders.Order Date
1 01-04-2018 Furniture 10400 01-04-2018
2 01-04-2018 Furniture 10400 01-04-2018
3 01-04-2018 Clothing 12000 01-04-2018
4 01-04-2018 Clothing 12000 01-04-2018
5 01-04-2018 Electronics 9000 01-04-2018
6 01-04-2018 Electronics 9000 01-04-2018
7 01-05-2018 Furniture 10500 01-05-2018
8 01-05-2018 Clothing 12000 01-05-2018
9 01-05-2018 Electronics 9000 01-05-2018
10 01-05-2018 Furniture 10500 01-05-2018
11 01-05-2018 Clothing 12000 01-05-2018
12 01-05-2018 Electronics 9000 01-05-2018
13 01-06-2018 Furniture 10600 01-06-2018
14 01-06-2018 Clothing 12000 01-06-2018
15 01-06-2018 Electronics 9000 01-06-2018
16 01-07-2018 Furniture 10800 01-07-2018
17 01-07-2018 Clothing 14000 01-07-2018
18 01-07-2018 Electronics 9000 01-07-2018
19 01-07-2018 Furniture 10800 01-07-2018
20 01-07-2018 Clothing 14000 01-07-2018
21 01-07-2018 Electronics 9000 01-07-2018
22 01-07-2018 Furniture 10800 01-07-2018
23 01-07-2018 Clothing 14000 01-07-2018
Query Settings
PROPERTIES
Name
Sales target (2)
All Properties
APPLIED STEPS
Source
Navigation
Promoted Headers
Changed Type
Merged Queries
Expanded List of Orders
4 COLUMNS, 60 ROWS
Column profiling based on top 1000 rows
PREVIEW DOWNLOADED ON MONDAY
Search
ENG IN
00:49
23-10-2026


power bi first
File
Home
Transform
Add Column
View
Tools
Help
Column From Examples
Custom Column
Invoke Custom Function
Conditional Column
Index Column
Duplicate Column
Format
Merge Columns
Extract
Parse
Statistics
Standard
Scientific
Trigonometry
Rounding
Information
Date
Time
Duration
General
From Text
From Number
Age
Date Only
Parse
Year
Month
Quarter
Week
Day
Subtract Days
Combine Date and Time
Earliest
Latest
Month
Start of Month
End of Month
Days in Month
Name of Month
Create a new column containing the name of the month corresponding to each Date/Time value in the selected column.
Queries [6]
List of Orders
Order Details
Sales target
Orders Datas
Order Details (2)
Sales target (2)
= Table.ExpandTableColumn(#"Merged Queries", "List of Orders", {"Order
der Date"})
Month of Order Date
Category
Target
List of Or
1 01-04-2018 Furniture 10400
2 01-04-2018 Furniture 10400
3 01-04-2018 Clothing 12000
4 01-04-2018 Clothing 12000
5 01-04-2018 Electronics 9000
6 01-04-2018 Electronics 9000
7 01-05-2018 Furniture 10500
8 01-05-2018 Clothing 12000
9 01-05-2018 Electronics 9000
10 01-05-2018 Furniture 10500 01-05-2018
11 01-05-2018 Clothing 12000 01-05-2018
12 01-05-2018 Electronics 9000 01-05-2018
13 01-06-2018 Furniture 10600 01-06-2018
14 01-06-2018 Clothing 12000 01-06-2018
15 01-06-2018 Electronics 9000 01-06-2018
16 01-07-2018 Furniture 10800 01-07-2018
17 01-07-2018 Clothing 14000 01-07-2018
18 01-07-2018 Electronics 9000 01-07-2018
19 01-07-2018 Furniture 10800 01-07-2018
20 01-07-2018 Clothing 14000 01-07-2018
21 01-07-2018 Electronics 9000 01-07-2018
22 01-07-2018 Furniture 10800 01-07-2018
23 01-07-2018 Clothing 14000 01-07-2018
Query Settings
PROPERTIES
Name
Sales target (2)
All Properties
APPLIED STEPS
Source
Expanded List of Orders
4 COLUMNS, 60 ROWS
Column profiling based on top 1000 rows
PREVIEW DOWNLOADED ON MONDAY
Search
ENG IN
00:50
23-10-2026





Final output:




10. Data Modeling:


1. Establish a relationship between:


○ List of Orders and Order Details using Order ID

Create a relationship between List of Orders and Order Details

1. Open Power BI Desktop.
2. Click Model View on the left side.
3. Go to Manage Relationships → New.
4. Select the List of Orders table and the Order ID column.
5. Select the Order Details table and the Order ID column.
6. Set the relationship to One-to-Many (1:*), if Order ID is unique in List of Orders.
7. Check Make this relationship active.
8. Click OK.


Manage relationships
New relationship
Autodetect
Edit
Delete
Filter
From: table (column)
Relationship
To: table (column)
Status
Order Details (Order ID)
List of Orders (Order ID)
Active
Close


Order Details
Amount
Category
Order ID
Profit
Profit Margin
Profit Status
List of Orders
CustomerName
Location
Order Date
Order ID
Sales target
Category
Month of Order
Target
Properties
Relationship
Table
Column
Order Details
Order ID
Cardinality
One to many (1:*)
List of Orders
Make this relationship active
Yes
Cross-filter direction
Single
Apply security filter in both directions
No
Apply changes
Open relationship editor
Data
Tables
Model
Search
List of Orders
Order Details
Order Details (2)
Orders Datas
Sales target
Sales target (2)
All tables



● Establish a relationship between:

○ Order Details and Sales Target using Category

Create a relationship between Order Details and Sales Target

1. Go to Manage Relationships → New.
2. Select the Order Details table and the Category column.
3. Select the Sales Target table and the Category column.
4. Choose the appropriate cardinality based on the data.
5. Check Make this relationship active.
6. Click OK.

2. Use Manage Relationships to ensure relationships are active and correctly defined.

1. Open Manage Relationships.
2. Check that both relationships are listed.
3. Confirm that both relationships are active.
4. Click Close.