
SCHEMAS
company_db
retail_db
school
shopkart_db
Tables
Views
Stored Procedures
Functions
Schema: shopkart_db
Limit to 1000 rows
#PROJECT:Shopkart E-Commerce Business Analytics
#NAME:SHALINI SHARMA
#COURSE:BTECH CSE(DA)
CREATE DATABASE shopkart_db;
USE shopkart_db;
CREATE TABLE customers (
customer_id INT PRIMARY KEY,
customer_name VARCHAR(100),
gender VARCHAR(10),
city VARCHAR(50),
Output
Action Output
Time
Action
1 08:27:56 USE shopkart_db
Message
0 row(s) affected


File Edit View Query Database Server Tools Scripting Help
SCHEMAS
company_db
company_subquery
crossjoin
shopkart_db
Tables
Views
Stored Procedures
Functions
Schemes
Schema: shopkart_db
Limit to 1000 rows
CREATE TABLE categories (
category_id INT PRIMARY KEY,
category_name VARCHAR(50)
);
CREATE TABLE products (
product_id INT PRIMARY KEY,
product_name VARCHAR(100),
category_id INT,
price DECIMAL(10,2),
cost DECIMAL(10,2),
Output
Action Output
Time
Action
1 08:27:56 USE shopkart_db
0 row(s) affected


SCHEMAS
company_db
edu
school
shopkart_db
Tables
Views
Stored Procedures
Functions
smartmart_db
Schemas
Schema: shopkart_db
cost DECIMAL(10,2),
FOREIGN KEY (category_id)
REFERENCES categories(category_id)
);
CREATE TABLE orders (
order_id INT PRIMARY KEY,
customer_id INT,
order_date DATE,
city VARCHAR(50),
order_status VARCHAR(20),
FOREIGN KEY (customer_id)
REFERENCES customers(customer_id)
);
Output
Action Output
Time
Action
Message
1 00:27:56 USE shopkart_db
0 row(s) affected


CREATE TABLE order_items (
order_item_id INT PRIMARY KEY,
order_id INT,
product_id INT,
quantity INT,
FOREIGN KEY (order_id)
REFERENCES orders(order_id),
FOREIGN KEY (product_id)
REFERENCES products(product_id)
);
INSERT INTO customers VALUES
Schema: shopkart_db
Action Output
Time
Action
USE shopkart_db
SCHEMAS
shopkart_db
Tables
Views
Stored Procedures
Functions
Limit to 1000 rows
Output



File Edit View Query Database Server Tools Scripting Help
SCHEMAS
shopkart_db
Tables
Views
Stored Procedures
Functions
Schema: shopkart_db
Limit to 1000 rows
INSERT INTO customers VALUES
INSERT INTO categories VALUES
(2,'Fashion'),
Action Output
Time
Action
Message
1 08:27:36 USE shopkart_db



Query 1
SCHEMAS
company_db
retail_db
school
shopkart_db
Tables
Views
Stored Procedures
Functions
Schemas
INSERT INTO products VALUES
INSERT INTO orders VALUES
Schema: shopkart_db
Action Output
Time
Action
1 08:27:56 USE shopkart_db



File Edit View Query Database Server Tools Scripting Help
SCHEMAS
company_db
retail_db
school
shopkart_db
Tables
Views
Stored Procedures
Functions
Schemas
Schema: shopkart_db
Query 1
Limit to 1000 rows
INSERT INTO orders VALUES
(1001,1,'2024-01-10','Delhi','Delivered'),
(1002,2,'2024-01-11','Mumbai','Delivered'),
(1006,6,'2024-01-16','Chennai','Pending'),
(1007,1,'2024-02-02','Delhi','Delivered'),
(1008,7,'2024-02-05','Pune','Delivered'),
(1010,2,'2024-02-10','Mumbai','Cancelled');
INSERT INTO order_items VALUES
Output
Action Output
Time
Action
1 09:27:56 USE shopkart_db
Message



SCHEMAS
Tables
Views
Stored Procedures
Functions
Schema: shopkart_db
Limit to 1000 rows
INSERT INTO order_items VALUES
Action Output
Time
Action
Search


SCHEMAS
company_db
retail_db
school
shopkart_db
Tables
Views
Stored Procedures
Functions
Limit to 1000 rows
SELECT *
FROM CUSTOMERS
WHERE CITY = 'DELHI';
Result Grid
Filter Rows:
Export/Import:
customer_id
customer_name
gender
city
signup_date
1
Rahul Sharma
Male
Delhi
2022-01-10
Karan Verma
Male
Delhi
Schema: shopkart_db
CUSTOMERS 1
Output
Action Output
Time
Action
Message
08:27:56
USE shopkart_db
SELECT * FROM CUSTOMERS WHERE CITY = 'DELHI' LIMIT 0, 1000


SCHEMAS
company_db
company_subquery
retail_db
school
shopkart_db
Tables
Views
Stored Procedures
Functions
Schemas
Schema: shopkart_db
Q2 LATEST 5 ORDERS
SELECT *
FROM ORDERS
ORDER BY ORDER_DATE DESC
LIMIT 5;
Limit to 1000 rows
Result Grid
Filter Rows:
Export/Import:
order_id customer_id order_date city order_status
1010 2 2024-02-10 Mumbai Cancelled
1009 8 2024-02-08 Bangalore Delivered
1008 7 2024-02-05 Pune Delivered
1007 1 2024-02-03 Delhi Delivered
1006 6 2024-01-16 Chennai Pending
Output
Action Output
Time Action
1 08:27:56 USE shopkart_db
2 08:29:38 SELECT * FROM CUSTOMERS WHERE CITY = 'DELHI' LIMIT 0, 1000
3 08:29:57 SELECT * FROM ORDERS ORDER BY ORDER_DATE DESC LIMIT 5



File Edit View Query Database Server Tools Scripting Help
SCHEMAS
company_db
company_subquery
retail_db
shopkart_db
Tables
Views
Stored Procedures
Functions
Schemas
Schema: shopkart_db
Query 1
Limit to 1000 rows
118 -- Q3 TOP 3 EXPENSIVE PRODUCTS
119 SELECT *
120 FROM PRODUCTS
121 ORDER BY PRICE DESC
122 LIMIT 3;
123
Result Grid
Filter Rows:
Export/Import:
product_id product_name category_id price cost
101 Laptop 1 80000.00 65000.00
108 Air Conditioner 1 45000.00 35000.00
102 Mobile 1 30000.00 22000.00
PRODUCTS 3
Output
Action Output
Time Action Message
1 08:27:56 USE shopkart_db 0 row(s) affected
2 08:29:39 SELECT * FROM CUSTOMERS WHERE CITY = 'DELHI' LIMIT 0, 1000
3 08:29:57 SELECT * FROM ORDERS ORDER BY ORDER_DATE DESC LIMIT 5
4 08:30:08 SELECT * FROM PRODUCTS ORDER BY PRICE DESC LIMIT 3


SCHEMAS
school
shopkart_db
Tables
Views
Stored Procedures
Functions
Schema: shopkart_db
Limit to 1000 rows
Q5 TOTAL NUMBER OF ORDERS
SELECT COUNT(*) AS TOTAL_ORDERS
FROM ORDERS;
Q5 TOTAL QUANTITY SOLD PER PRODUCT
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
TOTAL_ORDERS
10
Result 4
Output
Action Output
Time
Action
Message
1 08:27:56 USE shopkart_db
2 08:29:39 SELECT * FROM CUSTOMERS WHERE CITY = 'DELHI' LIMIT 0, 1000
3 08:29:57 SELECT * FROM ORDERS ORDER BY ORDER_DATE DESC LIMIT 5
4 08:30:08 SELECT * FROM PRODUCTS ORDER BY PRICE DESC LIMIT 3
5 08:30:19 SELECT COUNT(*) AS TOTAL_ORDERS FROM ORDERS LIMIT 0, 1000



Q5 TOTAL QUANTITY SOLD PER PRODUCT
SELECT PRODUCT_ID, SUM(QUANTITY) AS TOTAL_QUANTITY
FROM ORDER_ITEMS
GROUP BY PRODUCT_ID;
Q6 CITIES WITH MORE THAN 2 ORDERS
Limit to 1000 rows
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
PRODUCT_ID
TOTAL_QUANTITY
101 1
102 2
103 5
104 6
105 2
shopkart_db
Tables
Views
Stored Procedures
Functions
Schemas
Schema: shopkart_db
Action Output
Time
Action
1 08:27:56 USE shopkart_db
2 08:29:39 SELECT * FROM CUSTOMERS WHERE CITY = 'DELHI' LIMIT 0, 1000
3 08:29:57 SELECT * FROM ORDERS ORDER BY ORDER_DATE DESC LIMIT 5
4 08:30:06 SELECT * FROM PRODUCTS ORDER BY PRICE DESC LIMIT 3
5 08:30:15 SELECT COUNT(*) AS TOTAL_ORDERS FROM ORDERS LIMIT 0, 1000
6 08:30:28 SELECT PRODUCT_ID, SUM(QUANTITY) AS TOTAL_QUANTITY FROM ORDER_I...



File Edit View Query Database Server Tools Scripting Help
SCHEMAS
company_db
company_subquery
e2e
retail_db
school
shopkart_db
Tables
Views
Stored Procedures
Functions
Limit to 1000 rows
SELECT CITY, COUNT(*) AS TOTAL_ORDERS
FROM ORDERS
GROUP BY CITY
HAVING COUNT(*) > 2;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
CITY TOTAL_ORDERS
Delhi 3
Schema: shopkart_db
Output
Action Output
Time
Action
SELECT * FROM CUSTOMERS WHERE CITY = 'DELHI' LIMIT 0, 1000
SELECT * FROM ORDERS ORDER BY ORDER_DATE DESC LIMIT 5
SELECT * FROM PRODUCTS ORDER BY PRICE DESC LIMIT 3
SELECT COUNT(*) AS TOTAL_ORDERS FROM ORDERS LIMIT 0, 1000
SELECT PRODUCT_ID, SUM(QUANTITY) AS TOTAL_QUANTITY FROM ORDER



SCHEMAS
company_db
shopkart_db
Tables
Views
Stored Procedures
Functions
Schema: shopkart_db
Limit to 1000 rows
Q7 CUSTOMER NAME WITH ORDER ID
SELECT C.CUSTOMER_NAME, O.ORDER_ID
FROM CUSTOMERS C
JOIN ORDERS O
ON C.CUSTOMER_ID = O.CUSTOMER_ID;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
CUSTOMER_NAME
ORDER_ID
Rahul Sharma 1001
Rahul Sharma 1007
Priya Mehta 1002
Priya Mehta 1010
Amit Patel 1003
Output
Action Output
Time
Action
Message
3 08:29:57 SELECT * FROM ORDERS ORDER BY ORDER_DATE DESC LIMIT 5
4 08:30:08 SELECT * FROM PRODUCTS ORDER BY PRICE DESC LIMIT 3
5 08:30:19 SELECT COUNT(*) AS TOTAL_ORDERS FROM ORDERS LIMIT 0, 1000
7 08:30:43 SELECT CITY, COUNT(*) AS TOTAL_ORDERS FROM ORDERS GROUP BY CIT...
8 08:30:58 SELECT C.CUSTOMER_NAME, O.ORDER_ID FROM CUSTOMERS C JOIN ORD...



File Edit View Query Database Server Tools Scripting Help
SCHEMAS
shopkart_db
Tables
Views
Stored Procedures
Functions
Schema: shopkart_db
OR PRODUCT NAME IN EACH ORDER
SELECT O.ORDER_ID, P.PRODUCT_NAME
FROM ORDERS O
JOIN ORDER_ITEMS OI
ON O.ORDER_ID = OI.ORDER_ID
JOIN PRODUCTS P
Limit to 1000 rows
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
ORDER_ID PRODUCT_NAME
1001 Laptop
1002 Mobile
1006 Mobile
1001 Headphones
1008 Headphones
Output
Action Output
Time Action
4 08:30:08 SELECT * FROM PRODUCTS ORDER BY PRICE DESC LIMIT 3
5 08:30:19 SELECT COUNT(*) AS TOTAL_ORDERS FROM ORDERS LIMIT 0, 1000
6 08:30:28 SELECT PRODUCT_ID, SUM(QUANTITY) AS TOTAL_QUANTITY FROM ORDER
7 08:30:43 SELECT CITY, COUNT(*) AS TOTAL_ORDERS FROM ORDERS GROUP BY CIT...
8 08:30:58 SELECT C.CUSTOMER_NAME, O.ORDER_ID FROM CUSTOMERS C JOIN ORD


SCHEMAS
Limit to 1000 rows
FROM ORDERS O
JOIN ORDER_ITEMS OI
ON O.ORDER_ID = OI.ORDER_ID
JOIN PRODUCTS P
ON OI.PRODUCT_ID = P.PRODUCT_ID;
ORDER_ID
PRODUCT_NAME
Action Output



SELECT C.CUSTOMER_NAME, SUM(OI.QUANTITY) AS TOTAL_QUANTITY
FROM CUSTOMERS C
JOIN ORDERS O
ON C.CUSTOMER_ID = O.CUSTOMER_ID
JOIN ORDER_ITEMS OI
CUSTOMER_NAME
TOTAL_QUANTITY
Rahul Sharma
4
Priya Mehta
Amit Patel
Sneha Reddy
Karan Verma
Schema: shopkart_db
Action Output
SELECT COUNT(*) AS TOTAL_ORDERS FROM ORDERS LIMIT 0, 1000
SELECT CITY, COUNT(*) AS TOTAL_ORDERS FROM ORDERS GROUP BY CIT...
SELECT C.CUSTOMER_NAME, O.ORDER_ID FROM CUSTOMERS C JOIN ORD...



SCHEMAS
company_db
classjoin
retail_db
shopkart_db
Tables
Views
Stored Procedures
Functions
smartmart_db
Schema: shopkart_db
Limit to 1000 rows
FROM CUSTOMERS C
JOIN ORDERS O
ON C.CUSTOMER_ID = O.CUSTOMER_ID
JOIN ORDER_ITEMS OI
ON O.ORDER_ID = OI.ORDER_ID
GROUP BY C.CUSTOMER_NAME;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
CUSTOMER_NAME TOTAL_QUANTITY
Rahul Sharma 4
Priya Mehta 3
Amit Patel 3
Sneha Reddy 1
Karan Verma 3
Output
Action Output
Time Action Message
5 08:30:19 SELECT COUNT(*) AS TOTAL_ORDERS FROM ORDERS LIMIT 0, 1000
6 08:30:28 SELECT PRODUCT_ID, SUM(QUANTITY) AS TOTAL_QUANTITY FROM ORDER...
7 08:30:43 SELECT CITY, COUNT(*) AS TOTAL_ORDERS FROM ORDERS GROUP BY CIT
8 08:30:50 SELECT C.CUSTOMER_NAME, O.ORDER_ID FROM CUSTOMERS C JOIN ORD
9 08:32:38 SELECT O.ORDER_ID, P.PRODUCT_NAME FROM ORDERS O JOIN ORDER_IT
10 08:33:12 SELECT C.CUSTOMER_NAME, SUM(OI.QUANTITY) AS TOTAL_QUANTITY FR...



Query 1
SCHEMAS
shopkart_db
Tables
Views
Stored Procedures
Functions
smartmart_db
Schemas
Schema: shopkart_db
Limit to 1000 rows
161
162 # Q10 PROFIT PER PRODUCT
163 SELECT PRODUCT_NAME, (PRICE - COST) AS PROFIT_PER_UNIT
164 FROM PRODUCTS;
165
166 # Q11 CATEGORY-WISE TOTAL PROFIT
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
PRODUCT_NAME
PROFIT_PER_UNIT
Laptop 15000.00
Mobile 8000.00
Headphones 800.00
T-Shirt 500.00
Jeans 1100.00
Result 10
Output
Action Output
Time
Action
Message
6 08:30:28 SELECT PRODUCT_ID, SUM(QUANTITY) AS TOTAL_QUANTITY FROM ORDER...
7 08:30:43 SELECT CITY, COUNT(*) AS TOTAL_ORDERS FROM ORDERS GROUP BY CIT...
8 08:30:58 SELECT C.CUSTOMER_NAME, O.ORDER_ID FROM CUSTOMERS C JOIN ORD...
9 08:32:38 SELECT O.ORDER_ID, P.PRODUCT_NAME FROM ORDERS O JOIN ORDER_IT...
10 08:33:12 SELECT C.CUSTOMER_NAME, SUM(QUANTITY) AS TOTAL_QUANTITY FR...



Q11 CATEGORY WISE TOTAL PROFIT
SELECT CAT.CATEGORY_NAME,
SUM((P.PRICE - P.COST) * OI.QUANTITY) AS TOTAL_PROFIT
FROM ORDER_ITEMS OI
JOIN PRODUCTS P
ON OI.PRODUCT_ID = P.PRODUCT_ID
Limit to 1000 rows
shopkart_db
Tables
Views
Stored Procedures
Functions
Result Grid
Export:
Wrap Cell Content:
CATEGORY_NAME
TOTAL_PROFIT
Electronics 35000.00
Fashion 5200.00
Home Appliances 18000.00
Schema: shopkart_db
Action Output
Time
Action
Message
7 08:30:43 SELECT CITY, COUNT(*) AS TOTAL_ORDERS FROM ORDERS GROUP BY CIT...
8 08:30:58 SELECT C.CUSTOMER_NAME, O.ORDER_ID FROM CUSTOMERS C JOIN ORD...
9 08:32:30 SELECT O.ORDER_ID, P.PRODUCT_NAME FROM ORDERS O JOIN ORDER_IT...
10 08:33:12 SELECT C.CUSTOMER_NAME, SUM(OI.QUANTITY) AS TOTAL_QUANTITY FR...
11 08:33:38 SELECT PRODUCT_NAME, (PRICE - COST) AS PROFIT_PER_UNIT FROM PRO...
12 08:33:51 SELECT CAT.CATEGORY_NAME, SUM((P.PRICE - P.COST) * OI.QUANTITY) AS...



ON OI.PRODUCT_ID = P.PRODUCT_ID
JOIN CATEGORIES CAT
ON P.CATEGORY_ID = CAT.CATEGORY_ID
GROUP BY CAT.CATEGORY_NAME;
CATEGORY_NAME
TOTAL_PROFIT
Electronics
35000.00
Fashion
5300.00
Home Appliances
18000.00
Schema: shopkart_db
Action Output
Time
Action
Message
SELECT CITY, COUNT(*) AS TOTAL_ORDERS FROM ORDERS GROUP BY CIT...
SELECT C.CUSTOMER_NAME, O.ORDER_ID FROM CUSTOMERS C JOIN ORD...
SELECT O.ORDER_ID, P.PRODUCT_NAME FROM ORDERS O JOIN ORDER_IT...
SELECT C.CUSTOMER_NAME, SUM(OI.QUANTITY) AS TOTAL_QUANTITY FR...
SELECT PRODUCT_NAME, (PRICE - COST) AS PROFIT_PER_UNIT FROM PRO...
SELECT CAT.CATEGORY_NAME, SUM((P.PRICE - P.COST) * OI.QUANTITY) AS...


SCHEMAS
company_db
shopkart_db
Tables
Views
Stored Procedures
Functions
Schemas
Schema: shopkart_db
-- Q12 CUSTOMERS WITH MORE THAN 1 ORDER
SELECT CUSTOMER_ID, COUNT(*) AS TOTAL_ORDERS
FROM ORDERS
GROUP BY CUSTOMER_ID
HAVING COUNT(*) > 1;
Result Grid
Filter Rows:
Export:
CUSTOMER_ID
TOTAL_ORDERS
1
2
2
2
Action Output
Time
Action
8 08:30:58 SELECT C.CUSTOMER_NAME, O.ORDER_ID FROM CUSTOMERS C JOIN ORD...
9 08:32:39 SELECT O.ORDER_ID, P.PRODUCT_NAME FROM ORDERS O JOIN ORDER_IT...
10 08:33:12 SELECT C.CUSTOMER_NAME, SUM(OI.QUANTITY) AS TOTAL_QUANTITY FR...
11 08:33:38 SELECT PRODUCT_NAME, (PRICE - COST) AS PROFIT_PER_UNIT FROM PRO...
12 08:33:53 SELECT CAT.CATEGORY_NAME, SUM((P.PRICE - P.COST) * OI.QUANTITY) AS...



Q13 CUSTOMERS ABOVE AVERAGE PURCHASE QUANTITY
SELECT CUSTOMER_ID, SUM(QUANTITY) AS TOTAL_QUANTITY
FROM ORDERS O
JOIN ORDER_ITEMS OI
ON O.ORDER_ID = OI.ORDER_ID
GROUP BY CUSTOMER_ID
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
CUSTOMER_ID TOTAL_QUANTITY
1 4
2 3
3 3
5 3
7 3
Result 13
Action Output
Time Action Message
9 08:32:38 SELECT O.ORDER_ID, P.PRODUCT_NAME FROM ORDERS O JOIN ORDER_IT...
10 08:33:12 SELECT C.CUSTOMER_NAME, SUM(OI.QUANTITY) AS TOTAL_QUANTITY FR...
11 08:33:38 SELECT PRODUCT_NAME, (PRICE - COST) AS PROFIT_PER_UNIT FROM PRO...
12 08:33:53 SELECT CAT.CATEGORY_NAME, SUM((P.PRICE - P.COST) * OI.QUANTITY) AS
13 08:34:21 SELECT CUSTOMER_ID, COUNT(*) AS TOTAL_ORDERS FROM ORDERS GRO...
SCHEMAS
company_db
shopkart_db
Tables
Views
Stored Procedures
Functions
Schema: shopkart_db
Limit to 1000 rows



SCHEMAS
company_db
retail_db
shopkart_db
Tables
Views
Stored Procedures
Functions
Schema: shopkart_db
Limit to 1000 rows
187 GROUP BY CUSTOMER_ID
188 HAVING SUM(QUANTITY) > (
189 SELECT AVG(QUANTITY) FROM ORDER_ITEMS
190);
191
192 # Q14 CITY WITH HIGHEST REVENUE
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
CUSTOMER_ID TOTAL_QUANTITY
Output
Action Output
Time Action Message
9 08:32:38 SELECT O.ORDER_ID, P.PRODUCT_NAME FROM ORDERS O JOIN ORDER_IT...
10 08:33:12 SELECT C.CUSTOMER_NAME, SUM(OI.QUANTITY) AS TOTAL_QUANTITY FR...
11 08:33:38 SELECT PRODUCT_NAME, (PRICE - COST) AS PROFIT_PER_UNIT FROM PRO...
12 08:33:53 SELECT CAT.CATEGORY_NAME, SUM((P.PRICE - P.COST) * OI.QUANTITY) AS ...
13 08:34:21 SELECT CUSTOMER_ID, COUNT(*) AS TOTAL_ORDERS FROM ORDERS GRO...
14 08:34:40 SELECT CUSTOMER_ID, SUM(QUANTITY) AS TOTAL_QUANTITY FROM ORDE...



File Edit View Query Database Server Tools Scripting Help
SCHEMAS
company_db
company_subquery
e2e
retail_db
school
shopkart_db
Tables
Views
Stored Procedures
Functions
smartmart_db
Limit to 1000 rows
Q14 CITY WITH HIGHEST REVENUE
SELECT O.CITY,
SUM(P.PRICE * OI.QUANTITY) AS REVENUE
FROM ORDERS O
JOIN ORDER_ITEMS OI
ON O.ORDER_ID = OI.ORDER_ID
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
CITY REVENUE
Delhi 133800.00
Schema: shopkart_db
Output
Action Output
Time Action
10 08:33:12 SELECT C.CUSTOMER_NAME, SUM(OI.QUANTITY) AS TOTAL_QUANTITY FR...
11 08:33:38 SELECT PRODUCT_NAME, (PRICE - COST) AS PROFIT_PER_UNIT FROM PRO...
12 08:33:53 SELECT CAT.CATEGORY_NAME, SUM((P.PRICE - P.COST) * OI.QUANTITY) AS...
13 08:34:21 SELECT CUSTOMER_ID, COUNT(*) AS TOTAL_ORDERS FROM ORDERS GRO...
14 08:34:40 SELECT CUSTOMER_ID, SUM(QUANTITY) AS TOTAL_QUANTITY FROM ORDE...
15 08:35:06 SELECT O.CITY, SUM(P.PRICE * OI.QUANTITY) AS REVENUE FROM ORDERS...



File Edit View Query Database Server Tools Scripting Help
SCHEMAS
company_db
shopkart_db
Tables
Views
Stored Procedures
Functions
Schema: shopkart_db
ON O.ORDER_ID = OI.ORDER_ID
JOIN PRODUCTS P
ON OI.PRODUCT_ID = P.PRODUCT_ID
GROUP BY O.CITY
ORDER BY REVENUE DESC
LIMIT 1;
Limit to 1000 rows
CITY REVENUE
Delhi 133800.00
Action Output
Time Action
SELECT C.CUSTOMER_NAME, SUM(OI.QUANTITY) AS TOTAL_QUANTITY
SELECT PRODUCT_NAME, (PRICE - COST) AS PROFIT_PER_UNIT FROM
SELECT CUSTOMER_ID, COUNT(*) AS TOTAL_ORDERS FROM ORDERS
SELECT O.CITY, SUM(P.PRICE * OI.QUANTITY) AS REVENUE FROM ORDERS



MySQL Workbench
File
Edit
View
Query
Database
Server
Tools
Scripting
Help
SCHEMAS
company_db
company_subquery
retail_db
school
selfjoin
shopkart_db
Tables
Views
Stored Procedures
Functions
smartmart_db
Schema: shopkart_db
Q15 MOST PROFITABLE PRODUCT
SELECT P.PRODUCT_NAME,
SUM((P.PRICE - P.COST) * OI.QUANTITY) AS TOTAL_PROFIT
FROM ORDER_ITEMS OI
JOIN PRODUCTS P
ON OI.PRODUCT_ID = P.PRODUCT_ID
Result Grid
Filter Rows
Export
Wrap Cell Content
PRODUCT_NAME
TOTAL_PROFIT
Mobile
16000.00
Output
Action Output
Time
Action
Message
11 08:33:38 SELECT PRODUCT_NAME, (PRICE - COST) AS PROFIT_PER_UNIT FROM PRO...
12 08:33:53 SELECT CAT.CATEGORY_NAME, SUM((P.PRICE - P.COST) * OI.QUANTITY) AS ...
13 08:34:21 SELECT CUSTOMER_ID, COUNT(*) AS TOTAL_ORDERS FROM ORDERS GRO...
14 08:34:40 SELECT CUSTOMER_ID, SUM(QUANTITY) AS TOTAL_QUANTITY FROM ORDE...
15 08:35:06 SELECT O.CITY, SUM(P.PRICE * OI.QUANTITY) AS REVENUE FROM ORDERS ...
16 08:35:33 SELECT P.PRODUCT_NAME, SUM((P.PRICE - P.COST) * OI.QUANTITY) AS TOT...
Search


SCHEMAS
shopkart_db
Tables
Views
Stored Procedures
Functions
ON OI.PRODUCT_ID = P.PRODUCT_ID
GROUP BY P.PRODUCT_NAME
ORDER BY TOTAL_PROFIT DESC
LIMIT 1;
Q16 MONTHLY ORDER TREND
Result Grid
PRODUCT_NAME
TOTAL_PROFIT
Mobile
18000.00
Output
Action Output
Time
Action
11 08:33:38 SELECT PRODUCT_NAME, (PRICE - COST) AS PROFIT_PER_UNIT FROM PRO...
12 08:33:51 SELECT CAT.CATEGORY_NAME, SUM((P.PRICE - P.COST) * OI.QUANTITY) AS ...
13 08:34:21 SELECT CUSTOMER_ID, COUNT(*) AS TOTAL_ORDERS FROM ORDERS GRO...
14 08:34:40 SELECT CUSTOMER_ID, SUM(QUANTITY) AS TOTAL_QUANTITY FROM ORDE...
15 08:35:05 SELECT O.CITY, SUM(P.PRICE * OI.QUANTITY) AS REVENUE FROM ORDERS ...
16 08:35:33 SELECT P.PRODUCT_NAME, SUM((P.PRICE - P.COST) * OI.QUANTITY) AS TOT...
Schema: shopkart_db



SCHEMAS
company_db
company_subquery
retail_db
shopkart_db
Tables
Views
Stored Procedures
Functions
Schema: shopkart_db
Q16 MONTHLY ORDER TREND
SELECT MONTH(ORDER_DATE) AS MONTH,
COUNT(*) AS TOTAL_ORDERS
FROM ORDERS
GROUP BY MONTH(ORDER_DATE);
Limit to 1000 rows
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
MONTH
TOTAL_ORDERS
1
6
2
4
Output
Action Output
Time
Action
Message
12 00:33:53 SELECT CAT.CATEGORY_NAME, SUM((P.PRICE - P.COST) * OI.QUANTITY) AS ...
13 00:34:21 SELECT CUSTOMER_ID, COUNT(*) AS TOTAL_ORDERS FROM ORDERS GRO...
14 00:34:40 SELECT CUSTOMER_ID, SUM(QUANTITY) AS TOTAL_QUANTITY FROM ORDE...
15 00:35:05 SELECT O.CITY, SUM(P.PRICE * OI.QUANTITY) AS REVENUE FROM ORDERS ...
16 00:35:33 SELECT P.PRODUCT_NAME, SUM((P.PRICE - P.COST) * OI.QUANTITY) AS TOT...
17 00:35:50 SELECT MONTH(ORDER_DATE) AS MONTH, COUNT(*) AS TOTAL_ORDERS F...



MySQL Workbench
Query Edit View Query Database Server Tools Scripting Help
SCHEMAS
shopkart_db
Tables
Views
Stored Procedures
Functions
Limit to 1000 rows
CAPSTONE TOP 3 CUSTOMERS BY PURCHASE
SELECT C.CUSTOMER_NAME, SUM(OI.QUANTITY) AS TOTAL_PURCHASE
FROM CUSTOMERS C
JOIN ORDERS O
ON C.CUSTOMER_ID = O.CUSTOMER_ID
JOIN ORDER_ITEMS OI
Result Grid
Filter Rows:
Export:
CUSTOMER_NAME
TOTAL_PURCHASE
Rahul Sharma 4
Priya Mehta 3
Amit Patel 3
Schema: shopkart_db
Output
Action Output
Time
Action
13 08:34:21 SELECT CUSTOMER_ID, COUNT(*) AS TOTAL_ORDERS FROM ORDERS GRO...
14 08:34:40 SELECT CUSTOMER_ID, SUM(QUANTITY) AS TOTAL_QUANTITY FROM ORDE...
15 08:35:05 SELECT O.CITY, SUM(P.PRICE * OI.QUANTITY) AS REVENUE FROM ORDERS ...
16 08:35:33 SELECT P.PRODUCT_NAME, SUM((P.PRICE - P.COST) * OI.QUANTITY) AS TOT...
17 08:35:58 SELECT MONTH(ORDER_DATE) AS MONTH, COUNT(*) AS TOTAL_ORDERS F...


ON O.ORDER_ID = OI.ORDER_ID
GROUP BY C.CUSTOMER_NAME
ORDER BY TOTAL_PURCHASE DESC
CAPSTONE REVENUE PER CITY
CUSTOMER_NAME
TOTAL_PURCHASE
Rahul Sharma
Schema: shopkart_db
Action Output
SELECT CUSTOMER_ID, COUNT(*) AS TOTAL_ORDERS FROM ORDERS
SELECT O.CITY, SUM(P.PRICE * OI.QUANTITY) AS REVENUE FROM ORDERS
SELECT C.CUSTOMER_NAME, SUM(OI.QUANTITY) AS TOTAL_PURCHASE


SCHEMAS
shopkart_db
Tables
Views
Stored Procedures
Functions
Schema: shopkart_db
CAPSTONE REVENUE PER CITY
SELECT O.CITY, SUM(P.PRICE * OI.QUANTITY) AS REVENUE
FROM ORDERS O
JOIN ORDER_ITEMS OI
ON O.ORDER_ID = OI.ORDER_ID
JOIN PRODUCTS P
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
CITY
REVENUE
Delhi
133800.00
Mumbai
31600.00
Chennai
30000.00
Pune
6000.00
Ahmedabad
2400.00
Output
Action Output
Time
Action
14 08:34:40 SELECT CUSTOMER_ID, SUM(QUANTITY) AS TOTAL_QUANTITY FROM ORDE...
15 08:35:05 SELECT O.CITY, SUM(P.PRICE * OI.QUANTITY) AS REVENUE FROM ORDERS ...
17 08:35:58 SELECT MONTH(ORDER_DATE) AS MONTH, COUNT(*) AS TOTAL_ORDERS F
18 08:36:25 SELECT C.CUSTOMER_NAME, SUM(OI.QUANTITY) AS TOTAL_PURCHASE FR...



ON O.ORDER_ID = OI.ORDER_ID
JOIN PRODUCTS P
ON OI.PRODUCT_ID = P.PRODUCT_ID
GROUP BY O.CITY;
CAPSTONE PROFIT PER CATEGORY
Limit to 1000 rows
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
CITY
REVENUE
Delhi
133800.00
Mumbai
31600.00
Chennai
30000.00
Pune
4000.00
Ahmedabad
2400.00
Action Output
Time
Action
14 00:34:40 SELECT CUSTOMER_ID, SUM(QUANTITY) AS TOTAL_QUANTITY FROM ORDE...
15 00:35:05 SELECT O.CITY, SUM(P.PRICE * OI.QUANTITY) AS REVENUE FROM ORDERS...
16 00:35:33 SELECT P.PRODUCT_NAME, SUM((P.PRICE - P.COST) * OI.QUANTITY) AS TOT...
17 00:35:55 SELECT MONTH(ORDER_DATE) AS MONTH, COUNT(*) AS TOTAL_ORDERS F...
18 00:36:25 SELECT C.CUSTOMER_NAME, SUM(OI.QUANTITY) AS TOTAL_PURCHASE FR...
19 00:36:56 SELECT O.CITY, SUM(P.PRICE * OI.QUANTITY) AS REVENUE FROM ORDERS...
Schema: shopkart_db



File Edit View Query Database Server Tools Scripting Help
SCHEMAS
shopkart_db
Tables
Views
Stored Procedures
Functions
smartmart_db
Limit to 1000 rows
CAPSTONE PROFIT PER CATEGORY
SELECT CAT.CATEGORY_NAME,
SUM((P.PRICE - P.COST) * OI.QUANTITY) AS PROFIT
FROM ORDER_ITEMS OI
JOIN PRODUCTS P
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
CATEGORY_NAME
PROFIT
Electronics
35000.00
Fashion
5200.00
Home Appliances
18000.00
Result 14
Output
Action Output
Time
Action
Message
Schema: shopkart_db



File Edit View Query Database Server Tools Scripting Help
Query 1
SCHEMAS
shopkart_db
Tables
Views
Stored Procedures
Functions
ON OI.PRODUCT_ID = P.PRODUCT_ID
JOIN CATEGORIES CAT
ON P.CATEGORY_ID = CAT.CATEGORY_ID
GROUP BY CAT.CATEGORY_NAME;
CAPSTONE REPEAT CUSTOMERS COUNT
Result Grid
Filter Rows:
Export:
CATEGORY_NAME
PROFIT
Electronics
35000.00
Fashion
5200.00
Home Appliances
18000.00
Schema: shopkart_db
Output
Action Output
Time
Action
15 08:35:05 SELECT O.CITY, SUM(P.PRICE * OI.QUANTITY) AS REVENUE FROM ORDERS ...
16 08:35:33 SELECT P.PRODUCT_NAME, SUM((P.PRICE - P.COST) * OI.QUANTITY) AS TOT...
17 08:35:58 SELECT MONTH(ORDER_DATE) AS MONTH, COUNT(*) AS TOTAL_ORDERS F...
18 08:36:25 SELECT C.CUSTOMER_NAME, SUM(OI.QUANTITY) AS TOTAL_PURCHASE FR...
19 08:36:55 SELECT O.CITY, SUM(P.PRICE * OI.QUANTITY) AS REVENUE FROM ORDERS ...
20 08:37:30 SELECT CAT.CATEGORY_NAME, SUM((P.PRICE - P.COST) * OI.QUANTITY) AS ...



CAPSTONE REPEAT CUSTOMERS COUNT
SELECT COUNT(*) AS REPEAT_CUSTOMERS
FROM (
SELECT CUSTOMER_ID
FROM ORDERS
GROUP BY CUSTOMER_ID
SCHEMAS
shopkart_db
Tables
Views
Stored Procedures
Functions
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
REPEAT_CUSTOMERS
2
Schema: shopkart_db
Action Output
Time
Action
Message
16 08:35:33 SELECT P.PRODUCT_NAME, SUM(P.PRICE - P.COST) * OI.QUANTITY) AS TOT...
17 08:35:58 SELECT MONTH(ORDER_DATE) AS MONTH, COUNT(*) AS TOTAL_ORDERS F...
18 08:36:25 SELECT C.CUSTOMER_NAME, SUM(OI.QUANTITY) AS TOTAL_PURCHASED FR...
19 08:36:50 SELECT O.CITY, SUM(P.PRICE * OI.QUANTITY) AS REVENUE FROM ORDERS...
20 08:37:30 SELECT CAT.CATEGORY_NAME, SUM(P.PRICE - P.COST) * OI.QUANTITY) AS...
21 08:38:02 SELECT COUNT(*) AS REPEAT_CUSTOMERS FROM (SELECT CUSTOMER_...



SCHEMAS
SELECT CUSTOMER_ID
FROM ORDERS
GROUP BY CUSTOMER_ID
HAVING COUNT(*) > 1
) AS T;
Result Grid
Export:
REPEAT_CUSTOMERS
12
Output
Action Output
Time
Action
SELECT COUNT(*) AS REPEAT_CUSTOMERS FROM (



SCHEMAS
shopkart_db
Tables
Views
Stored Procedures
Functions
Schema: shopkart_db
CAPSTONE: CANCELLED ORDER PERCENTAGE
SELECT
FROM ORDERS;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
CANCEL_PERCENTAGE
20.00000
Output
Action Output
Time
Action
Message
18 08:36:25 SELECT C.CUSTOMER_NAME, SUM(OI.QUANTITY) AS TOTAL_PURCHASE FR...
19 08:36:55 SELECT O.CITY, SUM(P.PRICE * OI.QUANTITY) AS REVENUE FROM ORDERS...
20 08:37:30 SELECT CAT.CATEGORY_NAME, SUM((P.PRICE - P.COST) * OI.QUANTITY) AS...
21 08:38:02 SELECT COUNT(*) AS REPEAT_CUSTOMERS FROM (SELECT CUSTOMER_...
22 08:38:27 SELECT COUNT(*) AS REPEAT_CUSTOMERS FROM (SELECT CUSTOMER_...
23 08:38:31 SELECT (COUNT(CASE WHEN ORDER_STATUS = 'CANCELLED' THEN 1 END)...