

MySQL Workbench

Local instance MySQL80 x

Edit View Query Database Server Tools Scripting Help

Navigator

Filter objects

- company_db
- join_1
- Tables
- Views
- Stored Procedures
- Functions
- retail_db
- school
- smartmart_db**
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- test

Administration Schemas

Schema: smartmart_db

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6*

Limit to 1000 rows

```
66 (1011,3,105,1,'2024-01-18'),
67 (1012,4,101,1,'2024-01-19');
68
69 #Q1 display all customers
70 • SELECT * FROM customers;
71
```

Result Grid

	customer_id	customer_name	city	age
▶ 1	1	Rahul Sharma	Delhi	28
2	2	Priya Verma	Mumbai	32
3	3	Amit Singh	Bangalore	25
4	4	Neha Kapoor	Delhi	29
5	5	Rohit Mehta	Pune	35

customers 1 x

Output

Action Output

#	Time	Action	Message
✓ 46	15:11:48	CREATE TABLE products (product_id INT PRIMARY KEY, product_name VA...	0 row(s) affected
✓ 47	15:11:53	CREATE TABLE sales (order_id INT PRIMARY KEY, customer_id INT, pro...	0 row(s) affected
✓ 48	15:11:59	INSERT INTO customers VALUES (1,'Rahul Sharma','Delhi',28), (2,'Priya Verma','M...	8 row(s) affected Records: 8 Duplicates: 0 W
✓ 49	15:12:05	INSERT INTO products VALUES (101,'Laptop','Electronics',80000), (102,'Smartpho...	8 row(s) affected Records: 8 Duplicates: 0 W
✓ 50	15:12:09	INSERT INTO sales VALUES (1001,1,101,1,'2024-01-10'), (1002,2,102,2,'2024-01-...	12 row(s) affected Records: 12 Duplicates: 0
✓ 51	15:13:44	SELECT * FROM customers LIMIT 0, 1000	8 row(s) returned

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- company_db
- join_1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- retail_db
- school
- smartmart_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- test

Administration Schemas

Schema: smartmart_db

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6*

Limit to 1000 rows

```
70 • SELECT * FROM customers;
71
72 -- Q2 show only customer name and city
73 • SELECT customer_name, city FROM customers;
74
75 -- Q3 Display all products in the Electronics category.
```

Result Grid

	customer_name	city
▶	Rahul Sharma	Delhi
	Priya Verma	Mumbai
	Amit Singh	Bangalore
	Neha Kapoor	Delhi
	Rohit Mehta	Pune

customers 2 x

Output

Action Output

#	Time	Action	Message
✓ 47	15:11:53	CREATE TABLE sales (order_id INT PRIMARY KEY, customer_id INT, pro...	0 row(s) affected
✓ 48	15:11:59	INSERT INTO customers VALUES (1,'Rahul Sharma','Delhi',28), (2,'Priya Verma','M...	8 row(s) affected Records: 8 Duplica
✓ 49	15:12:05	INSERT INTO products VALUES (101,'Laptop','Electronics',80000), (102,'Smartpho...	8 row(s) affected Records: 8 Duplica
✓ 50	15:12:09	INSERT INTO sales VALUES (1001,1,101,1,'2024-01-10'), (1002,2,102,2,'2024-01-...	12 row(s) affected Records: 12 Dupl
✓ 51	15:13:44	SELECT * FROM customers LIMIT 0, 1000	8 row(s) returned
✓ 52	15:34:57	SELECT customer_name, city FROM customers LIMIT 0, 1000	8 row(s) returned

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- company_db
- join_1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- retail_db
- school
- smartmart_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- test

Administration Schemas

Information

Schema: smartmart_db

Object Info Session

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6*

Limit to 1000 rows

```
73 • SELECT customer_name, city FROM customers;
74
75 -- Q3Display all products in the Electronics category.
76 • SELECT * FROM products WHERE category = 'Electronics';
77
78 -- Q4Show products with price greater than 10,000.
```

Result Grid

	product_id	product_name	category	price
▶	101	Laptop	Electronics	80000.00
	102	Smartphone	Electronics	40000.00
	103	Headphones	Electronics	2000.00
•	NULL	NULL	NULL	NULL

products 3 x

Output

Action Output

#	Time	Action	Message
✓ 48	15:11:59	INSERT INTO customers VALUES (1,'Rahul Sharma','Delhi',28). (2,'Priya Verma','M...	8 row(s) affected Records: 8 Duplicates
✓ 49	15:12:05	INSERT INTO products VALUES (101,'Laptop','Electronics',80000). (102,'Smartpho...	8 row(s) affected Records: 8 Duplicates
✓ 50	15:12:09	INSERT INTO sales VALUES (1001,1,101,1,'2024-01-10'). (1002,2,102,2,'2024-01-...	12 row(s) affected Records: 12 Duplicates
✓ 51	15:13:44	SELECT * FROM customers LIMIT 0, 1000	8 row(s) returned
✓ 52	15:34:57	SELECT customer_name, city FROM customers LIMIT 0, 1000	8 row(s) returned
✓ 53	15:35:12	SELECT * FROM products WHERE category = 'Electronics' LIMIT 0, 1000	3 row(s) returned

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help



Navigator

SCHEMAS

Filter objects

- company_db
- join_1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- retail_db
- school
- smartmart_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- test

Administration Schemas

Information

Schema: smartmart_db

Object Info Session

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6*

Limit to 1000 rows

```
75 -- Q3Display all products in the Electronics category.
76 • SELECT * FROM products WHERE category = 'Electronics';
77
78 -- Q4Show products with price greater than 10,000.
79 • SELECT * FROM products WHERE price > 10000;
80
```

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:

product_id	product_name	category	price
101	Laptop	Electronics	80000.00
102	Smartphone	Electronics	40000.00
107	Refrigerator	Home Appliances	30000.00
108	Air Conditioner	Home Appliances	45000.00

products 4 x

Output

Action Output

#	Time	Action	Message
49	15:12:05	INSERT INTO products VALUES (101,'Laptop','Electronics',80000), (102,'Smartpho...	8 row(s) affected Records: 8 Duplicates: 0 Warnings: 0
50	15:12:09	INSERT INTO sales VALUES (1001,1,101,1,'2024-01-10'), (1002,2,102,2,'2024-01-...	12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0
51	15:13:44	SELECT * FROM customers LIMIT 0, 1000	8 row(s) returned
52	15:34:57	SELECT customer_name, city FROM customers LIMIT 0, 1000	8 row(s) returned
53	15:35:12	SELECT * FROM products WHERE category = 'Electronics' LIMIT 0, 1000	3 row(s) returned
54	15:35:28	SELECT * FROM products WHERE price > 10000 LIMIT 0, 1000	4 row(s) returned

6 33°C
Sunny

Q Search



MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help



Navigator

SCHEMAS

Filter objects

- company_db
- Join_1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- retail_db
- school
- smartmart_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- test

Administration Schemas

Information

Schema: smartmart_db

Object Info Session

Query 1

SQL File 3*

SQL File 4*

SQL File 5*

SQL File 6*

Limit to 1000 rows

```

80
81 -- Q5Display unique categories.
82 SELECT DISTINCT category FROM products;
83
84 -- Q6Show customers who live in Delhi.
85 SELECT * FROM customers WHERE city = 'Delhi';
    
```

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

category
Electronics
Clothing
Home Appliances

products 5 x

Read

Output

Action Output

#	Time	Action	Message
50	15:12:09	INSERT INTO sales VALUES (1001,1,101,1,'2024-01-10'), (1002,2,102,2,'2024-01-...	12 row(s) affected Records: 12 Duplicates:
51	15:13:44	SELECT * FROM customers LIMIT 0, 1000	8 row(s) returned
52	15:34:57	SELECT customer_name, city FROM customers LIMIT 0, 1000	8 row(s) returned
53	15:35:12	SELECT * FROM products WHERE category = 'Electronics' LIMIT 0, 1000	3 row(s) returned
54	15:35:28	SELECT * FROM products WHERE price > 10000 LIMIT 0, 1000	4 row(s) returned
55	15:35:41	SELECT DISTINCT category FROM products LIMIT 0, 1000	3 row(s) returned

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- company_db
- join_1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- retail_db
- school
- smartmart_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- test

Administration Schemas

Information

Schema: smartmart_db

Object Info Session

Query 1

SQL File 3*

SQL File 4*

SQL File 5*

SQL File 6*

Limit to 1000 rows

```
80
81 -- Q5Display unique categories.
82 • SELECT DISTINCT category FROM products;
83
84 -- Q6Show customers who live in Delhi.
85 • SELECT * FROM customers WHERE city = 'Delhi';
```

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

	customer_id	customer_name	city	age
▶	1	Rahul Sharma	Delhi	28
	4	Neha Kapoor	Delhi	29
+	NULL	NULL	NULL	NULL

customers 6 x

Apply

Refresh

Output

Action Output

#	Time	Action	Message
✓ 51	15:13:44	SELECT * FROM customers LIMIT 0, 1000	8 row(s) returned
✓ 52	15:14:57	SELECT customer_name, city FROM customers LIMIT 0, 1000	8 row(s) returned
✓ 53	15:15:12	SELECT * FROM products WHERE category = 'Electronics' LIMIT 0, 1000	3 row(s) returned
✓ 54	15:15:28	SELECT * FROM products WHERE price > 10000 LIMIT 0, 1000	4 row(s) returned
✓ 55	15:15:41	SELECT DISTINCT category FROM products LIMIT 0, 1000	3 row(s) returned
✓ 56	15:15:55	SELECT * FROM customers WHERE city = 'Delhi' LIMIT 0, 1000	2 row(s) returned

33°C
Sunny

Search



MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help



Navigator

SCHEMAS

Filter objects

- company_db
- join_1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- retail_db
- school
- smartmart_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- test

Administration Schemas

Information

Schema: smartmart_db

Object Info Session

6 33°C
Sunny

Query 1

SQL File 3*

SQL File 4*

SQL File 5*

SQL File 6*

Limit to 1000 rows

```
86
87 -- Q7Show customers with age greater than 30.
88 • SELECT * FROM customers WHERE age > 30;
89
90 -- Q8Display products with price between 2000 and 50000.
91 • SELECT * FROM products WHERE price BETWEEN 2000 AND 50000;
```

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

	customer_id	customer_name	city	age
▶	2	Priya Verma	Mumbai	32
	5	Rohit Mehta	Pune	35
	7	Karan Patel	Ahmedabad	31
•	NULL	NULL	NULL	NULL

customers 7 x

Output

Action Output

#	Time	Action	Message
✓ 52	15:34:57	SELECT customer_name, city FROM customers LIMIT 0, 1000	8 row(s) returned
✓ 53	15:35:12	SELECT * FROM products WHERE category = 'Electronics' LIMIT 0, 1000	3 row(s) returned
✓ 54	15:35:28	SELECT * FROM products WHERE price > 10000 LIMIT 0, 1000	4 row(s) returned
✓ 55	15:35:41	SELECT DISTINCT category FROM products LIMIT 0, 1000	3 row(s) returned
✓ 56	15:35:55	SELECT * FROM customers WHERE city = 'Delhi' LIMIT 0, 1000	2 row(s) returned
✓ 57	15:36:11	SELECT * FROM customers WHERE age > 30 LIMIT 0, 1000	3 row(s) returned



Search





SCHEMAS

Filter objects

- company_db
- join_1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- retail_db
- school
- smartmart_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- test

Administration Schemas

Information

Schema: smartmart_db

Object Info Session

6 33°C
Sunny

```
88 • SELECT * FROM customers WHERE age > 30;
89
90 -- Q8Display products with price between 2000 and 50000.
91 • SELECT * FROM products WHERE price BETWEEN 2000 AND 50000;
92
93 -- Q9Find orders placed after 2024-01-12.
```

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Contents:

	product_id	product_name	category	price
▶	102	Smartphone	Electronics	40000.00
	103	Headphones	Electronics	2000.00
	105	Jeans	Clothing	2000.00
	106	Microwave	Home Appliances	7000.00
	107	Refrigerator	Home Appliances	30000.00

products 8

Output

Action Output

#	Time	Action	Message
✓ 53	15:35:12	SELECT * FROM products WHERE category = 'Electronics' LIMIT 0, 1000	3 row(s) returned
✓ 54	15:35:28	SELECT * FROM products WHERE price > 10000 LIMIT 0, 1000	4 row(s) returned
✓ 55	15:35:41	SELECT DISTINCT category FROM products LIMIT 0, 1000	3 row(s) returned
✓ 56	15:35:55	SELECT * FROM customers WHERE city = 'Delhi' LIMIT 0, 1000	2 row(s) returned
✓ 57	15:36:11	SELECT * FROM customers WHERE age > 30 LIMIT 0, 1000	3 row(s) returned
✓ 58	15:36:23	SELECT * FROM products WHERE price BETWEEN 2000 AND 50000 LIMIT 0, 10...	6 row(s) returned



Search



MySQL Workbench
Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- company_db
- join_1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- retail_db
- school
- smartmart_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- test

Administration Schemas

Information

Schema: smartmart_db

Object Info Session

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6*

Limit to 1000 rows

```
91 • SELECT * FROM products WHERE price BETWEEN 2000 AND 50000;  
92  
93 -- Q9Find orders placed after 2024-01-12.  
94 • SELECT * FROM sales WHERE order_date > '2024-01-12';  
95  
96 -- Q10Display sales where quantity > 2.
```

Result Grid

	order_id	customer_id	product_id	quantity	order_date
▶	1005	5	103	4	2024-01-13
	1006	6	106	1	2024-01-14
	1007	7	108	1	2024-01-14
	1008	8	102	1	2024-01-15
	1009	1	103	2	2024-01-16

sales 9 x

Output

Action Output

#	Time	Action	Message
✓ 54	15:35:28	SELECT * FROM products WHERE price > 10000 LIMIT 0, 1000	4 row(s) returned
✓ 55	15:35:41	SELECT DISTINCT category FROM products LIMIT 0, 1000	3 row(s) returned
✓ 56	15:35:55	SELECT * FROM customers WHERE city = 'Delhi' LIMIT 0, 1000	2 row(s) returned
✓ 57	15:36:11	SELECT * FROM customers WHERE age > 30 LIMIT 0, 1000	3 row(s) returned
✓ 58	15:36:23	SELECT * FROM products WHERE price BETWEEN 2000 AND 50000 LIMIT 0, 10...	6 row(s) returned
✓ 59	15:36:31	SELECT * FROM sales WHERE order_date > '2024-01-12' LIMIT 0, 1000	8 row(s) returned

6 33°C Sunny

Search

Windows taskbar icons: File Explorer, Microsoft Edge, WhatsApp, Telegram, Slack, Zoom, Google Chrome, etc.

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help



Navigator

SCHEMAS

Filter objects

- company_db
- join_1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- retail_db
- school
- smartmart_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- test

Administration Schemas

Information

Schema: smartmart_db

Object Info Session

6 33°C
Sunny

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6*

Limit to 1000 rows

```
94 • SELECT * FROM sales WHERE order_date > '2024-01-12';
95
96 -- Q10Display sales where quantity > 2.
97 • SELECT * FROM sales WHERE quantity > 2;
98
99 -- Q11Display products sorted by price (highest first).
```

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:

	order_id	customer_id	product_id	quantity	order_date
▶	1003	3	104	3	2024-01-12
	1005	5	103	4	2024-01-13
	1010	2	104	5	2024-01-17
•	NULL	NULL	NULL	NULL	NULL

sales 10 x

Output

Action Output

#	Time	Action	Message
✓ 55	15:35:41	SELECT DISTINCT category FROM products LIMIT 0, 1000	3 row(s) returned
✓ 56	15:35:55	SELECT * FROM customers WHERE city = 'Delhi' LIMIT 0, 1000	2 row(s) returned
✓ 57	15:36:11	SELECT * FROM customers WHERE age > 30 LIMIT 0, 1000	3 row(s) returned
✓ 58	15:36:23	SELECT * FROM products WHERE price BETWEEN 2000 AND 50000 LIMIT 0, 10...	6 row(s) returned
✓ 59	15:36:31	SELECT * FROM sales WHERE order_date > '2024-01-12' LIMIT 0, 1000	8 row(s) returned
✓ 60	15:36:39	SELECT * FROM sales WHERE quantity > 2 LIMIT 0, 1000	3 row(s) returned



Search



MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- company_db
- join_1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- retail_db
- school
- smartmart_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- test

Administration Schemas

Information

Schema: smartmart_db

Object Info Session

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6*

Limit to 1000 rows

```
97 • SELECT * FROM sales WHERE quantity > 2;
98
99 -- Q11Display products sorted by price (highest first).
100 • SELECT * FROM products ORDER BY price DESC;
101
102 -- Q12Show top 3 most expensive products.
```

Result Grid

	product_id	product_name	category	price
▶	101	Laptop	Electronics	80000.00
	108	Air Conditioner	Home Appliances	45000.00
	102	Smartphone	Electronics	40000.00
	107	Refrigerator	Home Appliances	30000.00
	106	Microwave	Home Appliances	7000.00

products 11 x

Output

Action Output

#	Time	Action	Message
✓ 56	15:35:55	SELECT * FROM customers WHERE city = 'Delhi' LIMIT 0, 1000	2 row(s) returned
✓ 57	15:36:11	SELECT * FROM customers WHERE age > 30 LIMIT 0, 1000	3 row(s) returned
✓ 58	15:36:23	SELECT * FROM products WHERE price BETWEEN 2000 AND 50000 LIMIT 0, 10...	6 row(s) returned
✓ 59	15:36:31	SELECT * FROM sales WHERE order_date > '2024-01-12' LIMIT 0, 1000	8 row(s) returned
✓ 60	15:36:39	SELECT * FROM sales WHERE quantity > 2 LIMIT 0, 1000	3 row(s) returned
✓ 61	15:36:47	SELECT * FROM products ORDER BY price DESC LIMIT 0, 1000	8 row(s) returned

6 33°C

Search

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help



Navigator

SCHEMAS

Filter objects

- company_db
- join_1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- retail_db
- school
- smartmart_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- test

Administration Schemas

Information

Schema: smartmart_db

Object Info Session

Query 1

SQL File 3*

SQL File 4*

SQL File 5*

SQL File 6*



```
100 • SELECT * FROM products ORDER BY price DESC;
101
102 -- Q12Show top 3 most expensive products.
103 • SELECT * FROM products ORDER BY price DESC LIMIT 3;
104
105 -- Q13Display customers sorted by age ascending.
```

Result Grid

Filter Rows:

Edit:



Export/Import:



Wrap Cell Contents:

Fetch rows:

	product_id	product_name	category	price
▶	101	Laptop	Electronics	80000.00
	108	Air Conditioner	Home Appliances	45000.00
	102	Smartphone	Electronics	40000.00
•	NULL	NULL	NULL	NULL

products 12 x

Output

Action Output

#	Time	Action	Message
✓ 57	15:36:11	SELECT * FROM customers WHERE age > 30 LIMIT 0, 1000	3 row(s) returned
✓ 58	15:36:23	SELECT * FROM products WHERE price BETWEEN 2000 AND 50000 LIMIT 0, 10...	6 row(s) returned
✓ 59	15:36:31	SELECT * FROM sales WHERE order_date > '2024-01-12' LIMIT 0, 1000	8 row(s) returned
✓ 60	15:36:39	SELECT * FROM sales WHERE quantity > 2 LIMIT 0, 1000	3 row(s) returned
✓ 61	15:36:47	SELECT * FROM products ORDER BY price DESC LIMIT 0, 1000	8 row(s) returned
✓ 62	15:36:55	SELECT * FROM products ORDER BY price DESC LIMIT 3	3 row(s) returned

33°C
Sunny

Search



MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help



Navigator

SCHEMAS

Filter objects

- company_db
- join_1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- retail_db
- school
- smartmart_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- test

Administration Schemas

Information

Schema: smartmart_db

Object Info Session

Query 1

SQL File 3*

SQL File 4*

SQL File 5*

SQL File 6*

Limit to 1000 rows

```
102 -- Q12Show top 3 most expensive products.
103 SELECT * FROM products ORDER BY price DESC LIMIT 3;
104
105 -- Q13Display customers sorted by age ascending.
106 SELECT * FROM customers ORDER BY age;
107
```

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Contents

	customer_id	customer_name	city	age
▶	3	Amit Singh	Bangalore	25
	8	Sneha Reddy	Hyderabad	26
	6	Anjali Gupta	Mumbai	27
	1	Rahul Sharma	Delhi	28
	4	Neha Kapoor	Delhi	29

customers 13 x

Output

Action Output

#	Time	Action	Message
✓ 58	15:36:23	SELECT * FROM products WHERE price BETWEEN 2000 AND 50000 LIMIT 0, 10...	6 row(s) returned
✓ 59	15:36:31	SELECT * FROM sales WHERE order_date > '2024-01-12' LIMIT 0, 1000	8 row(s) returned
✓ 60	15:36:39	SELECT * FROM sales WHERE quantity > 2 LIMIT 0, 1000	3 row(s) returned
✓ 61	15:36:47	SELECT * FROM products ORDER BY price DESC LIMIT 0, 1000	8 row(s) returned
✓ 62	15:36:55	SELECT * FROM products ORDER BY price DESC LIMIT 3	3 row(s) returned
✓ 63	15:37:02	SELECT * FROM customers ORDER BY age LIMIT 0, 1000	8 row(s) returned

6 33°C
Sunny

Search



MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help



Navigator

SCHEMAS

Filter objects

- ▶ company_db
- ▼ join_1
 - ▶ Tables
 - ▶ Views
 - ▶ Stored Procedures
 - ▶ Functions
- ▶ retail_db
- ▶ school
- ▼ smartmart_db
 - ▶ Tables
 - ▶ Views
 - ▶ Stored Procedures
 - ▶ Functions
- ▶ sys
- ▶ test

Administration Schemas

Information

Schema: smartmart_db

Object Info Session

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6*



```

105 -- Q13Display customers sorted by age ascending.
106 • SELECT * FROM customers ORDER BY age;
107
108 -- Q14Show latest 5 orders.
109 • SELECT * FROM sales ORDER BY order_date DESC LIMIT 5;
110
  
```

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Contents: Fetch rows:

	order_id	customer_id	product_id	quantity	order_date
▶	1012	4	101	1	2024-01-19
	1011	3	105	1	2024-01-18
	1010	2	104	5	2024-01-17
	1009	1	103	2	2024-01-16
	1008	8	102	1	2024-01-15

sales 14 x

Output

Action Output

#	Time	Action	Message
✓ 59	15:36:31	SELECT * FROM sales WHERE order_date > '2024-01-12' LIMIT 0, 1000	8 row(s) returned
✓ 60	15:36:39	SELECT * FROM sales WHERE quantity > 2 LIMIT 0, 1000	3 row(s) returned
✓ 61	15:36:47	SELECT * FROM products ORDER BY price DESC LIMIT 0, 1000	8 row(s) returned
✓ 62	15:36:55	SELECT * FROM products ORDER BY price DESC LIMIT 3	3 row(s) returned
✓ 63	15:37:02	SELECT * FROM customers ORDER BY age LIMIT 0, 1000	8 row(s) returned
✓ 64	15:37:10	SELECT * FROM sales ORDER BY order_date DESC LIMIT 5	5 row(s) returned

6 33°C Sunny



Search



MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHMAS

Filter objects

- company_db
- join_1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- retail_db
- school
- smartmart_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- test

Administration Schemas

Information

Schema: smartmart_db

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6*

Limit to 1000 rows

```
110
111 -- Q15Find customers where city IS NULL
112 • UPDATE customers SET city = NULL WHERE customer_id = 8;
113
114 -- Q16Find customers where city IS NOT NULL
115 • SELECT * FROM customers WHERE city IS NULL;
```

Result Grid

	customer_id	customer_name	city	age
▶	8	Sneha Reddy	NULL	26
•	NULL	NULL	NULL	NULL

customers 15 x

Output

Action Output

#	Time	Action	Message
✓ 63	15:37:02	SELECT * FROM customers ORDER BY age LIMIT 0, 1000	8 row(s) returned
✓ 64	15:37:10	SELECT * FROM sales ORDER BY order_date DESC LIMIT 5	5 row(s) returned
✓ 65	15:37:17	UPDATE customers SET city = NULL WHERE customer_id = 8	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0
✓ 66	15:37:27	UPDATE customers SET city = NULL WHERE customer_id = 8	0 row(s) affected Rows matched: 1 Changed: 0 Warnings: 0
✓ 67	15:43:36	UPDATE customers SET city = NULL WHERE customer_id = 8	0 row(s) affected Rows matched: 1 Changed: 0 Warnings: 0
✓ 68	15:43:46	SELECT * FROM customers WHERE city IS NULL LIMIT 0, 1000	1 row(s) returned

Object Info Session

Hot days ahead 33°C

Search

Windows taskbar icons: Start, Search, File Explorer, Microsoft Edge, Visual Studio Code, MySQL Workbench, Google Chrome.

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- company_db
- join_1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- retail_db
- school
- smartmart_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- test

Administration Schemas

Information

Schema: smartmart_db

Object Info Session

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6*

Limit to 1000 rows

```
114 -- Q16Find customers where city IS NOT NULL
115 • SELECT * FROM customers WHERE city IS NULL;
116
117 -- Q17Find customers where city IS NOT NULL
118 • SELECT * FROM customers WHERE city IS NOT NULL;
119
```

Result Grid

	customer_id	customer_name	city	age
▶	1	Rahul Sharma	Delhi	28
	2	Priya Verma	Mumbai	32
	3	Amit Singh	Bangalore	25
	4	Neha Kapoor	Delhi	29
	5	Rohit Mehta	Pune	35

customers 16 x

Output

Action Output

#	Time	Action	Message
✓ 64	15:37:10	SELECT * FROM sales ORDER BY order_date DESC LIMIT 5	5 row(s) returned
✓ 65	15:37:17	UPDATE customers SET city = NULL WHERE customer_id = 8	1 row(s) affected Rows matched: 1 Chang
✓ 66	15:37:27	UPDATE customers SET city = NULL WHERE customer_id = 8	0 row(s) affected Rows matched: 1 Chang
✓ 67	15:43:36	UPDATE customers SET city = NULL WHERE customer_id = 8	0 row(s) affected Rows matched: 1 Chang
✓ 68	15:43:46	SELECT * FROM customers WHERE city IS NULL LIMIT 0, 1000	1 row(s) returned
✓ 69	15:44:19	SELECT * FROM customers WHERE city IS NOT NULL LIMIT 0, 1000	7 row(s) returned

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help



Navigator

SCHEMAS

Filter objects

- company_db
- join_1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- retail_db
- school
- smartmart_db**
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- test

Administration Schemas

Information

Schema: smartmart_db

Object Info

Session

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 5*

Limit to 1000 rows

```
117 -- Q17Find customers where city IS NOT NULL
118 • SELECT * FROM customers WHERE city IS NOT NULL;
119
120 -- Q18Find total number of customers.
121 • SELECT COUNT(*) FROM customers;
122
```

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

COUNT(*)
8

Result 17

Output

Action Output

#	Time	Action	Message
✓ 65	15:37:17	UPDATE customers SET city = NULL WHERE customer_id = 8	1 row(s) affected Rows matched: 1 Char
✓ 66	15:37:27	UPDATE customers SET city = NULL WHERE customer_id = 8	0 row(s) affected Rows matched: 1 Char
✓ 67	15:43:36	UPDATE customers SET city = NULL WHERE customer_id = 8	0 row(s) affected Rows matched: 1 Char
✓ 68	15:43:46	SELECT * FROM customers WHERE city IS NULL LIMIT 0, 1000	1 row(s) returned
✓ 69	15:44:19	SELECT * FROM customers WHERE city IS NOT NULL LIMIT 0, 1000	7 row(s) returned
✓ 70	15:44:35	SELECT COUNT(*) FROM customers LIMIT 0, 1000	1 row(s) returned

Hot days ahead
33°C



Search



MySQL Workbench
Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- company_db
- join_1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- retail_db
- school
- smartmart_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- test

Administration Schemas

Information

Schema: smartmart_db

Object Info Session

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6*

Limit to 1000 rows

```
121 SELECT COUNT(*) FROM customers;
122
123 -- Q19Find average product price.
124 SELECT AVG(price) FROM products;
125
126 -- Q20Find maximum product price.
```

Result Grid

AVG(price)
25850.000000

Filter Rows: Export: Wrap Cell Content:

Result 18 x

Output

Action Output

#	Time	Action	Message
66	15:37:27	UPDATE customers SET city = NULL WHERE customer_id = 8	0 row(s) affected Rows matched: 1 Changed:
67	15:43:36	UPDATE customers SET city = NULL WHERE customer_id = 8	0 row(s) affected Rows matched: 1 Changed:
68	15:43:46	SELECT * FROM customers WHERE city IS NULL LIMIT 0, 1000	1 row(s) returned
69	15:44:19	SELECT * FROM customers WHERE city IS NOT NULL LIMIT 0, 1000	7 row(s) returned
70	15:44:35	SELECT COUNT(*) FROM customers LIMIT 0, 1000	1 row(s) returned
71	15:44:51	SELECT AVG(price) FROM products LIMIT 0, 1000	1 row(s) returned

Hot days ahead

Search

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- company_db
- join_1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- retail_db
- school
- smartmart_db**
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- test

Administration Schemas

Information

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6*

Limit to 1000 rows

```
124 • SELECT AVG(price) FROM products;
125
126 -- Q20Find maximum product price.
127 • SELECT MAX(price) FROM products;
128
129 -- Q21Find total quantity sold.
```

Result Grid

	MAX(price)
▶	80000.00

Filter Rows: Export: Wrap Cell Content:

Result 19 x

Output

Action Output

#	Time	Action	Message
✓ 67	15:43:36	UPDATE customers SET city = NULL WHERE customer_id = 8	0 row(s) affected Rows matched: 1
✓ 68	15:43:46	SELECT * FROM customers WHERE city IS NULL LIMIT 0, 1000	1 row(s) returned
✓ 69	15:44:19	SELECT * FROM customers WHERE city IS NOT NULL LIMIT 0, 1000	7 row(s) returned
✓ 70	15:44:35	SELECT COUNT(*) FROM customers LIMIT 0, 1000	1 row(s) returned
✓ 71	15:44:51	SELECT AVG(price) FROM products LIMIT 0, 1000	1 row(s) returned

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- company_db
- join_1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- retail_db
- school
- smartmart_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- test

Administration Schemas

Information

Schema: smartmart_db

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6*

Limit to 1000 rows

```
126 -- Q20Find maximum product price.
127 • SELECT MAX(price) FROM products;
128
129 -- Q21Find total quantity sold.
130 • SELECT SUM(quantity) FROM sales;
131
```

Result Grid

SUM(quantity)
24

Export: Wrap Cell Content: IA

Result 20

Output

Action Output

#	Time	Action	Message
✓ 68	15:43:46	SELECT * FROM customers WHERE city IS NULL LIMIT 0, 1000	1 row(s) returned
✓ 69	15:44:19	SELECT * FROM customers WHERE city IS NOT NULL LIMIT 0, 1000	7 row(s) returned
✓ 70	15:44:35	SELECT COUNT(*) FROM customers LIMIT 0, 1000	1 row(s) returned
✓ 71	15:44:51	SELECT AVG(price) FROM products LIMIT 0, 1000	1 row(s) returned
✓ 72	15:45:03	SELECT MAX(price) FROM products LIMIT 0, 1000	1 row(s) returned
✓ 73	15:45:16	SELECT SUM(quantity) FROM sales LIMIT 0, 1000	1 row(s) returned

Object Info Session

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- company_db
- join_1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- retail_db
- school
- smartmart_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- test

Administration Schemas

Schema: smartmart_db

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6*

Limit to 1000 rows

```
129 -- Q21Find total quantity sold.
130 • SELECT SUM(quantity) FROM sales;
131
132 -- Q22Find number of products in each category.
133 • SELECT category, COUNT(*) FROM products GROUP BY category;
134
```

Result Grid

	category	COUNT(*)
▶	Electronics	3
	Clothing	2
	Home Appliances	3

Result 21 x Read Only

Output

Action Output

#	Time	Action	Message
✓ 69	15:44:19	SELECT * FROM customers WHERE city IS NOT NULL LIMIT 0, 1000	7 row(s) returned
✓ 70	15:44:35	SELECT COUNT(*) FROM customers LIMIT 0, 1000	1 row(s) returned
✓ 71	15:44:51	SELECT AVG(price) FROM products LIMIT 0, 1000	1 row(s) returned
✓ 72	15:45:03	SELECT MAX(price) FROM products LIMIT 0, 1000	1 row(s) returned
✓ 73	15:45:16	SELECT SUM(quantity) FROM sales LIMIT 0, 1000	1 row(s) returned
✓ 74	15:45:29	SELECT category, COUNT(*) FROM products GROUP BY category LIMIT 0, 1000	3 row(s) returned

Hot days ahead 33°C

Search

Windows taskbar icons: File Explorer, Microsoft Edge, WhatsApp, Telegram, Slack, LinkedIn, Visual Studio Code, MySQL Workbench, Google Chrome.

Local instance MySQL 8.0.17

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- company_db
- join_1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- retail_db
- school
- smartmart_db**
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- test

Administration Schemas

Information

Schema: smartmart_db

Object Info Session

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6*

Limit to 1000 rows

```
132 -- Q22Find number of products in each category.
133 • SELECT category, COUNT(*) FROM products GROUP BY category;
134
135 -- Q23Find total sales quantity by product_id.
136 • SELECT product_id, SUM(quantity) FROM sales GROUP BY product_id;
137
```

Result Grid

	product_id	SUM(quantity)
▶	101	2
	102	3
	104	8
	105	3
	103	6

Filter Rows: Export: Wrap Cell Content:

Result 22 x

Output

Action Output

#	Time	Action	Message
✓ 70	15:44:35	SELECT COUNT(*) FROM customers LIMIT 0, 1000	1 row(s) returned.
✓ 71	15:44:51	SELECT AVG(price) FROM products LIMIT 0, 1000	1 row(s) returned.
✓ 72	15:45:03	SELECT MAX(price) FROM products LIMIT 0, 1000	1 row(s) returned.
✓ 73	15:45:16	SELECT SUM(quantity) FROM sales LIMIT 0, 1000	1 row(s) returned.
✓ 74	15:45:29	SELECT category, COUNT(*) FROM products GROUP BY category LIMIT 0, 1000	3 row(s) returned.
✓ 75	15:45:44	SELECT product_id, SUM(quantity) FROM sales GROUP BY product_id LIMIT 0, 1000	7 row(s) returned.

Light rain Tomorrow

Search

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- company_db
- join_1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- retail_db
- school
- smartmart_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- test

Administration Schemas

Information

Schema: smartmart_db

Object Info Session

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6*

Limit to 1000 rows

```
135 -- Q23Find total sales quantity by product_id.  
136 • SELECT product_id, SUM(quantity) FROM sales GROUP BY product_id;  
137  
138 -- Q24Find average price by category.  
139 • SELECT category, AVG(price) FROM products GROUP BY category;  
140
```

Result Grid

	category	AVG(price)
▶	Electronics	40666.666667
	Clothing	1400.000000
	Home Appliances	27333.333333

Export: | Wrap Cell Content: |

Result 23 x

Output

Action Output

#	Time	Action	Message
✓ 71	15:44:51	SELECT AVG(price) FROM products LIMIT 0, 1000	1 row(s) returned
✓ 72	15:45:03	SELECT MAX(price) FROM products LIMIT 0, 1000	1 row(s) returned
✓ 73	15:45:16	SELECT SUM(quantity) FROM sales LIMIT 0, 1000	1 row(s) returned
✓ 74	15:45:29	SELECT category, COUNT(*) FROM products GROUP BY category LIMIT 0, 1000	3 row(s) returned
✓ 75	15:45:44	SELECT product_id, SUM(quantity) FROM sales GROUP BY product_id LIMIT 0, 1...	7 row(s) returned
✓ 76	15:46:01	SELECT category, AVG(price) FROM products GROUP BY category LIMIT 0, 1000	3 row(s) returned

5 Light rain

Search

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help



Navigator

SCHEMAS

Filter objects

- company_db
- join_1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- retail_db
- school
- smartmart_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- test

Administration Schemas

Information

Schema: smartmart_db

Object Info Session

5 Light rain
Tomorrow

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6*

Limit to 1000 rows

```
141 -- Q25Find categories where average price > 10,000.
142 SELECT category, AVG(price)
143 FROM products
144 GROUP BY category
145 HAVING AVG(price) > 10000;
146
```

Result Grid Filter Rows: Export: Wrap Cell Content:

	category	AVG(price)
▶	Electronics	40666.666667
	Home Appliances	27333.333333

Result 24 x

Read Only

Output

Action Output

#	Time	Action	Message
✓ 72	15:45:03	SELECT MAX(price) FROM products LIMIT 0, 1000	1 row(s) returned
✓ 73	15:45:16	SELECT SUM(quantity) FROM sales LIMIT 0, 1000	1 row(s) returned
✓ 74	15:45:29	SELECT category, COUNT(*) FROM products GROUP BY category LIMIT 0, 1000	3 row(s) returned
✓ 75	15:45:44	SELECT product_id, SUM(quantity) FROM sales GROUP BY product_id LIMIT 0, 1...	7 row(s) returned
✓ 76	15:46:01	SELECT category, AVG(price) FROM products GROUP BY category LIMIT 0, 1000	3 row(s) returned
✓ 77	15:46:18	SELECT category, AVG(price) FROM products GROUP BY category HAVING AVG(...	2 row(s) returned



Search



Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- company_db
- join_1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- retail_db
- school
- smartmart_db**
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- test

Administration Schemas

Information

Schema: smartmart_db

Object Info Session

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6*

Limit to 1000 rows

```
146
147 -- Q26Find products where total quantity sold > 3.
148 • SELECT product_id, SUM(quantity)
149 FROM sales
150 GROUP BY product_id
151 HAVING SUM(quantity) > 3;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	product_id	SUM(quantity)
▶	104	8
	103	6

Result 25 x

Output

Action Output

#	Time	Action	Message
✓ 73	15:45:16	SELECT SUM(quantity) FROM sales LIMIT 0, 1000	1 row(s) returned
✓ 74	15:45:29	SELECT category, COUNT(*) FROM products GROUP BY category LIMIT 0, 1000	3 row(s) returned
✓ 75	15:45:44	SELECT product_id, SUM(quantity) FROM sales GROUP BY product_id LIMIT 0, 1...	7 row(s) returned
✓ 76	15:46:01	SELECT category, AVG(price) FROM products GROUP BY category LIMIT 0, 1000	3 row(s) returned
✓ 77	15:46:18	SELECT category, AVG(price) FROM products GROUP BY category HAVING AVG(...	2 row(s) returned
✓ 78	15:46:43	SELECT product_id, SUM(quantity) FROM sales GROUP BY product_id HAVING S...	2 row(s) returned

LightRain Tomorrow

Search

MySQL Workbench
Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- company_db
- join_1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- retail_db
- school
- smartmart_db**
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- test

Administration Schemas

Information

Schema: smartmart_db

Object Info Session

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6*

Limit to 1000 rows

```
153 -- Q27Find categories having more than 2 products.
154 • SELECT category, COUNT(*)
155 FROM products
156 GROUP BY category
157 HAVING COUNT(*) > 2;
158
```

Result Grid

category	COUNT(*)
Electronics	3
Home Appliances	3

Filter Rows: Export: Wrap Cell Content:

Result 26 x

Output

Action Output

#	Time	Action	Message
74	15:45:29	SELECT category, COUNT(*) FROM products GROUP BY category LIMIT 0, 1000	3 row(s) returned
75	15:45:44	SELECT product_id, SUM(quantity) FROM sales GROUP BY product_id LIMIT 0, 1...	7 row(s) returned
76	15:46:01	SELECT category, AVG(price) FROM products GROUP BY category LIMIT 0, 1000	3 row(s) returned
77	15:46:18	SELECT category, AVG(price) FROM products GROUP BY category HAVING AVG(...	2 row(s) returned
78	15:46:43	SELECT product_id, SUM(quantity) FROM sales GROUP BY product_id HAVING S...	2 row(s) returned
79	15:47:07	SELECT category, COUNT(*) FROM products GROUP BY category HAVING COU...	2 row(s) returned

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- company_db
- join_1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- retail_db
- school
- smartmart_db**
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- test

Administration Schemas

Information

Schema: smartmart_db

Object Info Session

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6*

Limit to 1000 rows

```
160 SELECT p.category, SUM(s.quantity)
161 FROM sales s
162 JOIN products p ON s.product_id = p.product_id
163 GROUP BY p.category
164 ORDER BY SUM(s.quantity) DESC
165 LIMIT 1;
```

Result Grid

	category	SUM(s.quantity)
▶	Electronics	11

Result 27

Output

Action Output

#	Time	Action	Message
75	15:45:44	SELECT product_id, SUM(quantity) FROM sales GROUP BY product_id LIMIT 0, 1...	7 row(s) returned
76	15:46:01	SELECT category, AVG(price) FROM products GROUP BY category LIMIT 0, 1000	3 row(s) returned
77	15:46:18	SELECT category, AVG(price) FROM products GROUP BY category HAVING AVG(...	2 row(s) returned
78	15:46:43	SELECT product_id, SUM(quantity) FROM sales GROUP BY product_id HAVING S...	2 row(s) returned
79	15:47:07	SELECT category, COUNT(*) FROM products GROUP BY category HAVING COU...	2 row(s) returned
80	15:47:31	SELECT p.category, SUM(s.quantity) FROM sales s JOIN products p ON s.product_...	1 row(s) returned

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- company_db
- join_1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- retail_db
- school
- smartmart_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- test

Administration Schemas

Information

Schema: smartmart_db

Object Info Session

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6*

Limit to 1000 rows

```
168 SELECT p.product_name, SUM(s.quantity)
169 FROM sales s
170 JOIN products p ON s.product_id = p.product_id
171 GROUP BY p.product_name
172 ORDER BY SUM(s.quantity) DESC
173 LIMIT 1;
```

Result Grid

	product_name	SUM(s.quantity)
▶	T-Shirt	8

Filter Rows: Export: Wrap Cell Content: Fetch rows:

Result 28 x

Output

Action Output

#	Time	Action	Message
✓ 76	15:46:01	SELECT category, AVG(price) FROM products GROUP BY category LIMIT 0, 1000	3 row(s) returned
✓ 77	15:46:18	SELECT category, AVG(price) FROM products GROUP BY category HAVING AVG(...	2 row(s) returned
✓ 78	15:46:43	SELECT product_id, SUM(quantity) FROM sales GROUP BY product_id HAVING S...	2 row(s) returned
✓ 79	15:47:07	SELECT category, COUNT(*) FROM products GROUP BY category HAVING COU...	2 row(s) returned
✓ 80	15:47:31	SELECT p.category, SUM(s.quantity) FROM sales s JOIN products p ON s.product_...	1 row(s) returned
✓ 81	15:47:53	SELECT p.product_name, SUM(s.quantity) FROM sales s JOIN products p ON s.pro...	1 row(s) returned

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- company_db
- join_1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- retail_db
- school
- smartmart_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- test

Administration Schemas

Information

Schema: smartmart_db

Object Info Session

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6*

Limit to 1000 rows

```
-- Q30 Which city has the most customers?
SELECT city, COUNT(*)
FROM customers
GROUP BY city
ORDER BY COUNT(*) DESC
LIMIT 1;
```

Result Grid

	city	COUNT(*)
▶	Delhi	2

Filter Rows: Export: Wrap Cell Content: Fetch rows:

Result 29 x Read Only

Output

Action Output

#	Time	Action	Message
✓ 77	15:46:18	SELECT category, AVG(price) FROM products GROUP BY category HAVING AVG(...	2 row(s) returned
✓ 78	15:46:43	SELECT product_id, SUM(quantity) FROM sales GROUP BY product_id HAVING S...	2 row(s) returned
✓ 79	15:47:07	SELECT category, COUNT(*) FROM products GROUP BY category HAVING COU...	2 row(s) returned
✓ 80	15:47:31	SELECT p.category, SUM(s.quantity) FROM sales s JOIN products p ON s.product_...	1 row(s) returned
✓ 81	15:47:53	SELECT p.product_name, SUM(s.quantity) FROM sales s JOIN products p ON s.pro...	1 row(s) returned
✓ 82	15:48:06	SELECT city, COUNT(*) FROM customers GROUP BY city ORDER BY COUNT(*) ...	1 row(s) returned

High UV

Search

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help



Navigator

SCHEMAS

Filter objects:

- company_db
- join_1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- retail_db
- school
- smartmart_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- test

Administration Schemas

Information

Schema: smartmart_db

Object Info Session

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6*

Limit to 1000 rows

```
181
182 -- Q31Which product has the highest price?
183 • SELECT product_name, price
184 FROM products
185 order by price DESC
186 Limit 1;
```

Result Grid

	product_name	price
▶	Laptop	80000.00

Export: Wrap Cell Content: Fetch rows:

products 30 x

Output

Action Output

#	Time	Action	Message
81	15:47:53	SELECT p.product_name, SUM(s.quantity) FROM sales s JOIN products p ON s.pro...	1 row(s) returned
82	15:48:06	SELECT city, COUNT(*) FROM customers GROUP BY city ORDER BY COUNT(*) ...	1 row(s) returned
83	15:48:22	SELECT product_name, MAX(price) FROM products LIMIT 0, 1000	Error Code: 1140. In aggregated query witho
84	15:48:26	SELECT product_name, MAX(price) FROM products LIMIT 0, 1000	Error Code: 1140. In aggregated query witho
85	15:49:54	SELECT product_name, MAX(price) FROM products order by price Desc Limit 1	Error Code: 1140. In aggregated query witho
86	15:50:38	SELECT product_name, price FROM products order by price DESC Limit 1	1 row(s) returned

6 33°C
Mostly sunny

