

Unit 13 - Week 11

Course outline

How to access the portal

Pre-requisite Assignment

Week 1

Week 2

Week 3

Week 4

Week 5

Week 6

Week 7

Week 8

Week 9

Week 10

Week 11

- ☐ Symbolic Testing
- ☐ Symbolic Testing 2
- ☐ DART: Directed Automated Random Testing
- ☐ DART: Directed Automated Random Testing - 2
- ☐ DART: Directed Automated Random Testing 3

☒ Quiz : Assignment 11

- ☐ Software testing : Week 11 Feedback

Week 12

DOWNLOAD VIDEOS

Text Transcripts

Assignment 11

The due date for submitting this assignment has passed.  
As per our records you have not submitted this assignment.

Due on 2019-10-16, 23:59 IST.

1) In symbolic execution, various execution paths of a program are represented using which of the following data structures below? 1 point

- ☐ A forest of paths
- ☐ A forest of trees
- ☐ A tree of executions
- ☐ A set of path constraints

No, the answer is incorrect.  
Score: 0

Accepted Answers:  
A tree of executions

2) State true or false: 1 point  
Symbolic execution can be terminated if the program hits an error.

- ☐ True
- ☐ False

No, the answer is incorrect.  
Score: 0

Accepted Answers:  
True

3) Which of the following lists disadvantages of symbolic testing? 1 point

- ☐ Path constraint cannot be solved by a constraint solver
- ☐ Program has an error
- ☐ Program has too many paths
- ☐ Program has many functions

No, the answer is incorrect.  
Score: 0

Accepted Answers:  
Path constraint cannot be solved by a constraint solver

4) Which of the following defines symbolic variables? 1 point

- ☐ Special symbols for program variables
- ☐ Memory addresses for program variables
- ☐ Temporary names for program variables
- ☐ Concrete values for program variables

No, the answer is incorrect.  
Score: 0

Accepted Answers:  
Memory addresses for program variables

5) State true or false: 1 point  
DART algorithm, when run on a program, always terminates

- ☐ True
- ☐ False

No, the answer is incorrect.  
Score: 0

Accepted Answers:  
False

Consider the code fragment below. It is written in a generic programming language, doesn't represent a full executable piece of code.

Answer the following questions related to symbolic execution of the given code fragment.

```
0: int x, y;  
1: if (x > y) {  
2:     x = x + y;  
3:     y = x - y;  
4:     x = x - y;  
5: if (x - y > 0)  
6: assert(false);  
}
```

6) What does the code fragment do? 1 point

- ☐ Tries to check if x is greater than y
- ☐ Tries to check if y is greater than x
- ☐ Swaps the values x and y
- ☐ Swaps the values of x and x-y

No, the answer is incorrect.  
Score: 0

Accepted Answers:  
Swaps the values x and y

7) How many nodes will be there in the symbolic execution tree of this code fragment? 1 point

- ☐ 3 nodes
- ☐ 4 nodes
- ☐ 7 nodes
- ☐ 8 nodes

No, the answer is incorrect.  
Score: 0

Accepted Answers:  
8 nodes

8) What will be the path constraint at line 1 of the code fragment such that no further execution happens? 1 point

- ☐ x > y
- ☐ x <= y

No, the answer is incorrect.  
Score: 0

Accepted Answers:  
x <= y

9) What will be the path constraint to reach statement 6? 1 point

- ☐ x > y && y — x > 0
- ☐ x > y && y — x <=0
- ☐ x <=y
- ☐ x > y && x — y > 0

No, the answer is incorrect.  
Score: 0

Accepted Answers:  
x > y && y — x > 0

10)Is statement 6 reachable in the program fragment? 1 point

- ☐ Yes
- ☐ No

No, the answer is incorrect.  
Score: 0

Accepted Answers:  
No