

Ideation Phase

Empathize & Discover

Date	01 October 2026
Team ID	SWTID-2026-2391
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field
Maximum Marks	4 Marks


Empathy Map Canvas:

An empathy map is a simple, easy-to-digest visual that captures knowledge about a user's behaviours and attitudes.


It is a useful tool to help teams better understand their users.

Creating an effective solution requires understanding the true problem and the person who is experiencing it. The exercise of creating the map helps participants consider things from the user's perspective along with his or her goals and challenges.

Example:



Example: Food Ordering & Delivery Application



EMPATHY MAP CANVAS

Project: Script-Controlled ACL – Restrict Record Access Based on Field Value

User Persona: ServiceNow administrator / authorized user managing access to Institution Details records.

SAYS • Only authorized users should be able to access the records. • EEE branch users should be able to view the required EEE records. • Administrators should retain full access.	THINKS • Access should be controlled according to user roles. • Sensitive records should be protected from unauthorized users. • Different operations should require the appropriate permissions.
DOES • Creates users and custom roles such as bb1, bb2, bb3 and bb4. • Creates the Institution Details table and records with different branch values. • Creates and tests READ, CREATE, WRITE and DELETE ACLs. • Impersonates users to verify access permissions.	FEELS • Concerned about unauthorized viewing or modification of records. • Needs confidence that role-based access is working correctly. • More secure when users receive only the permissions assigned to them.

PAINS / CHALLENGES

Unauthorized users may view or modify records if access controls are not correctly configured.
Different users also need different permissions for viewing, creating, editing and deleting records.

GAINS / NEEDS

Clear record-level security, role-based permissions, branch-based access control, and full administrative access for authorized administrators.