

**Study and Development of Pulse-shape Discrimination Firmware for
Background Mitigation in the DEAP Experiment**

by

Timothy J. Author

A THESIS SUBMITTED IN PARTIAL FULFILMENT OF
THE REQUIREMENTS FOR THE DEGREE OF

Bachelor of Basket Weaving

in

Faculty of Science

(Physics)

University of West Shamu

April 2016

© Timothy J. Author 2016

Contents

Contents	i
List of Figures	ii
List of Tables	iii
1 Introduction	1
Bibliography	4

List of Figures

List of Tables

Acknowledgments

I would like to thank Ipsum Lorem who told me: "Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. "

"Don't sweat the petty things, and don't pet the sweaty things."

— *George Carlin*

Chapter 1

Introduction

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift –

not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

[19] [3] WIMP QCD This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place.

If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Bibliography

- [1] Abbasi et. al. “Multiyear search for dark matter annihilations in the Sun with the AMANDA-II and IceCube detectors”. In: *Phys. Rev. D* 85 (4 Feb. 2012), p. 042002.
- [2] P.-A. Amaudruz et al. “Radon backgrounds in the DEAP-1 liquid-argon-based Dark Matter detector”. In: *Astroparticle Physics* 62 (2015), pp. 178–194. ISSN: 0927-6505.
- [3] ANTARES Collaboration. “First results on dark matter annihilation in the Sun using the ANTARES neutrino telescope”. In: *jcap* 11, 032 (Nov. 2013), p. 032. arXiv: 1302.6516 [astro-ph.HE].
- [4] E. Aprile et al. “Dark Matter Results from 225 Live Days of XENON100 Data”. In: *Physical Review Letters* 109.18, 181301 (Nov. 2012), p. 181301. arXiv: 1207.5988 [astro-ph.CO].
- [5] R. Barrena et al. “The dynamical status of the cluster of galaxies 1E0657-56”. In: *aap* 386 (May 2002), pp. 816–828.
- [6] K. G. Begeman, A. H. Broeils, and R. H. Sanders. “Extended rotation curves of spiral galaxies: dark haloes and modified dynamics”. In: *Monthly Notices of the Royal Astronomical Society* 249.3 (1991), pp. 523–537.
- [7] Gianfranco Bertone, Dan Hooper, and Joseph Silk. “Particle dark matter: evidence, candidates and constraints”. In: *Physics Reports* 405.5-6 (2005), pp. 279–390.
- [8] M G Boulay and the Deap Collaboration. “DEAP-3600 Dark Matter Search at SNO-LAB”. In: *Journal of Physics: Conference Series* 375.1 (2012), p. 012027.

- [9] M. G. Boulay and A. Hime. “Direct WIMP Detection Using Scintillation Time Discrimination in Liquid Argon”. In: *ArXiv Astrophysics e-prints* (Nov. 2004). eprint: [astro-ph/0411358](#).
- [10] M. G. Boulay et al. “Measurement of the scintillation time spectra and pulse-shape discrimination of low-energy beta and nuclear recoils in liquid argon with DEAP-1”. In: *ArXiv e-prints* (Apr. 2009). arXiv: 0904.2930 [[astro-ph.IM](#)].
- [11] Douglas Clowe, Anthony Gonzalez, and Maxim Markevitch. “Weak-Lensing Mass Reconstruction of the Interacting Cluster 1E 0657-558: Direct Evidence for the Existence of Dark Matter”. In: *The Astrophysical Journal* 604.2 (2004), p. 596.
- [12] W. de Boer et al. “EGRET excess of diffuse galactic gamma rays as tracer of dark matter”. In: *aap* 444 (Dec. 2005), pp. 51–67. eprint: [astro-ph/0508617](#).
- [13] DEAP Collaboration et al. “DEAP-3600 Dark Matter Search”. In: *ArXiv e-prints* (Oct. 2014). arXiv: 1410.7673 [[physics.ins-det](#)].
- [14] Tadayoshi Doke et al. “Let dependence of scintillation yields in liquid argon”. In: *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment* 269.1 (1988), pp. 291–296. ISSN: 0168-9002.
- [15] F. Donato et al. “Constraints on WIMP Dark Matter from the High Energy PAMELA Data”. In: *Phys. Rev. Lett.* 102 (7 Feb. 2009), p. 071301.
- [16] Toby Falk, Keith A. Olive, and Mark Srednicki. “Heavy sneutrinos as dark matter”. In: *Physics Letters B* 339.3 (1994), pp. 248–251. ISSN: 0370-2693.
- [17] K. C. Freeman. “On the Disks of Spiral and so Galaxies”. In: *apj* 160 (June 1970), p. 811.
- [18] G. Hinshaw et al. “Nine-year Wilkinson Microwave Anisotropy Probe (WMAP) Observations: Cosmological Parameter Results”. In: *The Astrophysical Journal Supplement Series* 208.2 (2013), p. 19.
- [19] A. Hitachi et al. “Effect of ionization density on the time dependence of luminescence from liquid argon and xenon”. In: *prb* 27 (May 1983), pp. 5279–5285.

- [20] Gerard Jungman, Marc Kamionkowski, and Kim Griest. “Supersymmetric dark matter”. In: *Physics Reports* 267.5 (1996), pp. 195–373.
- [21] J. C. Kapteyn. “First Attempt at a Theory of the Arrangement and Motion of the Sidereal System”. In: *apj* 55 (May 1922), p. 302.
- [22] Oskar Klein. “Quantentheorie und fünfdimensionale Relativitätstheorie”. In: *Zeitschrift für Physik* 37.12 (), pp. 895–906. ISSN: 0044-3328.
- [23] D.R. Lide. *CRC Handbook of Chemistry and Physics: A Ready-reference Book of Chemical and Physical Data*. CRC-Press, 1995. ISBN: 9780849305955.
- [24] W. H. Lippincott et al. “Scintillation time dependence and pulse shape discrimination in liquid argon”. In: *prc* 78.3, 035801 (Sept. 2008), p. 035801. arXiv: 0801.1531 [nucl-ex].
- [25] LUX Collaboration et al. “Improved WIMP scattering limits from the LUX experiment”. In: *ArXiv e-prints* (Dec. 2015). arXiv: 1512.03506.
- [26] M. Milgrom. “A modification of the Newtonian dynamics as a possible alternative to the hidden mass hypothesis”. In: *apj* 270 (July 1983), pp. 365–370.
- [27] Mordehai Milgrom and Robert H. Sanders. “Modified Newtonian Dynamics and the ”Dearth of Dark Matter in Ordinary Elliptical Galaxies””. In: *The Astrophysical Journal Letters* 599.1 (2003), p. L25.
- [28] Robert S. Mulliken. “Potential Curves of Diatomic Rare-Gas Molecules and Their Ions, with Particular Reference to Xe₂”. In: *The Journal of Chemical Physics* 52.10 (1970), pp. 5170–5180. DOI: <http://dx.doi.org/10.1063/1.1672756>.
- [29] H. Murayama. “Supersymmetry Phenomenology”. In: *Particle Physics*. Ed. by G. Senjanovic and A. Y. Smirnov. 2000, p. 296. eprint: hep-ph/0002232.
- [30] Tina Pollmann. “Alpha backgrounds in the DEAP Dark Matter search experiment”. PhD. Queens University, Aug. 2012.
- [31] M. S. Roberts and A. H. Rots. “Comparison of Rotation Curves of Different Galaxy Types”. In: *aap* 26 (Aug. 1973), pp. 483–485.

- [32] V. C. Rubin and W. K. Ford Jr. “Rotation of the Andromeda Nebula from a Spectroscopic Survey of Emission Regions”. In: *apj* 159 (Feb. 1970), p. 379.
- [33] V. C. Rubin, W. K. Ford Jr., and S. D’Odorico. “Emission-Line Intensities and Radial Velocities in the Interacting Galaxies NGC 4038-4039”. In: *apj* 160 (June 1970), p. 801.
- [34] R. W. Schnee. “Introduction to Dark Matter Experiments”. In: *Physics of the Large and the Small: TASI 2009*. Ed. by C. Csaki and S. Dodelson. Mar. 2011, pp. 775–829. arXiv: 1101.5205 [astro-ph.CO].
- [35] Felix Stoehr et al. “Dark matter annihilation in the halo of the Milky Way”. In: *Monthly Notices of the Royal Astronomical Society* 345.4 (2003), pp. 1313–1322.
- [36] N. Thonnard and G. S. Hurst. “Time-Dependent Study of Vacuum-Ultraviolet Emission in Argon”. In: *Phys. Rev. A* 5 (3 Mar. 1972), pp. 1110–1121.
- [37] Jian Wang. “QCD Higher-Order Effects and Search for New Physics”. In: Berlin, Heidelberg: Springer Berlin Heidelberg, 2016. Chap. Introduction to the Standard Model of Particle Physics, pp. 1–10. ISBN: 978-3-662-48673-3.
- [38] F. Zwicky. “Die Rotverschiebung von extragalaktischen Nebeln”. In: *Helvetica Physica Acta* 6 (1933), pp. 110–127.
- [39] F. Zwicky. “The redshift of extragalactic nebulae”. In: *Helv. Phys. Acta* 6 (1933), p. 110.