trading Documentation

Release 0.0.0

Björn Nadrowski

CONTENTS

ONE

INTRODUCTION

The trading package is built on top of ib_insync which is built on top of the Python API from Interactive Brokers. The objective is to make money using automated trading.

author bn <bjrnfrdnnd@gmail.com>

TWO

TRADING PACKAGE

2.1 Submodules

2.2 trading.a1 module

This module does blah blah.

```
class trading.a1.MyClass
    Bases: object
    a class

trading.a1.a1_func (fd: int = 2) → object
    does something

trading.a1.complex_number (real: float = 0.0, imag: float = 0.0, **kwargs) → complex
    Fetches and returns this thing
```

Parameters

- real (float) The first parameter
- imag (float) The second parameter
- **kwargs See below

Keyword Arguments

- extra (list) Extra stuff
- supplement (dict) Additional content

2.3 Module contents

4

THREE

TRADING.SCRIPTS PACKAGE

3.1 Submodules

3.2 trading.scripts.findConlds module

defines a command-line utility for finding conIds

trading.scripts.findConIds.error(self, reqld: int, errorCode: int, errorString: str, contract) ibapi error callback. Does not work. Don't know why

trading.scripts.findConIds.myErrorCallback (reqId, errorCode, errorString, contract) ib_insycn error callback. Is not called when ib.connect() is called with clientID already in use

3.3 CLI programs

3.3.1 findConlds

prints a list of conIds for a hard-coded list of currencies

findConIds [OPTIONS]

Options

-c, --clientid <clientid>
 clientId to connect to running gateway/TWS app [default: 24]

FOUR

INDICES AND TABLES

- genindex
- modindex
- search

PYTHON MODULE INDEX

```
t
trading,??
trading.al,??
trading.scripts.findConIds,??
```