

Compliance Evidence Audit Report

Generated 2026-06-13T14:25:37 · request notebook-demo

Executive Summary

Across 9 requirements, 5 are COMPLIANT, 3 are PARTIAL, and 1 is a GAP, resulting in an overall compliance score of 55.6% with 88.9% evidence coverage. Evidence collection is fully automated (100.0%), but overall freshness is low (29.9%), which is the primary driver of PARTIAL results in the audit logging controls. The strongest, most current control evidence supports encryption at rest and in transit and key rotation (CT-a1b2c3d4-0004-s3-enc; CT-a1b2c3d4-0008-elb-tls; EVD00258). The highest risk area is access and audit logging: administrative MFA has no linked evidence (GAP), and multiple logging/retention/access-monitoring requirements rely on stale or unreviewed artifacts relative to their SLAs (EVD00054; EVD00004; EVD00020).

Overall compliance	Coverage	Evidence freshness	Auto-collected
56%	89%	30%	100%
5 compliant	3 partial	1 gap	508 evidence

Requirements

POL-AC-001-R1 Administrative access requires multi-factor authentication

GAP

Frameworks: NIST, CIS · Audit: Daily (SLA 1d) · Confidence: 10% · Next review: 2026-06-14

This requirement is in GAP status because there is no linked evidence demonstrating that administrative access requires multi-factor authentication. Proof is missing from the expected sources, specifically Azure AD Configuration and Login Logs, to show MFA enforcement and actual MFA usage for administrative sign-ins.

- No evidence collected for this requirement. Expected sources: Azure AD Configuration, Login Logs.

POL-AC-001-R2 Access must follow principle of least privilege

COMPLIANT

Frameworks: NIST, SOX · Audit: Quarterly (SLA 90d) · Confidence: 88% · Next review: 2026-05-23

This requirement is COMPLIANT based on approved access reporting evidence supporting least-privilege access, with the primary artifact within the 90-day quarterly SLA. The key supporting evidence is EVD00153 (EVD00153), with additional acceptable corroboration from recent access reports (EVD00380; EVD00478).

Evidence	Type	Collected	Age	Conf	Link	Flags
EVD00153	Access_Report	2025-12-26	76d	0.97	0.79	acceptable
EVD00380	Access_Report	2026-02-22	16d	0.78	0.79	acceptable
EVD00478	Access_Report	2025-10-31	63d	0.88	0.79	acceptable
EVD00001	Access_Report	2026-02-19	112d	0.57	0.79	stale, low_confidence
EVD00011	Access_Report	2026-02-19	50d	0.65	0.79	low_confidence, rejected
EVD00025	Access_Report	2026-04-19	28d	0.84	0.79	unreviewed
EVD00042	Access_Report	2026-04-17	168d	0.53	0.79	stale, low_confidence, rejected
EVD00043	Access_Report	2026-03-16	60d	0.93	0.79	needs_update

POL-AC-001-R3 Privileged accounts must have no personal use

COMPLIANT

Frameworks: NIST, CIS · Audit: Monthly (SLA 30d) · Confidence: 79% · Next review: 2026-04-30

This requirement is COMPLIANT based on approved configuration and supporting screenshots indicating privileged accounts have no personal use, with evidence within the 30-day monthly SLA. The primary supporting artifact is EVD00038 (EVD00038), corroborated by screenshots captured within the audit window (EVD00235; EVD00283; EVD00472).

Evidence	Type	Collected	Age	Conf	Link	Flags
----------	------	-----------	-----	------	------	-------

EVD00038	Configuration_Sn apshot	2026-02-10	16d	0.93	0.66	acceptable
EVD00235	Screenshot	2026-02-20	11d	0.85	0.63	acceptable
EVD00283	Screenshot	2026-03-31	9d	0.97	0.63	acceptable
EVD00472	Screenshot	2025-12-26	5d	0.72	0.63	acceptable
EVD00030	Configuration_Sn apshot	2026-03-25	113d	0.73	0.66	stale, needs_update
EVD00031	Configuration_Sn apshot	2026-03-09	162d	0.80	0.66	stale, rejected
EVD00056	Configuration_Sn apshot	2025-11-22	163d	0.68	0.66	stale, low_confidence, rejected
EVD00126	Configuration_Sn apshot	2025-10-24	54d	0.89	0.66	stale, unreviewed

POL-AUD-001-R1 All access to sensitive data must be logged

PARTIAL

Frameworks: GDPR, NIST, SOX · Audit: Daily (SLA 1d) · Confidence: 23% · Next review: 2026-04-21

This requirement is PARTIAL because available audit log evidence is stale relative to the 1-day daily SLA, so it does not demonstrate current, continuous logging of access to sensitive data. The best available artifact is EVD00054, but it is 149 days old and therefore not acceptable for daily verification (EVD00054), with other linked log artifacts also stale (EVD00057; EVD00073; EVD00090).

Evidence	Type	Collected	Age	Conf	Link	Flags
EVD00054	Audit_Log	2026-03-08	149d	0.88	0.81	stale
EVD00057	Audit_Log	2026-02-28	83d	0.97	0.81	stale, needs_update
EVD00073	Audit_Log	2026-01-05	23d	0.55	0.81	stale, low_confidence
EVD00082	Audit_Log	2026-01-20	48d	0.91	0.81	stale, rejected
EVD00090	Audit_Log	2025-11-16	179d	0.67	0.81	stale, low_confidence
EVD00101	Audit_Log	2026-04-03	74d	0.58	0.81	stale, low_confidence
EVD00108	Audit_Log	2026-01-25	81d	0.57	0.81	stale, low_confidence, rejected
EVD00110	Audit_Log	2026-04-09	33d	0.59	0.81	stale, low_confidence, needs_update

- 85 evidence item(s) are stale (older than the 1d Daily SLA).
- 37 item(s) below the 0.70 confidence floor.
- 23 item(s) pending review.
- 16 item(s) flagged needs-update.

POL-AUD-001-R2 Logs must be retained for minimum 90 days

PARTIAL

Frameworks: PCI-DSS, NIST · Audit: Monthly (SLA 30d) · Confidence: 35% · Next review: 2026-05-17

This requirement is PARTIAL because the configuration evidence for log retention is older than the 30-day monthly SLA and flagged as needing update, so it does not sufficiently prove current enforcement of a minimum 90-day retention period. The best available artifact is EVD00004 at 40 days old (EVD00004), with other linked configuration snapshots also stale and/or rejected or unreviewed (EVD00010; EVD00302; EVD00359).

Evidence	Type	Collected	Age	Conf	Link	Flags
EVD00004	Configuration_Sn apshot	2026-01-25	40d	0.84	0.62	stale, needs_update
EVD00010	Configuration_Sn apshot	2026-04-14	127d	0.74	0.62	stale, rejected
EVD00048	Configuration_Sn apshot	2025-12-11	113d	0.52	0.62	stale, low_confidence, rejected
EVD00302	Configuration_Sn apshot	2026-04-08	164d	0.99	0.62	stale, unreviewed
EVD00359	Configuration_Sn apshot	2026-01-18	48d	0.69	0.62	stale, low_confidence, needs_update
EVD00479	Configuration_Sn apshot	2026-03-28	148d	0.65	0.62	stale, low_confidence, rejected
EVD00145	Report	2025-12-08	133d	0.76	0.60	stale
EVD00215	Report	2026-04-01	117d	0.51	0.60	stale, low_confidence, rejected

- 26 evidence item(s) are stale (older than the 30d Monthly SLA).

- 17 item(s) below the 0.70 confidence floor.
- 7 item(s) pending review.
- 10 item(s) flagged needs-update.

POL-AUD-001-R3 Log access must be restricted and monitored

PARTIAL

Frameworks: ISO27001, NIST · Audit: Weekly (SLA 7d) · Confidence: 23% · Next review: 2026-03-01

This requirement is PARTIAL because evidence for restricting and monitoring log access is stale and includes unreviewed/rejected items, failing the 7-day weekly SLA for demonstrating ongoing control operation. The best available artifact is EVD00020, but it is 166 days old and unreviewed (EVD00020), with additional linked artifacts also stale and/or needing update (EVD00062; EVD00364).

Evidence	Type	Collected	Age	Conf	Link	Flags
EVD00020	Audit_Log	2025-11-18	166d	0.80	0.77	stale, unreviewed
EVD00062	Audit_Log	2025-10-31	54d	0.79	0.77	stale
EVD00208	Audit_Log	2026-02-22	130d	0.60	0.77	stale, low_confidence, rejected
EVD00316	Audit_Log	2025-12-19	18d	0.54	0.77	stale, low_confidence, rejected
EVD00364	Audit_Log	2026-01-13	29d	0.73	0.77	stale, needs_update
EVD00456	Audit_Log	2025-11-10	164d	0.61	0.77	stale, low_confidence

- 6 evidence item(s) are stale (older than the 7d Weekly SLA).
- 3 item(s) below the 0.70 confidence floor.
- 1 item(s) pending review.
- 1 item(s) flagged needs-update.

POL-ENC-001-R1 All data at rest must be encrypted using AES-256 or stronger

COMPLIANT

Frameworks: PCI-DSS, GDPR, NIST · Audit: Monthly (SLA 30d) · Confidence: 84% · Next review: 2026-07-12

This requirement is COMPLIANT based on approved, recent encryption certifications demonstrating data-at-rest encryption using AES-256 or stronger within the 30-day monthly SLA. The primary evidence is CT-a1b2c3d4-0004-s3-enc (CT-a1b2c3d4-0004-s3-enc), corroborated by additional current encryption certificates for storage and database services (CT-a1b2c3d4-0005-s3-enc; CT-a1b2c3d4-0006-rds-enc).

Evidence	Type	Collected	Age	Conf	Link	Flags
CT-a1b2c3d4-0004-s3-enc	Encryption_Cert	2026-06-12	1d	0.90	0.77	acceptable
CT-a1b2c3d4-0005-s3-enc	Encryption_Cert	2026-06-10	3d	0.90	0.77	acceptable
CT-a1b2c3d4-0006-rds-enc	Encryption_Cert	2026-06-08	5d	0.90	0.77	acceptable
EVD00015	Encryption_Cert	2025-12-13	99d	0.79	0.77	stale, needs_update
EVD00077	Encryption_Cert	2026-03-11	173d	0.53	0.77	stale, low_confidence, rejected
EVD00114	Encryption_Cert	2025-11-15	21d	0.97	0.77	rejected
EVD00174	Encryption_Cert	2026-01-31	33d	0.57	0.77	stale, low_confidence
EVD00214	Encryption_Cert	2025-11-25	92d	0.82	0.77	stale, rejected

POL-ENC-001-R2 Encryption keys must be rotated at least annually

COMPLIANT

Frameworks: ISO27001, NIST · Audit: Quarterly (SLA 90d) · Confidence: 74% · Next review: 2026-07-01

This requirement is COMPLIANT based on approved reports and procedure evidence indicating encryption keys are rotated at least annually, with artifacts within the 90-day quarterly SLA. The primary supporting report is EVD00258 (EVD00258), supported by additional acceptable evidence of rotation practices and procedures (EVD00360; EVD00049; EVD00170; EVD00347).

Evidence	Type	Collected	Age	Conf	Link	Flags
EVD00258	Report	2025-11-06	5d	0.85	0.64	acceptable
EVD00360	Report	2025-10-23	84d	0.79	0.64	acceptable
EVD00049	Procedure_Evidence	2026-01-21	16d	1.00	0.62	acceptable
EVD00170	Procedure_Evidence	2026-03-07	82d	0.82	0.62	acceptable

EVD00347	Procedure_Evidence	2026-03-15	7d	0.99	0.62	acceptable
EVD00350	Procedure_Evidence	2026-01-06	59d	0.79	0.62	acceptable
EVD00363	Procedure_Evidence	2026-02-05	52d	0.86	0.62	acceptable
EVD00386	Procedure_Evidence	2025-12-31	16d	0.85	0.62	acceptable

POL-ENC-001-R3 Data in transit must use TLS 1.2 or higher

COMPLIANT

Frameworks: GDPR, NIST · Audit: Continuous (SLA 1d) · Confidence: 84% · Next review: 2026-06-13

This requirement is COMPLIANT based on approved, current encryption certificates indicating TLS 1.2 or higher for data in transit, meeting the 1-day continuous SLA. The primary evidence is CT-a1b2c3d4-0001-kms-rotate (CT-a1b2c3d4-0001-kms-rotate), corroborated by a current load balancer TLS artifact (CT-a1b2c3d4-0008-elb-tls).

Evidence	Type	Collected	Age	Conf	Link	Flags
CT-a1b2c3d4-0001-kms-rotate	Encryption_Cert	2026-06-12	1d	0.90	0.79	acceptable
CT-a1b2c3d4-0008-elb-tls	Encryption_Cert	2026-06-12	1d	0.90	0.79	acceptable
EVD00002	Encryption_Cert	2025-11-02	153d	0.94	0.79	stale, needs_update
EVD00009	Encryption_Cert	2025-11-03	122d	0.70	0.79	stale, unreviewed
EVD00012	Encryption_Cert	2026-04-01	134d	0.54	0.79	stale, low_confidence, rejected
EVD00014	Encryption_Cert	2026-02-26	25d	0.73	0.79	stale, unreviewed
EVD00017	Encryption_Cert	2026-03-28	42d	0.54	0.79	stale, low_confidence, needs_update
EVD00039	Encryption_Cert	2026-03-11	40d	0.85	0.79	stale

Compliance statuses are derived deterministically from evidence attributes (freshness vs audit-frequency SLA, confidence, review status) and semantic linking — not from the dataset's provided anomaly labels, which were found inconsistent with the underlying evidence. Narratives are LLM-written from these computed facts. Review with a qualified auditor.