

6 x 6 All-Terrain Vehicle

M224 60mm Handheld Mortar System

USER MANUAL



Table of Contents

6 x 6 ATV	3
General Features	3
Models / Paint Schemes	4
Make your own skins/repaint	5
Class names	5
Inventory System.....	6
Refuelling System	7
Driver Positions	8
Camo Net.....	9
Sling Loading / Vehicle in Vehicle Transport	10
Flag Proxy	10
Scripting Info	11
 M224 Mortar System	 12
General Features	12
Ammunition Types + classnames	12
Operation	13
Loading/Unloading	14
Firing.....	15
Artillery Computer.....	16
Extra Notes	16

6 x 6 ALL TERRAIN VEHICLE (ATV)



GENERAL FEATURES

- 3 DIFFERENT PAINT SCHEMES
- 3 DIFFERENT UNIQUE MODELS
- CAMOUFLAGE NETTING
- VISIBLE INVENTORY
- REFUELLING FROM ONBOARD FUEL CANS
- SIT OR STAND DRIVING POSITION
- FIRING OF WEAPONS FROM THE STANDING POSITION
- FLAG PROXY FOR "CAPTURE THE FLAG" MISSIONS OR DECORATION
- NEW M224 MORTAR AND AMMO INCLUDED IN CARGO
- CAN CREATE RESPAWN POINT DURING MULTIPLAYER

MODELS / PAINT SCHEMES

3 DIFFERENT MODELS: 2 with cargo, 1 empty



3 DIFFERENT MILITARY MODEL PAINT SCHEMES: **ARTIC, OLIVE AND DESERT.**



TO CHANGE PAINT SCHEME:

Create vehicle in Eden Editor,

6x6 ATV (cam) is Model 1 and Olive by default.*

6x6 ATV (des) is Model 2 and Tan by default.*

6x6 ATV (civ) is Model 3 and randomly Green or Red without cargo by default.

Both Military models have the same functionality just different appearance of the aft bed and cargo

Then,

- RIGHT CLICK "EDIT VEHICLE APPEARANCE" OR IN "ATTRIBUTES".
- "EDIT VEHICLE APPEARANCE" can also add/remove front bulbar and handguards

TO ADD A VEHICLE AND CHANGE BASIC PAINT SCHEME USING SCRIPT:

Model 1 classname = "nds_6x6_atv_mil"

Paint options = "camo" ,"desert" ,"snow"

Model 2 classname = "nds_6x6_atv_mil2"

Paint options = "camoM2" ,"DesertM2" ,"snowM2"

Model 3 classname = "nds_6x6_atv_civ" OR

"nds_6x6_atv_mil_empty"

Paint options = "Red" ,"Green" ,"camo" ,"desert" ,"snow"

Example in vehicles INIT:

[this, "camoM2",nil] call bis_fnc_initvehicle;

INVENTORY SYSTEM:

The ATV has a limited visible Inventory consisting of the following items:

-  **M224 60mm Mortar**
-  **Hand held Laser designator**
-  **Launcher weapon***
-  **Med Kit**
-  **Tool Kit**

If a minimum quantity on one item is in the inventory, then the visual model will show.

*note – Any Launcher type weapon will trigger the visual model but only a M136 model will be shown regardless of loaded weapon.



REFUELLING SYSTEM:

The ATV has a higher fuel consumption rate than normal due to the relatively small size of ARMA maps.

2 Fuel containers are added to the cargo bed to provide local refuelling capability. These are for refuelling their own ATV only, they are not there to act as a resupply vehicle for others.

Each container holds half a tank of fuel and are shown with cap on when full, cap off when empty.

To Use:

When Fuel gauge is 50% or lower position yourself to the right side near the containers and access the user action menu.

****You can perform this action on someone else's vehicle but there must be NO driver.**



To Refill Containers from refuel vehicle:

- Drive up and park next to a refuel vehicle
- Position yourself next to the fuel containers
- User action menu “Refill Fuel Containers”
- NOTE This option is available as long as there is an empty container, trying to perform the action without a nearby refuel truck will result in a message stating there is no nearby truck to fill from.



DRIVER POSITIONS

Sitting or Standing

- user action menu **“SIT DOWN” or “STAND UP”**

Fire position

- user action menu **“To Fire position seat”**
- Cannot Drive vehicle from this position
- All weapons and binocular items available from this position



CAMO NET


A deployable camouflage net is provided purely for visual purposes.
Once deployed, you can still access vehicles inventory from the entrance on the left.
Entering the vehicle and sling loading is **disabled** when the cam net is deployed.

Stand alone Camnets are available under the yellow “PROPS” tab in EDEN,

Classnames: NDS_6x6_ATV_camnet_des
NDS_6x6_ATV_camnet_cam
NDS_6x6_ATV_camnet_sno

TO Deploy in EDEN:

- Right click and select “Edit vehicles appearance”
- Select the “deploy cam net” checkbox



TO Deploy during mission:

- User action menu “Deploy cam net” or “Stow cam net”
- In MULTIPLAYER only a further option to “**CREATE RESPAWN POINT**” will now be available. Select it to deploy a sleeping bag respawn point for the person activating it only. **Only works on clients at the moment**



SLINGLOADING or LOADING INTO CARGO VEHICLE

- Lifting slings will appear during sling loading.
- Tie down straps will appear when loaded as cargo.

NOTE – the suspension will hang down at an abnormal angle if ATV is loaded onto a vehicle within the EDEN editor. Loading during a mission will result in normal looking suspension. (This is an ARMA constraint).

FLAG PROXY

The ATV includes a flag proxy for use during “capture the flag” type gameplay

Scriptors use the command “forceFlagTexture” to show the flag under any other conditions

Example: `_atv forceFlagTexture "\A3\Data_F\Flags\Flag_red_CO.paa";`



*Note – Only tested ok in vanilla game.

SCRIPTING INFO:

**** THIS IS FOR EXPERIENCED MODDERS, REGULAR PLAYERS JUST SKIP AHEAD ****

REPAINTS:

HIDDEN SELECTIONS: 0 = MAIN BODY

1 = WHEEL HUBS AND TIRES

2 = Deployed CAMNET

3 = CAMNET ROLLED UP

4 = POUCHES

5 = BACKPACK IN CARGO BED

6 = CARGO FUEL CANS, BOXES ETC..

For example, to modify a vehicle placed in EDEN:

In the vehicles INIT field =

```
this setObjectTextureGlobal [4, "\my_homemade_pbo\my_vest_paint_co.paa"];
```

OR

```
this setObjectTextureGlobal [5, "\my_mission_folder\my_backpaint_paint_co.paa"];
```

****The number 4 or 5 in the above example corresponds to the list above.(IE. 4 = pouches) ****

To Script a vehicle creation during the mission (example) :

```
_newatv = "NDS_6x6_ATV_mil" createVehicle position player;  
_newatv setObjectMaterialGlobal [3, "\a3\data_f\default.rvmat"];  
_newatv setObjectMaterialGlobal [5, "\a3\data_f\default.rvmat"];  
_newatv setObjectTextureGlobal [3, "\homemadepbo\my_vest_paint_co.paa"];  
_newatv setObjectTextureGlobal [5, "\homemadepbo\my_cool_backpack_paint_co.paa"];
```

****If this doesn't make sense then look for some tips on the BI forums or WIKI****

Backpack and pouches use the vanilla maps:

Pouches = \a3\characters_F\blufor\data\vests_khk_co.paa

Backpack = \A3\weapons_f\ammoboxes\bags\backpack\tortila_oli_co.paa

M224 MORTAR SYSTEM

GENERAL FEATURES

- One-person operation and carrying
- 4 different 60mm ammo types
- Usable by AI
- Usable on uneven ground
- Unload and reload with specific ammo
- Automatic resupply of ammo when next to 6x6 ATV.
- Traverse +/- 45 degrees (90 degrees for AI)

AMMUNITION

<u>High Explosive Charge 1</u>	(300m to 1300m)
Magazine Classname: NDS_M_6Rnd_60mm_HE	
<u>White Phosphorous Charge 1</u>	(300m to 1300m)
Magazine Classname: NDS_M_6Rnd_60mm_SMOKE	
<u>High Explosive Charge 0</u>	(100m to 400m)
Magazine Classname: NDS_M_6Rnd_60mm_HE_0	
<u>Illum Charge 1</u>	(300m to 1300m)
Magazine Classname: NDS_M_6Rnd_60mm_ILLUM	



OPERATION

- Assemble weapon as normal
- The players heading will determine baseplate “zero” position
- To re align mortar baseplate, exit the mortar, face player in desired direction and user action menu “**realign mortar**”




LOADING / UNLOADING:

- User action “**Unload Mortar**” will remove all ammunition and place in a pile next to the mortar
- User action “**Load Mortar from ammo boxes**” will load the mortar with 6 ammo boxes from the nearest pile

Example if you only want to fire WP:


- “**unload mortar**”
- Use backpacks and normal inventory to remove HE and any other types from pile
- Place only WP ammo boxes in the pile (again using normal inventory system)
- User action “**Load mortar from ammo boxes**”
- The mortar will load up from the nearest pile, in this case, the pile of WP ammo you just put there.
- As a visual indication that the loading is successful, empty boxes will be placed nearby



FIRING


Manual:

- Heading is displayed at the top of the “bubble” sight.
- Elevate / depress barrel to align bubble with desired range.
- **Charge 0** ammo use **LEFT RED SCALE**
- **Charge 1** ammo use **RIGHT BLACK SCALE**



Artillery Computer:

- Select ammo on lower "TYPE" menu.
- Select "Ammo Dependent" from upper "MODE" menu (even if already selected) This will reset the range rings to their correct ranges
- **Only select to fire between the red arc markers (You can select and fire anywhere but the round will fire within that arc)**



In the diagram above if you were to select somewhere at 10 degrees then the round would fire at about 315 degrees as this is the arc limit.

EXTRA NOTES:

- If placing an assembled mortar in EDEN, place **without** crew, align to desired heading then drag/drop the assigned gunner.
- When assigning your AI group members to "get in mortar" they will get in but say "cannot comply", ignore that, they are manning the mortar just fine
- When calling Mortar fire from your AI group members there is no firing arc or range rings on the map so you'll have to use judgement
- AI mortar gunners can fire up to 90 degrees either side (this is to compensate better for sloping ground with the way AI ballistic computations work)