

Whoops, looks like something went wrong.

1/1ErrorException in AuthController.php line 157:Non-static method Illuminate\Database\Eloquent\Model::save() should not be called statically, assuming \$this from incompatible context

1. in AuthController.php line 157
2. at HandleExceptions->handleError('8192', 'Non-static method Illuminate\Database\Eloquent\Model::save() should not be called statically, assuming \$this from incompatible context', 'C:\inetpub\wwwroot\snipe-it\app\Http\Controllers\Auth\AuthController.php', '157', array('ldapattributes' => [truncated to remove personal LDAP Data] 'Imported from LDAP')) in AuthController.php line 157
3. at AuthController->createUserFromLdap(array [truncated to remove personal LDAP Data] in AuthController.php line 201
4. at AuthController->login()
5. at call_user_func_array(array(object(AuthController), 'login'), array()) in compiled.php line 9361
6. at Controller->callAction('login', array()) in compiled.php line 9423
7. at ControllerDispatcher->call(object(AuthController), object(Route), 'login') in compiled.php line 9403
8. at ControllerDispatcher->Illuminate\Routing\{closure}(object(Request))
9. at call_user_func(object(Closure), object(Request)) in Pipeline.php line 52
10. at Pipeline->Illuminate\Routing\{closure}(object(Request)) in RedirectIfAuthenticated.php line 24
11. at RedirectIfAuthenticated->handle(object(Request), object(Closure))
12. at call_user_func_array(array(object(RedirectIfAuthenticated), 'handle'), array(object(Request), object(Closure))) in compiled.php line 9895
13. at Pipeline->Illuminate\Pipeline\{closure}(object(Request))
14. at call_user_func(object(Closure), object(Request)) in Pipeline.php line 32
15. at Pipeline->Illuminate\Routing\{closure}(object(Request))
16. at call_user_func(object(Closure), object(Request)) in compiled.php line 9880
17. at Pipeline->then(object(Closure)) in compiled.php line 9404
18. at ControllerDispatcher->callWithinStack(object(AuthController), object(Route), object(Request), 'login') in compiled.php line 9391
19. at ControllerDispatcher->dispatch(object(Route), object(Request), 'App\Http\Controllers\Auth\AuthController', 'login') in compiled.php line 8459
20. at Route->runController(object(Request)) in compiled.php line 8446
21. at Route->run(object(Request)) in compiled.php line 8160
22. at Router->Illuminate\Routing\{closure}(object(Request))
23. at call_user_func(object(Closure), object(Request)) in Pipeline.php line 52
24. at Pipeline->Illuminate\Routing\{closure}(object(Request)) in CheckLocale.php line 40
25. at CheckLocale->handle(object(Request), object(Closure))
26. at call_user_func_array(array(object(CheckLocale), 'handle'), array(object(Request), object(Closure))) in compiled.php line 9895
27. at Pipeline->Illuminate\Pipeline\{closure}(object(Request))
28. at call_user_func(object(Closure), object(Request)) in Pipeline.php line 32
29. at Pipeline->Illuminate\Routing\{closure}(object(Request)) in compiled.php line 3189
30. at VerifyCsrfToken->handle(object(Request), object(Closure))

31. at call_user_func_array(array(object(VerifyCsrfToken),
'handle'), array(object(Request), object(Closure))) in compiled.php line 9895

32. at Pipeline->Illuminate\Pipeline\{closure}(object(Request))

33. at call_user_func(object(Closure), object(Request)) in Pipeline.php line 32

34. at Pipeline->Illuminate\Routing\{closure}(object(Request)) in compiled.php line 13073

35. at AddQueuedCookiesToResponse->handle(object(Request), object(Closure))

36. at call_user_func_array(array(object(AddQueuedCookiesToResponse),
'handle'), array(object(Request), object(Closure))) in compiled.php line 9895

37. at Pipeline->Illuminate\Pipeline\{closure}(object(Request))

38. at call_user_func(object(Closure), object(Request)) in Pipeline.php line 32

39. at Pipeline->Illuminate\Routing\{closure}(object(Request)) in compiled.php line 13010

40. at EncryptCookies->handle(object(Request), object(Closure))

41. at call_user_func_array(array(object(EncryptCookies),
'handle'), array(object(Request), object(Closure))) in compiled.php line 9895

42. at Pipeline->Illuminate\Pipeline\{closure}(object(Request))

43. at call_user_func(object(Closure), object(Request)) in Pipeline.php line 32

44. at Pipeline->Illuminate\Routing\{closure}(object(Request))

45. at call_user_func(object(Closure), object(Request)) in compiled.php line 9880

46. at Pipeline->then(object(Closure)) in compiled.php line 8161

47. at Router->runRouteWithinStack(object(Route), object(Request)) in compiled.php line 8152

48. at Router->dispatchToRoute(object(Request)) in compiled.php line 8142

49. at Router->dispatch(object(Request)) in compiled.php line 2400

50. at Kernel->Illuminate\Foundation\Http\{closure}(object(Request))

51. at call_user_func(object(Closure), object(Request)) in Pipeline.php line 52

52. at Pipeline->Illuminate\Routing\{closure}(object(Request)) in Debugbar.php line 49

53. at Debugbar->handle(object(Request), object(Closure))

54. at call_user_func_array(array(object(Debugbar),
'handle'), array(object(Request), object(Closure))) in compiled.php line 9895

55. at Pipeline->Illuminate\Pipeline\{closure}(object(Request))

56. at call_user_func(object(Closure), object(Request)) in Pipeline.php line 32

57. at Pipeline->Illuminate\Routing\{closure}(object(Request)) in CheckForSetup.php line 22

58. at CheckForSetup->handle(object(Request), object(Closure))

59. at call_user_func_array(array(object(CheckForSetup),
'handle'), array(object(Request), object(Closure))) in compiled.php line 9895

60. at Pipeline->Illuminate\Pipeline\{closure}(object(Request))

61. at call_user_func(object(Closure), object(Request)) in Pipeline.php line 32

62. at Pipeline->Illuminate\Routing\{closure}(object(Request)) in NosniffGuard.php line 17

63. at NosniffGuard->handle(object(Request), object(Closure))

64. at call_user_func_array(array(object(NosniffGuard),
'handle'), array(object(Request), object(Closure))) in compiled.php line 9895

65. at Pipeline->Illuminate\Pipeline\{closure}(object(Request))

66. at call_user_func(object(Closure), object(Request)) in Pipeline.php line 32

67. at Pipeline->Illuminate\Routing\{closure}(object(Request)) in XssProtectHeader.php line 17

68. at XssProtectHeader->handle(object(Request), object(Closure))

69. at call_user_func_array(array(object(XssProtectHeader),
'handle'), array(object(Request), object(Closure))) in compiled.php line 9895

70. at Pipeline->Illuminate\Pipeline\{closure}(object(Request))

71. at call_user_func(object(Closure), object(Request)) in Pipeline.php line 32

72. at Pipeline->Illuminate\Routing\{closure}(object(Request)) in FrameGuard.php line 17

73. at FrameGuard->handle(object(Request), object(Closure))

74. at call_user_func_array(array(object(FrameGuard),
'handle'), array(object(Request), object(Closure))) in compiled.php line 9895

75. at Pipeline->Illuminate\Pipeline\{closure}(object(Request))

76. at call_user_func(object(Closure), object(Request)) in Pipeline.php line 32

77. at Pipeline->Illuminate\Routing\{closure}(object(Request)) in compiled.php line 13334

78. at ShareErrorsFromSession->handle(object(Request), object(Closure))

79. at call_user_func_array(array(object(ShareErrorsFromSession),
'handle'), array(object(Request), object(Closure))) in compiled.php line 9895

80. at Pipeline->Illuminate\Pipeline\{closure}(object(Request))

81. at call_user_func(*object*(Closure), *object*(Request)) in Pipeline.php line 32
82. at Pipeline->Illuminate\Routing\{closure}(*object*(Request)) in compiled.php line 11880
83. at StartSession->handle(*object*(Request), *object*(Closure))
84. at call_user_func_array(*array*(*object*(StartSession),
 'handle'), *array*(*object*(Request), *object*(Closure))) in compiled.php line 9895
85. at Pipeline->Illuminate\Pipeline\{closure}(*object*(Request))
86. at call_user_func(*object*(Closure), *object*(Request)) in Pipeline.php line 32
87. at Pipeline->Illuminate\Routing\{closure}(*object*(Request)) in compiled.php line 3250
88. at CheckForMaintenanceMode->handle(*object*(Request), *object*(Closure))
89. at call_user_func_array(*array*(*object*(CheckForMaintenanceMode),
 'handle'), *array*(*object*(Request), *object*(Closure))) in compiled.php line 9895
90. at Pipeline->Illuminate\Pipeline\{closure}(*object*(Request))
91. at call_user_func(*object*(Closure), *object*(Request)) in Pipeline.php line 32
92. at Pipeline->Illuminate\Routing\{closure}(*object*(Request))
93. at call_user_func(*object*(Closure), *object*(Request)) in compiled.php line 9880
94. at Pipeline->then(*object*(Closure)) in compiled.php line 2347
95. at Kernel->sendRequestThroughRouter(*object*(Request)) in compiled.php line 2331
96. at Kernel->handle(*object*(Request)) in index.php line 55