

```
[2017-01-24 14:20:33] production.ERROR: exception 'ErrorException'
with message 'mcrypt_encrypt(): Key of size 8 not supported by this
algorithm. Only keys of sizes 16, 24 or 32 supported' in D:
\wwsnipe\vendor\laravel\framework\src\Illuminate\Encryption\McryptEnc
rypter.php:104
Stack trace:
#0 [internal function]:
Illuminate\Foundation\Bootstrap\HandleExceptions->handleError(2,
'mcrypt_encrypt(...', 'D:\wwsnipe\ven...', 104, Array)
#1 D:
\wwsnipe\vendor\laravel\framework\src\Illuminate\Encryption\McryptEnc
rypter.php(104): mcrypt_encrypt('rijndael-256', 'ChangeMe', 's:
40:"8iEZnXE5d...', 'cbc', '\xEE\x7F\x96;.6]\xDE$
\xCC\xD6\xB0\x8D'\x05...')
#2 D:
\wwsnipe\vendor\laravel\framework\src\Illuminate\Encryption\McryptEnc
rypter.php(77): Illuminate\Encryption\McryptEncrypter-
>padAndMcrypt('8iEZnXE5dncMzmu...', '\xEE\x7F\x96;.6]\xDE$
\xCC\xD6\xB0\x8D'\x05...')
#3 D:\wwsnipe\bootstrap\cache\compiled.php(13186):
Illuminate\Encryption\McryptEncrypter->encrypt('8iEZnXE5dncMzmu...')
#4 D:\wwsnipe\bootstrap\cache\compiled.php(13150):
Illuminate\Cookie\Middleware\EncryptCookies-
>encrypt(Object(Illuminate\Http\Response))
#5 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#6 D:\wwsnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#7 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#8 D:
\wwsnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#9 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#10 D:\wwsnipe\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#11 D:\wwsnipe\bootstrap\cache\compiled.php(8226):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#12 D:\wwsnipe\bootstrap\cache\compiled.php(8217):
Illuminate\Routing\Router-
>runRouteWithinStack(Object(Illuminate\Routing\Route),
Object(Illuminate\Http\Request))
#13 D:\wwsnipe\bootstrap\cache\compiled.php(8207):
Illuminate\Routing\Router-
>dispatchToRoute(Object(Illuminate\Http\Request))
#14 D:\wwsnipe\bootstrap\cache\compiled.php(2419):
Illuminate\Routing\Router->dispatch(Object(Illuminate\Http\Request))
#15 [internal function]: Illuminate\Foundation\Http\Kernel-
>Illuminate\Foundation\Http\{closure}(Object(Illuminate\Http\Request))
```

```
#16 D:
\wwsnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(52): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#17 D:\wwsnipe\app\Http\Middleware\CheckForDebug.php(25):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#18 [internal function]: App\Http\Middleware\CheckForDebug-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#19 D:\wwsnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#20 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#21 D:
\wwsnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#22 D:\wwsnipe\vendor\fideloper\proxy\src\TrustProxies.php(46):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#23 [internal function]: Fideloper\Proxy\TrustProxies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#24 D:\wwsnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#25 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#26 D:
\wwsnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#27 D:\wwsnipe\app\Http\Middleware\CheckForSetup.php(35):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#28 [internal function]: App\Http\Middleware\CheckForSetup-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#29 D:\wwsnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#30 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#31 D:
\wwsnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#32 D:\wwsnipe\app\Http\Middleware\NosniffGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#33 [internal function]: App\Http\Middleware\NosniffGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#34 D:\wwsnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#35 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#36 D:
\wwsnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
```

```
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#37 D:\wwwnipe\app\Http\Middleware\XssProtectHeader.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#38 [internal function]: App\Http\Middleware\XssProtectHeader-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#39 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#40 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#41 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#42 D:\wwwnipe\app\Http\Middleware\FrameGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#43 [internal function]: App\Http\Middleware\FrameGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#44 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#45 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#46 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#47 D:\wwwnipe\bootstrap\cache\compiled.php(13474):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#48 [internal function]:
Illuminate\View\Middleware\ShareErrorsFromSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#49 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#50 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#51 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#52 D:\wwwnipe\bootstrap\cache\compiled.php(11964):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#53 [internal function]: Illuminate\Session\Middleware\StartSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#54 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#55 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#56 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
```

```
#57 D:\wwwnipe\vendor\misterphilip\maintenance-
mode\src\MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintena
nceMode.php(145): Illuminate\Routing\Pipeline->Illuminate\Routing\
{closure}(Object(Illuminate\Http\Request))
#58 [internal function]:
MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#59 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#60 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#61 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#62 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#63 D:\wwwnipe\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#64 D:\wwwnipe\bootstrap\cache\compiled.php(2366):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#65 D:\wwwnipe\bootstrap\cache\compiled.php(2350):
Illuminate\Foundation\Http\Kernel-
>sendRequestThroughRouter(Object(Illuminate\Http\Request))
#66 D:\wwwnipe\public\index.php(60):
Illuminate\Foundation\Http\Kernel-
>handle(Object(Illuminate\Http\Request))
#67 {main}
[2017-01-24 14:20:38] production.ERROR: exception 'ErrorException'
with message 'mcrypt_encrypt(): Key of size 8 not supported by this
algorithm. Only keys of sizes 16, 24 or 32 supported' in D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Encryption\McryptEnc
rypter.php:104
Stack trace:
#0 [internal function]:
Illuminate\Foundation\Bootstrap\HandleExceptions->handleError(2,
'mcrypt_encrypt(...', 'D:\wwwnipe\ven...', 104, Array)
#1 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Encryption\McryptEnc
rypter.php(104): mcrypt_encrypt('rijndael-256', 'ChangeMe', 's:
40:"8iEZnXE5d...', 'cbc',
'\xE0\xFE\xF3\xA3\x8C\x83\x1A\x1F\x9C\xA2\xA6JEs#...')
#2 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Encryption\McryptEnc
rypter.php(77): Illuminate\Encryption\McryptEncrypter-
>padAndMcrypt('8iEZnXE5dncMzmu...',
'\xE0\xFE\xF3\xA3\x8C\x83\x1A\x1F\x9C\xA2\xA6JEs#...')
#3 D:\wwwnipe\bootstrap\cache\compiled.php(13186):
Illuminate\Encryption\McryptEncrypter->encrypt('8iEZnXE5dncMzmu...')
#4 D:\wwwnipe\bootstrap\cache\compiled.php(13150):
Illuminate\Cookie\Middleware\EncryptCookies-
```

```
>encrypt(Object(Illuminate\Http\Response))
#5 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#6 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#7 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#8 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#9 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#10 D:\wwwnipe\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#11 D:\wwwnipe\bootstrap\cache\compiled.php(8226):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#12 D:\wwwnipe\bootstrap\cache\compiled.php(8217):
Illuminate\Routing\Router-
>runRouteWithinStack(Object(Illuminate\Routing\Route),
Object(Illuminate\Http\Request))
#13 D:\wwwnipe\bootstrap\cache\compiled.php(8207):
Illuminate\Routing\Router-
>dispatchToRoute(Object(Illuminate\Http\Request))
#14 D:\wwwnipe\bootstrap\cache\compiled.php(2419):
Illuminate\Routing\Router->dispatch(Object(Illuminate\Http\Request))
#15 [internal function]: Illuminate\Foundation\Http\Kernel-
>Illuminate\Foundation\Http\{closure}(Object(Illuminate\Http\Request))
#16 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(52): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#17 D:\wwwnipe\app\Http\Middleware\CheckForDebug.php(25):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#18 [internal function]: App\Http\Middleware\CheckForDebug-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#19 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#20 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#21 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#22 D:\wwwnipe\vendor\fideloper\proxy\src\TrustProxies.php(46):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#23 [internal function]: Fideloper\Proxy\TrustProxies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#24 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#25 [internal function]: Illuminate\Pipeline\Pipeline-
```

```
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#26 D:
\wwwsnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#27 D:\wwwsnipe\app\Http\Middleware\CheckForSetup.php(35):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#28 [internal function]: App\Http\Middleware\CheckForSetup-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#29 D:\wwwsnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#30 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#31 D:
\wwwsnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#32 D:\wwwsnipe\app\Http\Middleware\NosniffGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#33 [internal function]: App\Http\Middleware\NosniffGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#34 D:\wwwsnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#35 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#36 D:
\wwwsnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#37 D:\wwwsnipe\app\Http\Middleware\XssProtectHeader.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#38 [internal function]: App\Http\Middleware\XssProtectHeader-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#39 D:\wwwsnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#40 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#41 D:
\wwwsnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#42 D:\wwwsnipe\app\Http\Middleware\FrameGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#43 [internal function]: App\Http\Middleware\FrameGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#44 D:\wwwsnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#45 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#46 D:
```

```
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#47 D:\wwwnipe\bootstrap\cache\compiled.php(13474):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#48 [internal function]:
Illuminate\View\Middleware\ShareErrorsFromSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#49 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#50 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#51 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#52 D:\wwwnipe\bootstrap\cache\compiled.php(11964):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#53 [internal function]: Illuminate\Session\Middleware\StartSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#54 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#55 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#56 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#57 D:\wwwnipe\vendor\misterphilip\maintenance-
mode\src\MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintena
nceMode.php(145): Illuminate\Routing\Pipeline->Illuminate\Routing\
{closure}(Object(Illuminate\Http\Request))
#58 [internal function]:
MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#59 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#60 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#61 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#62 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#63 D:\wwwnipe\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#64 D:\wwwnipe\bootstrap\cache\compiled.php(2366):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#65 D:\wwwnipe\bootstrap\cache\compiled.php(2350):
Illuminate\Foundation\Http\Kernel-
>sendRequestThroughRouter(Object(Illuminate\Http\Request))
```

```
#66 D:\wwwnipe\public\index.php(60):
Illuminate\Foundation\Http\Kernel-
>handle(Object(Illuminate\Http\Request))
#67 {main}
[2017-01-24 14:20:53] production.ERROR: exception 'ErrorException'
with message 'mcrypt_encrypt(): Key of size 8 not supported by this
algorithm. Only keys of sizes 16, 24 or 32 supported' in D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Encryption\McryptEnc
rypter.php:104
Stack trace:
#0 [internal function]:
Illuminate\Foundation\Bootstrap\HandleExceptions->handleError(2,
'mcrypt_encrypt(...', 'D:\wwwnipe\ven...', 104, Array)
#1 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Encryption\McryptEnc
rypter.php(104): mcrypt_encrypt('rijndael-256', 'ChangeMe', 's:
40:"8iEZnXE5d...', 'cbc',
'\xDB\xC5\xE8\x14\xA7\xF2\xEAvj\x8CfvF\x18F...')
#2 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Encryption\McryptEnc
rypter.php(77): Illuminate\Encryption\McryptEncrypter-
>padAndMcrypt('8iEZnXE5dncMzmu...',
'\xDB\xC5\xE8\x14\xA7\xF2\xEAvj\x8CfvF\x18F...')
#3 D:\wwwnipe\bootstrap\cache\compiled.php(13186):
Illuminate\Encryption\McryptEncrypter->encrypt('8iEZnXE5dncMzmu...')
#4 D:\wwwnipe\bootstrap\cache\compiled.php(13150):
Illuminate\Cookie\Middleware\EncryptCookies-
>encrypt(Object(Illuminate\Http\Response))
#5 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#6 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#7 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#8 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#9 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#10 D:\wwwnipe\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#11 D:\wwwnipe\bootstrap\cache\compiled.php(8226):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#12 D:\wwwnipe\bootstrap\cache\compiled.php(8217):
Illuminate\Routing\Router-
>runRouteWithinStack(Object(Illuminate\Routing\Route),
Object(Illuminate\Http\Request))
#13 D:\wwwnipe\bootstrap\cache\compiled.php(8207):
Illuminate\Routing\Router-
>dispatchToRoute(Object(Illuminate\Http\Request))
```



```
#14 D:\wwwnipe\bootstrap\cache\compiled.php(2419):  
Illuminate\Routing\Router->dispatch(Object(Illuminate\Http\Request))  
#15 [internal function]: Illuminate\Foundation\Http\Kernel->  
>Illuminate\Foundation\Http\{closure}(Object(Illuminate\Http\Request))  
#16 D:  
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php  
(52): call_user_func(Object(Closure), Object(Illuminate\Http\Request))  
#17 D:\wwwnipe\app\Http\Middleware\CheckForDebug.php(25):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#18 [internal function]: App\Http\Middleware\CheckForDebug->  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#19 D:\wwwnipe\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#20 [internal function]: Illuminate\Pipeline\Pipeline->  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#21 D:  
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php  
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))  
#22 D:\wwwnipe\vendor\fideloper\proxy\src\TrustProxies.php(46):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#23 [internal function]: Fideloper\Proxy\TrustProxies->  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#24 D:\wwwnipe\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#25 [internal function]: Illuminate\Pipeline\Pipeline->  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#26 D:  
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php  
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))  
#27 D:\wwwnipe\app\Http\Middleware\CheckForSetup.php(35):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#28 [internal function]: App\Http\Middleware\CheckForSetup->  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#29 D:\wwwnipe\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#30 [internal function]: Illuminate\Pipeline\Pipeline->  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#31 D:  
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php  
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))  
#32 D:\wwwnipe\app\Http\Middleware\NosniffGuard.php(17):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#33 [internal function]: App\Http\Middleware\NosniffGuard->  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#34 D:\wwwnipe\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)
```

```
#35 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#36 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#37 D:\wwwnipe\app\Http\Middleware\XssProtectHeader.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#38 [internal function]: App\Http\Middleware\XssProtectHeader-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#39 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#40 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#41 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#42 D:\wwwnipe\app\Http\Middleware\FrameGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#43 [internal function]: App\Http\Middleware\FrameGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#44 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#45 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#46 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#47 D:\wwwnipe\bootstrap\cache\compiled.php(13474):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#48 [internal function]:
Illuminate\View\Middleware\ShareErrorsFromSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#49 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#50 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#51 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#52 D:\wwwnipe\bootstrap\cache\compiled.php(11964):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#53 [internal function]: Illuminate\Session\Middleware\StartSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#54 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#55 [internal function]: Illuminate\Pipeline\Pipeline-
```

```
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#56 D:
\wwsnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#57 D:\wwsnipe\vendor\misterphilip\maintenance-
mode\src\MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintena
nceMode.php(145): Illuminate\Routing\Pipeline->Illuminate\Routing\
{closure}(Object(Illuminate\Http\Request))
#58 [internal function]:
MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#59 D:\wwsnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#60 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#61 D:
\wwsnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#62 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#63 D:\wwsnipe\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#64 D:\wwsnipe\bootstrap\cache\compiled.php(2366):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#65 D:\wwsnipe\bootstrap\cache\compiled.php(2350):
Illuminate\Foundation\Http\Kernel-
>sendRequestThroughRouter(Object(Illuminate\Http\Request))
#66 D:\wwsnipe\public\index.php(60):
Illuminate\Foundation\Http\Kernel-
>handle(Object(Illuminate\Http\Request))
#67 {main}
[2017-01-24 14:29:52] production.ERROR: exception
'Swift_TransportException' with message 'Connection could not be
established with host mailrelay.ftr.com [A connection attempt failed
because the connected party did not properly respond after a period of
time, or established connection failed because connected host has
failed to respond.
#10060]' in D:
\wwsnipe\vendor\swiftmailer\swiftmailer\lib\classes\Swift\Transport\S
treamBuffer.php:269
Stack trace:
#0 D:
\wwsnipe\vendor\swiftmailer\swiftmailer\lib\classes\Swift\Transport\S
treamBuffer.php(62): Swift_Transport_StreamBuffer-
>_establishSocketConnection()
#1 D:
\wwsnipe\vendor\swiftmailer\swiftmailer\lib\classes\Swift\Transport\A
bstractSmtptTransport.php(113): Swift_Transport_StreamBuffer-
>initialize(Array)
#2 D:
```

```
\wwwnipe\vendor\swiftmailer\swiftmailer\lib\classes\Swift\Mailer.php(
79): Swift_Transport_AbstractSmtptTransport->start()
#3 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Mail\Mailer.php(385)
: Swift_Mailer->send(Object(Swift_Message), Array)
#4 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Mail\Mailer.php(171)
: Illuminate\Mail\Mailer->sendSwiftMessage(Object(Swift_Message))
#5 D:\wwwnipe\bootstrap\cache\compiled.php(6329):
Illuminate\Mail\Mailer->send(Array, Array, Object(Closure))
#6 D:\wwwnipe\app\Http\Controllers\SettingsController.php(196):
Illuminate\Support\Facades\Facade::__callStatic('send', Array)
#7 D:\wwwnipe\app\Http\Controllers\SettingsController.php(196):
Illuminate\Support\Facades\Mail::send(Array, Array, Object(Closure))
#8 [internal function]: App\Http\Controllers\SettingsController-
>postSaveFirstAdmin(Object(App\Http\Requests\SetupUserRequest))
#9 D:\wwwnipe\bootstrap\cache\compiled.php(9424):
call_user_func_array(Array, Array)
#10 D:\wwwnipe\bootstrap\cache\compiled.php(9486):
Illuminate\Routing\Controller->callAction('postSaveFirstAd...', Array)
#11 D:\wwwnipe\bootstrap\cache\compiled.php(9466):
Illuminate\Routing\ControllerDispatcher-
>call(Object(App\Http\Controllers\SettingsController),
Object(Illuminate\Routing\Route), 'postSaveFirstAd...')
#12 [internal function]: Illuminate\Routing\ControllerDispatcher-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#13 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(52): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#14 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#15 D:\wwwnipe\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#16 D:\wwwnipe\bootstrap\cache\compiled.php(9467):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#17 D:\wwwnipe\bootstrap\cache\compiled.php(9454):
Illuminate\Routing\ControllerDispatcher-
>callWithinStack(Object(App\Http\Controllers\SettingsController),
Object(Illuminate\Routing\Route), Object(Illuminate\Http\Request),
'postSaveFirstAd...')
#18 D:\wwwnipe\bootstrap\cache\compiled.php(8524):
Illuminate\Routing\ControllerDispatcher-
>dispatch(Object(Illuminate\Routing\Route),
Object(Illuminate\Http\Request), 'App\Http\Contro...',
'postSaveFirstAd...')
#19 D:\wwwnipe\bootstrap\cache\compiled.php(8511):
Illuminate\Routing\Route-
>runController(Object(Illuminate\Http\Request))
#20 D:\wwwnipe\bootstrap\cache\compiled.php(8225):
Illuminate\Routing\Route->run(Object(Illuminate\Http\Request))
```

```
#21 [internal function]: Illuminate\Routing\Router-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#22 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(52): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#23 D:\wwwnipe\app\Http\Middleware\CheckForTwoFactor.php(49):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#24 [internal function]: App\Http\Middleware\CheckForTwoFactor-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#25 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#26 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#27 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#28 D:\wwwnipe\app\Http\Middleware\CheckLocale.php(42):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#29 [internal function]: App\Http\Middleware\CheckLocale-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#30 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#31 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#32 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#33 D:\wwwnipe\bootstrap\cache\compiled.php(3225):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#34 [internal function]:
Illuminate\Foundation\Http\Middleware\VerifyCsrfToken-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#35 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#36 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#37 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#38 D:\wwwnipe\bootstrap\cache\compiled.php(13213):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#39 [internal function]:
Illuminate\Cookie\Middleware\AddQueuedCookiesToResponse-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#40 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
```

```
#41 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#42 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#43 D:\wwwnipe\bootstrap\cache\compiled.php(13150):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#44 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#45 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#46 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#47 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#48 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#49 D:\wwwnipe\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#50 D:\wwwnipe\bootstrap\cache\compiled.php(8226):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#51 D:\wwwnipe\bootstrap\cache\compiled.php(8217):
Illuminate\Routing\Router-
>runRouteWithinStack(Object(Illuminate\Routing\Route),
Object(Illuminate\Http\Request))
#52 D:\wwwnipe\bootstrap\cache\compiled.php(8207):
Illuminate\Routing\Router-
>dispatchToRoute(Object(Illuminate\Http\Request))
#53 D:\wwwnipe\bootstrap\cache\compiled.php(2419):
Illuminate\Routing\Router->dispatch(Object(Illuminate\Http\Request))
#54 [internal function]: Illuminate\Foundation\Http\Kernel-
>Illuminate\Foundation\Http\{closure}(Object(Illuminate\Http\Request))
#55 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(52): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#56 D:\wwwnipe\app\Http\Middleware\CheckForDebug.php(25):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#57 [internal function]: App\Http\Middleware\CheckForDebug-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#58 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#59 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#60 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#61 D:\wwwnipe\vendor\fideloper\proxy\src\TrustProxies.php(46):
```

```
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#62 [internal function]: Fideloper\Proxy\TrustProxies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#63 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#64 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#65 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#66 D:\wwwnipe\app\Http\Middleware\CheckForSetup.php(35):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#67 [internal function]: App\Http\Middleware\CheckForSetup-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#68 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#69 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#70 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#71 D:\wwwnipe\app\Http\Middleware\NosniffGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#72 [internal function]: App\Http\Middleware\NosniffGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#73 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#74 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#75 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#76 D:\wwwnipe\app\Http\Middleware\XssProtectHeader.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#77 [internal function]: App\Http\Middleware\XssProtectHeader-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#78 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#79 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#80 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#81 D:\wwwnipe\app\Http\Middleware\FrameGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
```

```
#82 [internal function]: App\Http\Middleware\FrameGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#83 D:\wwsnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#84 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#85 D:
\wwsnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#86 D:\wwsnipe\bootstrap\cache\compiled.php(13474):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#87 [internal function]:
Illuminate\View\Middleware\ShareErrorsFromSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#88 D:\wwsnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#89 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#90 D:
\wwsnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#91 D:\wwsnipe\bootstrap\cache\compiled.php(11964):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#92 [internal function]: Illuminate\Session\Middleware\StartSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#93 D:\wwsnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#94 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#95 D:
\wwsnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#96 D:\wwsnipe\vendor\misterphilip\maintenance-
mode\src\MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintena
nceMode.php(145): Illuminate\Routing\Pipeline->Illuminate\Routing\
{closure}(Object(Illuminate\Http\Request))
#97 [internal function]:
MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#98 D:\wwsnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#99 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#100 D:
\wwsnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#101 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
```



```
#102 D:\wwwnipe\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#103 D:\wwwnipe\bootstrap\cache\compiled.php(2366):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#104 D:\wwwnipe\bootstrap\cache\compiled.php(2350):
Illuminate\Foundation\Http\Kernel-
>sendRequestThroughRouter(Object(Illuminate\Http\Request))
#105 D:\wwwnipe\public\index.php(60):
Illuminate\Foundation\Http\Kernel-
>handle(Object(Illuminate\Http\Request))
#106 {main}
[2017-01-24 19:27:26] production.ERROR: exception
'Swift_TransportException' with message 'Connection could not be
established with host mailrelay.ftr.com [A connection attempt failed
because the connected party did not properly respond after a period of
time, or established connection failed because connected host has
failed to respond.
#10060]' in D:
\wwwnipe\vendor\swiftmailer\swiftmailer\lib\classes\Swift\Transport\S
treamBuffer.php:269
Stack trace:
#0 D:
\wwwnipe\vendor\swiftmailer\swiftmailer\lib\classes\Swift\Transport\S
treamBuffer.php(62): Swift_Transport_StreamBuffer-
>_establishSocketConnection()
#1 D:
\wwwnipe\vendor\swiftmailer\swiftmailer\lib\classes\Swift\Transport\A
bstractSmtptTransport.php(113): Swift_Transport_StreamBuffer-
>initialize(Array)
#2 D:
\wwwnipe\vendor\swiftmailer\swiftmailer\lib\classes\Swift\Mailer.php(
79): Swift_Transport_AbstractSmtptTransport->start()
#3 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Mail\Mailer.php(385)
: Swift_Mailer->send(Object(Swift_Message), Array)
#4 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Mail\Mailer.php(171)
: Illuminate\Mail\Mailer->sendSwiftMessage(Object(Swift_Message))
#5 D:\wwwnipe\bootstrap\cache\compiled.php(6329):
Illuminate\Mail\Mailer->send('emails.send-log...', Array,
Object(Closure))
#6 D:\wwwnipe\app\Http\Controllers\UsersController.php(173):
Illuminate\Support\Facades\Facade::__callStatic('send', Array)
#7 D:\wwwnipe\app\Http\Controllers\UsersController.php(173):
Illuminate\Support\Facades\Mail::send('emails.send-log...', Array,
Object(Closure))
#8 [internal function]: App\Http\Controllers\UsersController-
>postCreate(Object(App\Http\Requests\SaveUserRequest))
#9 D:\wwwnipe\bootstrap\cache\compiled.php(9424):
call_user_func_array(Array, Array)
```

```
#10 D:\wwwnipe\bootstrap\cache\compiled.php(9486):  
Illuminate\Routing\Controller->callAction('postCreate', Array)  
#11 D:\wwwnipe\bootstrap\cache\compiled.php(9466):  
Illuminate\Routing\ControllerDispatcher->  
>call(Object(App\Http\Controllers\UsersController),  
Object(Illuminate\Routing\Route), 'postCreate')  
#12 [internal function]: Illuminate\Routing\ControllerDispatcher->  
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))  
#13 D:  
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php  
(52): call_user_func(Object(Closure), Object(Illuminate\Http\Request))  
#14 [internal function]: Illuminate\Routing\Pipeline->  
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))  
#15 D:\wwwnipe\bootstrap\cache\compiled.php(9948):  
call_user_func(Object(Closure), Object(Illuminate\Http\Request))  
#16 D:\wwwnipe\bootstrap\cache\compiled.php(9467):  
Illuminate\Pipeline\Pipeline->then(Object(Closure))  
#17 D:\wwwnipe\bootstrap\cache\compiled.php(9454):  
Illuminate\Routing\ControllerDispatcher->  
>callWithinStack(Object(App\Http\Controllers\UsersController),  
Object(Illuminate\Routing\Route), Object(Illuminate\Http\Request),  
'postCreate')  
#18 D:\wwwnipe\bootstrap\cache\compiled.php(8524):  
Illuminate\Routing\ControllerDispatcher->  
>dispatch(Object(Illuminate\Routing\Route),  
Object(Illuminate\Http\Request), 'App\Http\Controllers\Contro...', 'postCreate')  
#19 D:\wwwnipe\bootstrap\cache\compiled.php(8511):  
Illuminate\Routing\Route->  
>runController(Object(Illuminate\Http\Request))  
#20 D:\wwwnipe\bootstrap\cache\compiled.php(8225):  
Illuminate\Routing\Route->run(Object(Illuminate\Http\Request))  
#21 [internal function]: Illuminate\Routing\Router->  
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))  
#22 D:  
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php  
(52): call_user_func(Object(Closure), Object(Illuminate\Http\Request))  
#23 D:\wwwnipe\app\Http\Middleware\CheckPermissions.php(28):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#24 [internal function]: App\Http\Middleware\CheckPermissions->  
>handle(Object(Illuminate\Http\Request), Object(Closure),  
'users.edit')  
#25 D:\wwwnipe\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#26 [internal function]: Illuminate\Pipeline\Pipeline->  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#27 D:  
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php  
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))  
#28 D:\wwwnipe\app\Http\Middleware\CheckPermissions.php(28):
```

```
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#29 [internal function]: App\Http\Middleware\CheckPermissions-
>handle(Object(Illuminate\Http\Request), Object(Closure),
'users.view')
#30 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#31 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#32 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#33 D:\wwwnipe\app\Http\Middleware\Authenticate.php(45):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#34 [internal function]: App\Http\Middleware\Authenticate-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#35 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#36 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#37 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#38 D:\wwwnipe\app\Http\Middleware\CheckForTwoFactor.php(49):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#39 [internal function]: App\Http\Middleware\CheckForTwoFactor-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#40 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#41 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#42 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#43 D:\wwwnipe\app\Http\Middleware\CheckLocale.php(42):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#44 [internal function]: App\Http\Middleware\CheckLocale-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#45 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#46 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#47 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#48 D:\wwwnipe\bootstrap\cache\compiled.php(3225):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
```

```
(Object(Illuminate\Http\Request))
#49 [internal function]:
Illuminate\Foundation\Http\Middleware\VerifyCsrfToken-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#50 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#51 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#52 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#53 D:\wwwnipe\bootstrap\cache\compiled.php(13213):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#54 [internal function]:
Illuminate\Cookie\Middleware\AddQueuedCookiesToResponse-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#55 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#56 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#57 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#58 D:\wwwnipe\bootstrap\cache\compiled.php(13150):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#59 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#60 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#61 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#62 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#63 D:\wwwnipe\app\Http\Middleware\Authenticate.php(45):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#64 [internal function]: App\Http\Middleware\Authenticate-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#65 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#66 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#67 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#68 D:\wwwnipe\app\Http\Middleware\CheckForTwoFactor.php(49):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
```

```
(Object(Illuminate\Http\Request))
#69 [internal function]: App\Http\Middleware\CheckForTwoFactor-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#70 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#71 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#72 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#73 D:\wwwnipe\app\Http\Middleware\CheckLocale.php(42):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#74 [internal function]: App\Http\Middleware\CheckLocale-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#75 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#76 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#77 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#78 D:\wwwnipe\bootstrap\cache\compiled.php(3225):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#79 [internal function]:
Illuminate\Foundation\Http\Middleware\VerifyCsrfToken-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#80 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#81 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#82 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#83 D:\wwwnipe\bootstrap\cache\compiled.php(13213):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#84 [internal function]:
Illuminate\Cookie\Middleware\AddQueuedCookiesToResponse-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#85 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#86 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#87 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#88 D:\wwwnipe\bootstrap\cache\compiled.php(13150):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
```

```
(Object(Illuminate\Http\Request))
#89 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#90 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#91 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#92 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#93 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#94 D:\wwwnipe\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#95 D:\wwwnipe\bootstrap\cache\compiled.php(8226):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#96 D:\wwwnipe\bootstrap\cache\compiled.php(8217):
Illuminate\Routing\Router-
>runRouteWithinStack(Object(Illuminate\Routing\Route),
Object(Illuminate\Http\Request))
#97 D:\wwwnipe\bootstrap\cache\compiled.php(8207):
Illuminate\Routing\Router-
>dispatchToRoute(Object(Illuminate\Http\Request))
#98 D:\wwwnipe\bootstrap\cache\compiled.php(2419):
Illuminate\Routing\Router->dispatch(Object(Illuminate\Http\Request))
#99 [internal function]: Illuminate\Foundation\Http\Kernel-
>Illuminate\Foundation\Http\{closure}(Object(Illuminate\Http\Request))
#100 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(52): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#101 D:\wwwnipe\app\Http\Middleware\CheckForDebug.php(25):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#102 [internal function]: App\Http\Middleware\CheckForDebug-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#103 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#104 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#105 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#106 D:\wwwnipe\vendor\fideloper\proxy\src\TrustProxies.php(46):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#107 [internal function]: Fideloper\Proxy\TrustProxies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#108 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#109 [internal function]: Illuminate\Pipeline\Pipeline-
```

```
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#110 D:
\wwwsnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#111 D:\wwwsnipe\app\Http\Middleware\CheckForSetup.php(27):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#112 [internal function]: App\Http\Middleware\CheckForSetup-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#113 D:\wwwsnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#114 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#115 D:
\wwwsnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#116 D:\wwwsnipe\app\Http\Middleware\NosniffGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#117 [internal function]: App\Http\Middleware\NosniffGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#118 D:\wwwsnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#119 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#120 D:
\wwwsnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#121 D:\wwwsnipe\app\Http\Middleware\XssProtectHeader.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#122 [internal function]: App\Http\Middleware\XssProtectHeader-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#123 D:\wwwsnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#124 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#125 D:
\wwwsnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#126 D:\wwwsnipe\app\Http\Middleware\FrameGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#127 [internal function]: App\Http\Middleware\FrameGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#128 D:\wwwsnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#129 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#130 D:
```

```
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#131 D:\wwwnipe\bootstrap\cache\compiled.php(13474):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#132 [internal function]:
Illuminate\View\Middleware\ShareErrorsFromSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#133 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#134 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#135 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#136 D:\wwwnipe\bootstrap\cache\compiled.php(11964):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#137 [internal function]: Illuminate\Session\Middleware\StartSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#138 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#139 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#140 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#141 D:\wwwnipe\vendor\misterphilip\maintenance-
mode\src\MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintena
nceMode.php(145): Illuminate\Routing\Pipeline->Illuminate\Routing\
{closure}(Object(Illuminate\Http\Request))
#142 [internal function]:
MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#143 D:\wwwnipe\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#144 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#145 D:
\wwwnipe\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php
(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#146 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#147 D:\wwwnipe\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#148 D:\wwwnipe\bootstrap\cache\compiled.php(2366):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#149 D:\wwwnipe\bootstrap\cache\compiled.php(2350):
Illuminate\Foundation\Http\Kernel-
>sendRequestThroughRouter(Object(Illuminate\Http\Request))
```



```
#150 D:\wwsnipe\public\index.php(60):
Illuminate\Foundation\Http\Kernel-
>handle(Object(Illuminate\Http\Request))
#151 {main}
[2017-02-07 18:09:17] production.ERROR: LogicException: Unable to
guess the mime type as no guessers are available (Did you enable the
php_fileinfo extension?) in C:\inetpub\wwwroot\vendor\symfony\http-
foundation\File\MimeType\MimeTypeGuesser.php:135
Stack trace:
#0 C:\inetpub\wwwroot\vendor\symfony\http-
foundation\File\File.php(79):
Symfony\Component\HttpFoundation\File\MimeType\MimeTypeGuesser-
>guess('C:\\Windows\\Temp...')
#1 C:\inetpub\wwwroot\app\Http\Controllers\AssetsController.php(889):
Symfony\Component\HttpFoundation\File\File->getMimeType()
#2 [internal function]: App\Http\Controllers\AssetsController-
>postAPIImportUpload(Object(App\Http\Requests\AssetFileRequest))
#3 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9424):
call_user_func_array(Array, Array)
#4 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9486):
Illuminate\Routing\Controller->callAction('postAPIImportUp...', Array)
#5 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9466):
Illuminate\Routing\ControllerDispatcher-
>call(Object(App\Http\Controllers\AssetsController),
Object(Illuminate\Routing\Route), 'postAPIImportUp...')
#6 [internal function]: Illuminate\Routing\ControllerDispatcher-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#7 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(52): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#8 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#9 [internal function]: App\Http\Middleware\Authenticate-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#10 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#11 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#12 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#13 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#14 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#15 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9467):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
```

```
#16 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9454):  
Illuminate\Routing\ControllerDispatcher-  
>callWithinStack(Object(App\Http\Controllers\AssetsController),  
Object(Illuminate\Routing\Route), Object(Illuminate\Http\Request),  
'postAPIImportUp...')  
#17 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8524):  
Illuminate\Routing\ControllerDispatcher-  
>dispatch(Object(Illuminate\Routing\Route),  
Object(Illuminate\Http\Request), 'App\Http\Contro...',  
'postAPIImportUp...')  
#18 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8511):  
Illuminate\Routing\Route-  
>runController(Object(Illuminate\Http\Request))  
#19 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8225):  
Illuminate\Routing\Route->run(Object(Illuminate\Http\Request))  
#20 [internal function]: Illuminate\Routing\Router-  
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))  
#21 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(52): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#22 C:\inetpub\wwwroot\app\Http\Middleware\CheckPermissions.php(28):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#23 [internal function]: App\Http\Middleware\CheckPermissions-  
>handle(Object(Illuminate\Http\Request), Object(Closure),  
'assets.view')  
#24 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#25 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#26 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#27 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#28 [internal function]: App\Http\Middleware\Authenticate-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#29 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#30 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#31 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#32 C:\inetpub\wwwroot\app\Http\Middleware\CheckForTwoFactor.php(49):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
```

```
(Object(Illuminate\Http\Request))
#33 [internal function]: App\Http\Middleware\CheckForTwoFactor-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#34 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#35 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#36 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#37 C:\inetpub\wwwroot\app\Http\Middleware\CheckLocale.php(42):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#38 [internal function]: App\Http\Middleware\CheckLocale-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#39 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#40 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#41 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#42 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(3225):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#43 [internal function]:
Illuminate\Foundation\Http\Middleware\VerifyCsrfToken-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#44 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#45 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#46 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#47 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13213):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#48 [internal function]:
Illuminate\Cookie\Middleware\AddQueuedCookiesToResponse-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#49 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#50 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#51 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
```

```
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#52 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13150):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#53 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#54 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#55 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#56 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#57 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#58 [internal function]: App\Http\Middleware\Authenticate-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#59 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#60 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#61 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#62 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#63 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#64 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8226):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#65 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8217):
Illuminate\Routing\Router-
>runRouteWithinStack(Object(Illuminate\Routing\Route),
Object(Illuminate\Http\Request))
#66 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8207):
Illuminate\Routing\Router-
>dispatchToRoute(Object(Illuminate\Http\Request))
#67 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2419):
Illuminate\Routing\Router->dispatch(Object(Illuminate\Http\Request))
#68 [internal function]: Illuminate\Foundation\Http\Kernel-
>Illuminate\Foundation\Http\{closure}(Object(Illuminate\Http\Request))
#69 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(52): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#70 C:\inetpub\wwwroot\app\Http\Middleware\CheckForDebug.php(25):
```

```
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#71 [internal function]: App\Http\Middleware\CheckForDebug-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#72 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#73 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#74 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#75 C:
\inetpub\wwwroot\vendor\fideloper\proxy\src\TrustProxies.php(46):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#76 [internal function]: Fideloper\Proxy\TrustProxies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#77 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#78 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#79 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#80 C:\inetpub\wwwroot\app\Http\Middleware\CheckForSetup.php(27):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#81 [internal function]: App\Http\Middleware\CheckForSetup-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#82 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#83 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#84 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#85 C:\inetpub\wwwroot\app\Http\Middleware\NosniffGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#86 [internal function]: App\Http\Middleware\NosniffGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#87 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#88 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#89 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
```

```
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#90 C:\inetpub\wwwroot\app\Http\Middleware\XssProtectHeader.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#91 [internal function]: App\Http\Middleware\XssProtectHeader-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#92 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#93 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#94 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#95 C:\inetpub\wwwroot\app\Http\Middleware\FrameGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#96 [internal function]: App\Http\Middleware\FrameGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#97 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#98 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#99 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#100 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13474):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#101 [internal function]:
Illuminate\View\Middleware\ShareErrorsFromSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#102 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#103 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#104 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#105 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(11964):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#106 [internal function]: Illuminate\Session\Middleware\StartSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#107 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#108 [internal function]: Illuminate\Pipeline\Pipeline-
```

```
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#109 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#110 C:\inetpub\wwwroot\vendor\misterphilip\maintenance-mode\src\MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode.php(145): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#111 [internal function]:
MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode->handle(Object(Illuminate\Http\Request), Object(Closure))
#112 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#113 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#114 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#115 [internal function]: Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#116 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#117 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2366): Illuminate\Pipeline\Pipeline->then(Object(Closure))
#118 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2350): Illuminate\Foundation\Http\Kernel->sendRequestThroughRouter(Object(Illuminate\Http\Request))
#119 C:\inetpub\wwwroot\public\index.php(59): Illuminate\Foundation\Http\Kernel->handle(Object(Illuminate\Http\Request))
#120 {main}
[2017-02-07 18:17:16] production.ERROR: LogicException: Unable to guess the mime type as no guessers are available (Did you enable the php_fileinfo extension?) in C:\inetpub\wwwroot\vendor\symfony\http-foundation\File\MimeType\MimeTypeGuesser.php:135
Stack trace:
#0 C:\inetpub\wwwroot\vendor\symfony\http-foundation\File\File.php(79):
Symfony\Component\HttpFoundation\File\MimeType\MimeTypeGuesser->guess('C:\\Windows\\Temp...')
#1 C:\inetpub\wwwroot\app\Http\Controllers\AssetsController.php(889):
Symfony\Component\HttpFoundation\File\File->getMimeType()
#2 [internal function]: App\Http\Controllers\AssetsController->postAPIImportUpload(Object(App\Http\Requests\AssetFileRequest))
#3 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9424): call_user_func_array(Array, Array)
#4 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9486):
Illuminate\Routing\Controller->callAction('postAPIImportUp...', Array)
```

```
#5 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9466):  
Illuminate\Routing\ControllerDispatcher-  
>call(Object(App\Http\Controllers\AssetsController),  
Object(Illuminate\Routing\Route), 'postAPIImportUp...')  
#6 [internal function]: Illuminate\Routing\ControllerDispatcher-  
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))  
#7 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(52): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#8 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#9 [internal function]: App\Http\Middleware\Authenticate-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#10 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#11 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#12 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#13 [internal function]: Illuminate\Routing\Pipeline-  
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))  
#14 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):  
call_user_func(Object(Closure), Object(Illuminate\Http\Request))  
#15 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9467):  
Illuminate\Pipeline\Pipeline->then(Object(Closure))  
#16 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9454):  
Illuminate\Routing\ControllerDispatcher-  
>callWithinStack(Object(App\Http\Controllers\AssetsController),  
Object(Illuminate\Routing\Route), Object(Illuminate\Http\Request),  
'postAPIImportUp...')  
#17 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8524):  
Illuminate\Routing\ControllerDispatcher-  
>dispatch(Object(Illuminate\Routing\Route),  
Object(Illuminate\Http\Request), 'App\Http\Contro...',  
'postAPIImportUp...')  
#18 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8511):  
Illuminate\Routing\Route-  
>runController(Object(Illuminate\Http\Request))  
#19 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8225):  
Illuminate\Routing\Route->run(Object(Illuminate\Http\Request))  
#20 [internal function]: Illuminate\Routing\Router-  
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))  
#21 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(52): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))
```



```
#22 C:\inetpub\wwwroot\app\Http\Middleware\CheckPermissions.php(28):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#23 [internal function]: App\Http\Middleware\CheckPermissions-  
>handle(Object(Illuminate\Http\Request), Object(Closure),  
'assets.view')  
#24 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#25 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#26 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#27 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#28 [internal function]: App\Http\Middleware\Authenticate-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#29 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#30 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#31 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#32 C:\inetpub\wwwroot\app\Http\Middleware\CheckForTwoFactor.php(49):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#33 [internal function]: App\Http\Middleware\CheckForTwoFactor-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#34 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#35 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#36 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#37 C:\inetpub\wwwroot\app\Http\Middleware\CheckLocale.php(42):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#38 [internal function]: App\Http\Middleware\CheckLocale-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#39 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#40 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#41 C:
```

```
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#42 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(3225): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#43 [internal function]: Illuminate\Foundation\Http\Middleware\VerifyCsrfToken->handle(Object(Illuminate\Http\Request), Object(Closure))
#44 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#45 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#46 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#47 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13213): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#48 [internal function]: Illuminate\Cookie\Middleware\AddQueuedCookiesToResponse->handle(Object(Illuminate\Http\Request), Object(Closure))
#49 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#50 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#51 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#52 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13150): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#53 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies->handle(Object(Illuminate\Http\Request), Object(Closure))
#54 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#55 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#56 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#57 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#58 [internal function]: App\Http\Middleware\Authenticate->handle(Object(Illuminate\Http\Request), Object(Closure))
#59 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
```

```
call_user_func_array(Array, Array)
#60 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#61 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#62 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#63 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#64 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8226):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#65 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8217):
Illuminate\Routing\Router-
>runRouteWithinStack(Object(Illuminate\Routing\Route),
Object(Illuminate\Http\Request))
#66 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8207):
Illuminate\Routing\Router-
>dispatchToRoute(Object(Illuminate\Http\Request))
#67 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2419):
Illuminate\Routing\Router->dispatch(Object(Illuminate\Http\Request))
#68 [internal function]: Illuminate\Foundation\Http\Kernel-
>Illuminate\Foundation\Http\{closure}(Object(Illuminate\Http\Request))
#69 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(52): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#70 C:\inetpub\wwwroot\app\Http\Middleware\CheckForDebug.php(25):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#71 [internal function]: App\Http\Middleware\CheckForDebug-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#72 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#73 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#74 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#75 C:
\inetpub\wwwroot\vendor\fideloper\proxy\src\TrustProxies.php(46):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#76 [internal function]: Fideloper\Proxy\TrustProxies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#77 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#78 [internal function]: Illuminate\Pipeline\Pipeline-
```

```
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#79 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#80 C:\inetpub\wwwroot\app\Http\Middleware\CheckForSetup.php(27): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#81 [internal function]: App\Http\Middleware\CheckForSetup->handle(Object(Illuminate\Http\Request), Object(Closure))
#82 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#83 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#84 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#85 C:\inetpub\wwwroot\app\Http\Middleware\NosniffGuard.php(17): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#86 [internal function]: App\Http\Middleware\NosniffGuard->handle(Object(Illuminate\Http\Request), Object(Closure))
#87 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#88 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#89 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#90 C:\inetpub\wwwroot\app\Http\Middleware\XssProtectHeader.php(17): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#91 [internal function]: App\Http\Middleware\XssProtectHeader->handle(Object(Illuminate\Http\Request), Object(Closure))
#92 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#93 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#94 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#95 C:\inetpub\wwwroot\app\Http\Middleware\FrameGuard.php(17): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#96 [internal function]: App\Http\Middleware\FrameGuard->handle(Object(Illuminate\Http\Request), Object(Closure))
#97 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
```

```
call_user_func_array(Array, Array)
#98 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#99 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#100 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13474):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#101 [internal function]:
Illuminate\View\Middleware\ShareErrorsFromSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#102 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#103 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#104 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#105 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(11964):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#106 [internal function]: Illuminate\Session\Middleware\StartSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#107 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#108 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#109 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#110 C:\inetpub\wwwroot\vendor\misterphilip\maintenance-
mode\src\MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintena
nceMode.php(145): Illuminate\Routing\Pipeline->Illuminate\Routing\
{closure}(Object(Illuminate\Http\Request))
#111 [internal function]:
MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#112 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#113 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#114 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#115 [internal function]: Illuminate\Routing\Pipeline-
```

```
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#116 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#117 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2366):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#118 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2350):
Illuminate\Foundation\Http\Kernel-
>sendRequestThroughRouter(Object(Illuminate\Http\Request))
#119 C:\inetpub\wwwroot\public\index.php(59):
Illuminate\Foundation\Http\Kernel-
>handle(Object(Illuminate\Http\Request))
#120 {main}
[2017-02-07 18:26:15] production.ERROR: LogicException: Unable to
guess the mime type as no guessers are available (Did you enable the
php_fileinfo extension?) in C:\inetpub\wwwroot\vendor\symfony\http-
foundation\File\MimeType\MimeTypeGuesser.php:135
Stack trace:
#0 C:\inetpub\wwwroot\vendor\symfony\http-
foundation\File\File.php(79):
Symfony\Component\HttpFoundation\File\MimeType\MimeTypeGuesser-
>guess('C:\\Windows\\Temp...')
#1 C:\inetpub\wwwroot\app\Http\Controllers\AssetsController.php(889):
Symfony\Component\HttpFoundation\File\File->getMimeType()
#2 [internal function]: App\Http\Controllers\AssetsController-
>postAPIImportUpload(Object(App\Http\Requests\AssetFileRequest))
#3 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9424):
call_user_func_array(Array, Array)
#4 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9486):
Illuminate\Routing\Controller->callAction('postAPIImportUp...', Array)
#5 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9466):
Illuminate\Routing\ControllerDispatcher-
>call(Object(App\Http\Controllers\AssetsController),
Object(Illuminate\Routing\Route), 'postAPIImportUp...')
#6 [internal function]: Illuminate\Routing\ControllerDispatcher-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#7 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(52): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#8 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#9 [internal function]: App\Http\Middleware\Authenticate-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#10 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#11 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#12 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
```

```
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#13 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#14 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#15 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9467):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#16 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9454):
Illuminate\Routing\ControllerDispatcher-
>callWithinStack(Object(App\Http\Controllers\AssetsController),
Object(Illuminate\Routing\Route), Object(Illuminate\Http\Request),
'postAPIImportUp...')
#17 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8524):
Illuminate\Routing\ControllerDispatcher-
>dispatch(Object(Illuminate\Routing\Route),
Object(Illuminate\Http\Request), 'App\Http\Contro...',
'postAPIImportUp...')
#18 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8511):
Illuminate\Routing\Route-
>runController(Object(Illuminate\Http\Request))
#19 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8225):
Illuminate\Routing\Route->run(Object(Illuminate\Http\Request))
#20 [internal function]: Illuminate\Routing\Router-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#21 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(52): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#22 C:\inetpub\wwwroot\app\Http\Middleware\CheckPermissions.php(28):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#23 [internal function]: App\Http\Middleware\CheckPermissions-
>handle(Object(Illuminate\Http\Request), Object(Closure),
'assets.view')
#24 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#25 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#26 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#27 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#28 [internal function]: App\Http\Middleware\Authenticate-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#29 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
```

```
#30 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#31 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#32 C:\inetpub\wwwroot\app\Http\Middleware\CheckForTwoFactor.php(49):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#33 [internal function]: App\Http\Middleware\CheckForTwoFactor-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#34 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#35 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#36 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#37 C:\inetpub\wwwroot\app\Http\Middleware\CheckLocale.php(42):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#38 [internal function]: App\Http\Middleware\CheckLocale-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#39 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#40 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#41 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#42 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(3225):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#43 [internal function]:
Illuminate\Foundation\Http\Middleware\VerifyCsrfToken-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#44 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#45 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#46 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#47 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13213):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#48 [internal function]:
```



```
Illuminate\Cookie\Middleware\AddQueuedCookiesToResponse-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#49 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#50 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#51 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#52 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13150):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#53 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#54 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#55 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#56 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#57 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#58 [internal function]: App\Http\Middleware\Authenticate-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#59 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#60 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#61 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#62 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#63 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#64 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8226):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#65 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8217):
Illuminate\Routing\Router-
>runRouteWithinStack(Object(Illuminate\Routing\Route),
Object(Illuminate\Http\Request))
#66 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8207):
Illuminate\Routing\Router-
>dispatchToRoute(Object(Illuminate\Http\Request))
#67 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2419):
```

```
Illuminate\Routing\Router->dispatch(Object(Illuminate\Http\Request))
#68 [internal function]: Illuminate\Foundation\Http\Kernel-
>Illuminate\Foundation\Http\{closure}(Object(Illuminate\Http\Request))
#69 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(52): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#70 C:\inetpub\wwwroot\app\Http\Middleware\CheckForDebug.php(25):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#71 [internal function]: App\Http\Middleware\CheckForDebug-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#72 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#73 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#74 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#75 C:
\inetpub\wwwroot\vendor\fideloper\proxy\src\TrustProxies.php(46):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#76 [internal function]: Fideloper\Proxy\TrustProxies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#77 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#78 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#79 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#80 C:\inetpub\wwwroot\app\Http\Middleware\CheckForSetup.php(27):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#81 [internal function]: App\Http\Middleware\CheckForSetup-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#82 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#83 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#84 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#85 C:\inetpub\wwwroot\app\Http\Middleware\NosniffGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
```

```
#86 [internal function]: App\Http\Middleware\NosniffGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#87 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#88 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#89 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#90 C:\inetpub\wwwroot\app\Http\Middleware\XssProtectHeader.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#91 [internal function]: App\Http\Middleware\XssProtectHeader-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#92 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#93 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#94 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#95 C:\inetpub\wwwroot\app\Http\Middleware\FrameGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#96 [internal function]: App\Http\Middleware\FrameGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#97 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#98 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#99 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#100 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13474):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#101 [internal function]:
Illuminate\View\Middleware\ShareErrorsFromSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#102 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#103 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#104 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
```

```
#105 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(11964):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#106 [internal function]: Illuminate\Session\Middleware\StartSession-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#107 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#108 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#109 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipe  
line.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#110 C:\inetpub\wwwroot\vendor\misterphilip\maintenance-  
mode\src\MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintena  
nceMode.php(145): Illuminate\Routing\Pipeline->Illuminate\Routing\  
{closure}(Object(Illuminate\Http\Request))  
#111 [internal function]:  
MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#112 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#113 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#114 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipe  
line.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#115 [internal function]: Illuminate\Routing\Pipeline-  
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))  
#116 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):  
call_user_func(Object(Closure), Object(Illuminate\Http\Request))  
#117 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2366):  
Illuminate\Pipeline\Pipeline->then(Object(Closure))  
#118 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2350):  
Illuminate\Foundation\Http\Kernel-  
>sendRequestThroughRouter(Object(Illuminate\Http\Request))  
#119 C:\inetpub\wwwroot\public\index.php(59):  
Illuminate\Foundation\Http\Kernel-  
>handle(Object(Illuminate\Http\Request))  
#120 {main}  
[2017-02-07 18:36:37] production.ERROR: LogicException: Unable to  
guess the mime type as no guessers are available (Did you enable the  
php_fileinfo extension?) in C:\inetpub\wwwroot\vendor\symfony\http-  
foundation\File\MimeType\MimeTypeGuesser.php:135  
Stack trace:  
#0 C:\inetpub\wwwroot\vendor\symfony\http-  
foundation\File\File.php(79):  
Symfony\Component\HttpFoundation\File\MimeType\MimeTypeGuesser-  
>guess('C:\\Windows\\Temp...')
```

```
#1 C:\inetpub\wwwroot\app\Http\Controllers\AssetsController.php(889):
Symfony\Component\HttpFoundation\File\File->getMimeType()
#2 [internal function]: App\Http\Controllers\AssetsController-
>postAPIImportUpload(Object(App\Http\Requests\AssetFileRequest))
#3 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9424):
call_user_func_array(Array, Array)
#4 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9486):
Illuminate\Routing\Controller->callAction('postAPIImportUp...', Array)
#5 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9466):
Illuminate\Routing\ControllerDispatcher-
>call(Object(App\Http\Controllers\AssetsController),
Object(Illuminate\Routing\Route), 'postAPIImportUp...')
#6 [internal function]: Illuminate\Routing\ControllerDispatcher-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#7 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(52): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#8 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#9 [internal function]: App\Http\Middleware\Authenticate-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#10 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#11 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#12 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#13 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#14 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#15 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9467):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#16 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9454):
Illuminate\Routing\ControllerDispatcher-
>callWithinStack(Object(App\Http\Controllers\AssetsController),
Object(Illuminate\Routing\Route), Object(Illuminate\Http\Request),
'postAPIImportUp...')
#17 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8524):
Illuminate\Routing\ControllerDispatcher-
>dispatch(Object(Illuminate\Routing\Route),
Object(Illuminate\Http\Request), 'App\Http\Contro...',
'postAPIImportUp...')
#18 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8511):
Illuminate\Routing\Route-
>runController(Object(Illuminate\Http\Request))
```

```
#19 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8225):  
Illuminate\Routing\Route->run(Object(Illuminate\Http\Request))  
#20 [internal function]: Illuminate\Routing\Router->  
Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))  
#21 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(52): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#22 C:\inetpub\wwwroot\app\Http\Middleware\CheckPermissions.php(28):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#23 [internal function]: App\Http\Middleware\CheckPermissions->  
handle(Object(Illuminate\Http\Request), Object(Closure),  
'assets.view')  
#24 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#25 [internal function]: Illuminate\Pipeline\Pipeline->  
Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#26 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#27 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#28 [internal function]: App\Http\Middleware\Authenticate->  
handle(Object(Illuminate\Http\Request), Object(Closure))  
#29 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#30 [internal function]: Illuminate\Pipeline\Pipeline->  
Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#31 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#32 C:\inetpub\wwwroot\app\Http\Middleware\CheckForTwoFactor.php(49):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#33 [internal function]: App\Http\Middleware\CheckForTwoFactor->  
handle(Object(Illuminate\Http\Request), Object(Closure))  
#34 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#35 [internal function]: Illuminate\Pipeline\Pipeline->  
Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#36 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#37 C:\inetpub\wwwroot\app\Http\Middleware\CheckLocale.php(42):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
```

```
(Object(Illuminate\Http\Request))
#38 [internal function]: App\Http\Middleware\CheckLocale-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#39 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#40 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#41 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#42 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(3225):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#43 [internal function]:
Illuminate\Foundation\Http\Middleware\VerifyCsrfToken-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#44 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#45 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#46 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#47 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13213):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#48 [internal function]:
Illuminate\Cookie\Middleware\AddQueuedCookiesToResponse-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#49 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#50 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#51 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#52 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13150):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#53 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#54 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#55 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#56 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
```

```
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#57 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#58 [internal function]: App\Http\Middleware\Authenticate-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#59 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#60 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#61 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#62 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#63 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#64 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8226):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#65 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8217):
Illuminate\Routing\Router-
>runRouteWithinStack(Object(Illuminate\Routing\Route),
Object(Illuminate\Http\Request))
#66 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8207):
Illuminate\Routing\Router-
>dispatchToRoute(Object(Illuminate\Http\Request))
#67 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2419):
Illuminate\Routing\Router->dispatch(Object(Illuminate\Http\Request))
#68 [internal function]: Illuminate\Foundation\Http\Kernel-
>Illuminate\Foundation\Http\{closure}(Object(Illuminate\Http\Request))
#69 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(52): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#70 C:\inetpub\wwwroot\app\Http\Middleware\CheckForDebug.php(25):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#71 [internal function]: App\Http\Middleware\CheckForDebug-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#72 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#73 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#74 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#75 C:
```



```
\inetpub\wwwroot\vendor\fideloper\proxy\src\TrustProxies.php(46):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#76 [internal function]: Fideloper\Proxy\TrustProxies-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#77 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#78 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#79 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#80 C:\inetpub\wwwroot\app\Http\Middleware\CheckForSetup.php(27):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#81 [internal function]: App\Http\Middleware\CheckForSetup-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#82 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#83 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#84 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#85 C:\inetpub\wwwroot\app\Http\Middleware\NosniffGuard.php(17):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#86 [internal function]: App\Http\Middleware\NosniffGuard-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#87 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#88 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#89 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#90 C:\inetpub\wwwroot\app\Http\Middleware\XssProtectHeader.php(17):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#91 [internal function]: App\Http\Middleware\XssProtectHeader-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#92 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#93 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#94 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
```

```
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#95 C:\inetpub\wwwroot\app\Http\Middleware\FramGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#96 [internal function]: App\Http\Middleware\FramGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#97 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#98 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#99 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#100 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13474):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#101 [internal function]:
Illuminate\View\Middleware\ShareErrorsFromSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#102 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#103 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#104 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#105 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(11964):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#106 [internal function]: Illuminate\Session\Middleware\StartSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#107 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#108 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#109 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#110 C:\inetpub\wwwroot\vendor\misterphilip\maintenance-
mode\src\MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintena
nceMode.php(145): Illuminate\Routing\Pipeline->Illuminate\Routing\
{closure}(Object(Illuminate\Http\Request))
#111 [internal function]:
MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#112 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
```

```
call_user_func_array(Array, Array)
#113 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#114 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#115 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#116 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#117 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2366):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#118 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2350):
Illuminate\Foundation\Http\Kernel-
>sendRequestThroughRouter(Object(Illuminate\Http\Request))
#119 C:\inetpub\wwwroot\public\index.php(59):
Illuminate\Foundation\Http\Kernel-
>handle(Object(Illuminate\Http\Request))
#120 {main}
[2017-02-07 19:15:10] production.ERROR: LogicException: Unable to
guess the mime type as no guessers are available (Did you enable the
php_fileinfo extension?) in C:\inetpub\wwwroot\vendor\symfony\http-
foundation\File\MimeType\MimeTypeGuesser.php:135
Stack trace:
#0 C:\inetpub\wwwroot\vendor\symfony\http-
foundation\File\File.php(79):
Symfony\Component\HttpFoundation\File\MimeType\MimeTypeGuesser-
>guess('C:\\Windows\\Temp...')
#1 C:\inetpub\wwwroot\app\Http\Controllers\AssetsController.php(889):
Symfony\Component\HttpFoundation\File\File->getMimeType()
#2 [internal function]: App\Http\Controllers\AssetsController-
>postAPIImportUpload(Object(App\Http\Requests\AssetFileRequest))
#3 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9424):
call_user_func_array(Array, Array)
#4 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9486):
Illuminate\Routing\Controller->callAction('postAPIImportUp...', Array)
#5 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9466):
Illuminate\Routing\ControllerDispatcher-
>call(Object(App\Http\Controllers\AssetsController),
Object(Illuminate\Routing\Route), 'postAPIImportUp...')
#6 [internal function]: Illuminate\Routing\ControllerDispatcher-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#7 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(52): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#8 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
```

```
#9 [internal function]: App\Http\Middleware\Authenticate-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#10 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#11 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#12 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#13 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#14 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#15 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9467):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#16 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9454):
Illuminate\Routing\ControllerDispatcher-
>callWithinStack(Object(App\Http\Controllers\AssetsController),
Object(Illuminate\Routing\Route), Object(Illuminate\Http\Request),
'postAPIImportUp...')
#17 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8524):
Illuminate\Routing\ControllerDispatcher-
>dispatch(Object(Illuminate\Routing\Route),
Object(Illuminate\Http\Request), 'App\Http\Contro...',
'postAPIImportUp...')
#18 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8511):
Illuminate\Routing\Route-
>runController(Object(Illuminate\Http\Request))
#19 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8225):
Illuminate\Routing\Route->run(Object(Illuminate\Http\Request))
#20 [internal function]: Illuminate\Routing\Router-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#21 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(52): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#22 C:\inetpub\wwwroot\app\Http\Middleware\CheckPermissions.php(28):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#23 [internal function]: App\Http\Middleware\CheckPermissions-
>handle(Object(Illuminate\Http\Request), Object(Closure),
'assets.view')
#24 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#25 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#26 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
```

```
Object(Illuminate\Http\Request))
#27 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#28 [internal function]: App\Http\Middleware\Authenticate-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#29 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#30 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#31 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#32 C:\inetpub\wwwroot\app\Http\Middleware\CheckForTwoFactor.php(49):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#33 [internal function]: App\Http\Middleware\CheckForTwoFactor-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#34 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#35 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#36 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#37 C:\inetpub\wwwroot\app\Http\Middleware\CheckLocale.php(42):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#38 [internal function]: App\Http\Middleware\CheckLocale-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#39 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#40 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#41 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#42 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(3225):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#43 [internal function]:
Illuminate\Foundation\Http\Middleware\VerifyCsrfToken-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#44 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#45 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
```

```
#46 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#47 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13213):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#48 [internal function]:
Illuminate\Cookie\Middleware\AddQueuedCookiesToResponse-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#49 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#50 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#51 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#52 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13150):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#53 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#54 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#55 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#56 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#57 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#58 [internal function]: App\Http\Middleware\Authenticate-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#59 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#60 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#61 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#62 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#63 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#64 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8226):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
```

```
#65 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8217):  
Illuminate\Routing\Router-  
>runRouteWithinStack(Object(Illuminate\Routing\Route),  
Object(Illuminate\Http\Request))  
#66 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8207):  
Illuminate\Routing\Router-  
>dispatchToRoute(Object(Illuminate\Http\Request))  
#67 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2419):  
Illuminate\Routing\Router->dispatch(Object(Illuminate\Http\Request))  
#68 [internal function]: Illuminate\Foundation\Http\Kernel-  
>Illuminate\Foundation\Http\{closure}(Object(Illuminate\Http\Request))  
#69 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(52): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#70 C:\inetpub\wwwroot\app\Http\Middleware\CheckForDebug.php(25):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#71 [internal function]: App\Http\Middleware\CheckForDebug-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#72 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#73 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#74 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#75 C:  
\inetpub\wwwroot\vendor\fideloper\proxy\src\TrustProxies.php(46):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#76 [internal function]: Fideloper\Proxy\TrustProxies-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#77 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#78 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#79 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#80 C:\inetpub\wwwroot\app\Http\Middleware\CheckForSetup.php(27):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#81 [internal function]: App\Http\Middleware\CheckForSetup-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#82 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#83 [internal function]: Illuminate\Pipeline\Pipeline-
```

```
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#84 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#85 C:\inetpub\wwwroot\app\Http\Middleware\NosniffGuard.php(17): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#86 [internal function]: App\Http\Middleware\NosniffGuard->handle(Object(Illuminate\Http\Request), Object(Closure))
#87 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#88 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#89 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#90 C:\inetpub\wwwroot\app\Http\Middleware\XssProtectHeader.php(17): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#91 [internal function]: App\Http\Middleware\XssProtectHeader->handle(Object(Illuminate\Http\Request), Object(Closure))
#92 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#93 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#94 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#95 C:\inetpub\wwwroot\app\Http\Middleware\FrameGuard.php(17): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#96 [internal function]: App\Http\Middleware\FrameGuard->handle(Object(Illuminate\Http\Request), Object(Closure))
#97 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#98 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#99 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#100 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13474): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#101 [internal function]: Illuminate\View\Middleware\ShareErrorsFromSession->handle(Object(Illuminate\Http\Request), Object(Closure))
```



```
#102 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#103 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#104 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#105 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(11964):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#106 [internal function]: Illuminate\Session\Middleware\StartSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#107 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#108 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#109 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#110 C:\inetpub\wwwroot\vendor\misterphilip\maintenance-
mode\src\MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintena
nceMode.php(145): Illuminate\Routing\Pipeline->Illuminate\Routing\
{closure}(Object(Illuminate\Http\Request))
#111 [internal function]:
MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#112 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#113 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#114 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#115 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#116 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#117 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2366):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#118 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2350):
Illuminate\Foundation\Http\Kernel-
>sendRequestThroughRouter(Object(Illuminate\Http\Request))
#119 C:\inetpub\wwwroot\public\index.php(59):
Illuminate\Foundation\Http\Kernel-
>handle(Object(Illuminate\Http\Request))
#120 {main}
[2017-02-07 19:15:20] production.ERROR: LogicException: Unable to
```

guess the mime type as no guessers are available (Did you enable the php_fileinfo extension?) in C:\inetpub\wwwroot\vendor\symfony\http-foundation\File\MimeType\MimeTypeGuesser.php:135

Stack trace:

```
#0 C:\inetpub\wwwroot\vendor\symfony\http-foundation\File\File.php(79):  
Symfony\Component\HttpFoundation\File\MimeType\MimeTypeGuesser->  
>guess('C:\\Windows\\Temp...')  
#1 C:\inetpub\wwwroot\app\Http\Controllers\AssetsController.php(889):  
Symfony\Component\HttpFoundation\File\File->getMimeType()  
#2 [internal function]: App\Http\Controllers\AssetsController->  
>postAPIImportUpload(Object(App\Http\Requests\AssetFileRequest))  
#3 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9424):  
call_user_func_array(Array, Array)  
#4 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9486):  
Illuminate\Routing\Controller->callAction('postAPIImportUp...', Array)  
#5 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9466):  
Illuminate\Routing\ControllerDispatcher->  
>call(Object(App\Http\Controllers\AssetsController),  
Object(Illuminate\Routing\Route), 'postAPIImportUp...')  
#6 [internal function]: Illuminate\Routing\ControllerDispatcher->  
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))  
#7 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(52): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#8 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#9 [internal function]: App\Http\Middleware\Authenticate->  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#10 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#11 [internal function]: Illuminate\Pipeline\Pipeline->  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#12 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#13 [internal function]: Illuminate\Routing\Pipeline->  
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))  
#14 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):  
call_user_func(Object(Closure), Object(Illuminate\Http\Request))  
#15 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9467):  
Illuminate\Pipeline\Pipeline->then(Object(Closure))  
#16 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9454):  
Illuminate\Routing\ControllerDispatcher->  
>callWithinStack(Object(App\Http\Controllers\AssetsController),  
Object(Illuminate\Routing\Route), Object(Illuminate\Http\Request),  
'postAPIImportUp...')
```

```
#17 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8524):  
Illuminate\Routing\ControllerDispatcher-  
>dispatch(Object(Illuminate\Routing\Route),  
Object(Illuminate\Http\Request), 'App\Http\Contro...',  
'postAPIImportUp...')  
#18 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8511):  
Illuminate\Routing\Route-  
>runController(Object(Illuminate\Http\Request))  
#19 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8225):  
Illuminate\Routing\Route->run(Object(Illuminate\Http\Request))  
#20 [internal function]: Illuminate\Routing\Router-  
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))  
#21 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(52): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#22 C:\inetpub\wwwroot\app\Http\Middleware\CheckPermissions.php(28):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#23 [internal function]: App\Http\Middleware\CheckPermissions-  
>handle(Object(Illuminate\Http\Request), Object(Closure),  
'assets.view')  
#24 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#25 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#26 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#27 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#28 [internal function]: App\Http\Middleware\Authenticate-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#29 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#30 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#31 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#32 C:\inetpub\wwwroot\app\Http\Middleware\CheckForTwoFactor.php(49):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#33 [internal function]: App\Http\Middleware\CheckForTwoFactor-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#34 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)
```

```
#35 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#36 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#37 C:\inetpub\wwwroot\app\Http\Middleware\CheckLocale.php(42):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#38 [internal function]: App\Http\Middleware\CheckLocale-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#39 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#40 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#41 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#42 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(3225):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#43 [internal function]:  
Illuminate\Foundation\Http\Middleware\VerifyCsrfToken-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#44 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#45 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#46 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#47 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13213):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#48 [internal function]:  
Illuminate\Cookie\Middleware\AddQueuedCookiesToResponse-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#49 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#50 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#51 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#52 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13150):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))
```

```
#53 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#54 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#55 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#56 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#57 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#58 [internal function]: App\Http\Middleware\Authenticate-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#59 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#60 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#61 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#62 [internal function]: Illuminate\Routing\Pipeline-  
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))  
#63 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):  
call_user_func(Object(Closure), Object(Illuminate\Http\Request))  
#64 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8226):  
Illuminate\Pipeline\Pipeline->then(Object(Closure))  
#65 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8217):  
Illuminate\Routing\Router-  
>runRouteWithinStack(Object(Illuminate\Routing\Route),  
Object(Illuminate\Http\Request))  
#66 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8207):  
Illuminate\Routing\Router-  
>dispatchToRoute(Object(Illuminate\Http\Request))  
#67 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2419):  
Illuminate\Routing\Router->dispatch(Object(Illuminate\Http\Request))  
#68 [internal function]: Illuminate\Foundation\Http\Kernel-  
>Illuminate\Foundation\Http\{closure}(Object(Illuminate\Http\Request))  
#69 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(52): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#70 C:\inetpub\wwwroot\app\Http\Middleware\CheckForDebug.php(25):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#71 [internal function]: App\Http\Middleware\CheckForDebug-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#72 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
```

```
call_user_func_array(Array, Array)
#73 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#74 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#75 C:
\inetpub\wwwroot\vendor\fideloper\proxy\src\TrustProxies.php(46):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#76 [internal function]: Fideloper\Proxy\TrustProxies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#77 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#78 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#79 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#80 C:\inetpub\wwwroot\app\Http\Middleware\CheckForSetup.php(27):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#81 [internal function]: App\Http\Middleware\CheckForSetup-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#82 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#83 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#84 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#85 C:\inetpub\wwwroot\app\Http\Middleware\NosniffGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#86 [internal function]: App\Http\Middleware\NosniffGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#87 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#88 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#89 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#90 C:\inetpub\wwwroot\app\Http\Middleware\XssProtectHeader.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
```

```
#91 [internal function]: App\Http\Middleware\XssProtectHeader-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#92 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#93 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#94 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#95 C:\inetpub\wwwroot\app\Http\Middleware\FrameGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#96 [internal function]: App\Http\Middleware\FrameGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#97 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#98 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#99 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#100 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13474):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#101 [internal function]:
Illuminate\View\Middleware\ShareErrorsFromSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#102 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#103 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#104 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#105 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(11964):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#106 [internal function]: Illuminate\Session\Middleware\StartSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#107 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#108 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#109 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
```

```
#110 C:\inetpub\wwwroot\vendor\misterphilip\maintenance-
mode\src\MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintena
nceMode.php(145): Illuminate\Routing\Pipeline->Illuminate\Routing\
{closure}(Object(Illuminate\Http\Request))
#111 [internal function]:
MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#112 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#113 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#114 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#115 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#116 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#117 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2366):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#118 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2350):
Illuminate\Foundation\Http\Kernel-
>sendRequestThroughRouter(Object(Illuminate\Http\Request))
#119 C:\inetpub\wwwroot\public\index.php(59):
Illuminate\Foundation\Http\Kernel-
>handle(Object(Illuminate\Http\Request))
#120 {main}
[2017-02-07 19:16:25] production.ERROR: LogicException: Unable to
guess the mime type as no guessers are available (Did you enable the
php_fileinfo extension?) in C:\inetpub\wwwroot\vendor\symfony\http-
foundation\File\MimeType\MimeTypeGuesser.php:135
Stack trace:
#0 C:\inetpub\wwwroot\vendor\symfony\http-
foundation\File\File.php(79):
Symfony\Component\HttpFoundation\File\MimeType\MimeTypeGuesser-
>guess('C:\\Windows\\Temp...')
#1 C:\inetpub\wwwroot\app\Http\Controllers\AssetsController.php(889):
Symfony\Component\HttpFoundation\File\File->getMimeType()
#2 [internal function]: App\Http\Controllers\AssetsController-
>postAPIImportUpload(Object(App\Http\Requests\AssetFileRequest))
#3 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9424):
call_user_func_array(Array, Array)
#4 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9486):
Illuminate\Routing\Controller->callAction('postAPIImportUp...', Array)
#5 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9466):
Illuminate\Routing\ControllerDispatcher-
>call(Object(App\Http\Controllers\AssetsController),
Object(Illuminate\Routing\Route), 'postAPIImportUp...')
#6 [internal function]: Illuminate\Routing\ControllerDispatcher-
```



```
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#7 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(52): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#8 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#9 [internal function]: App\Http\Middleware\Authenticate->handle(Object(Illuminate\Http\Request), Object(Closure))
#10 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#11 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#12 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#13 [internal function]: Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#14 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#15 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9467): Illuminate\Pipeline\Pipeline->then(Object(Closure))
#16 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9454): Illuminate\Routing\ControllerDispatcher->callWithinStack(Object(App\Http\Controllers\AssetsController), Object(Illuminate\Routing\Route), Object(Illuminate\Http\Request), 'postAPIImportUp...')
#17 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8524): Illuminate\Routing\ControllerDispatcher->dispatch(Object(Illuminate\Routing\Route), Object(Illuminate\Http\Request), 'App\Http\Contro...', 'postAPIImportUp...')
#18 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8511): Illuminate\Routing\Route->runController(Object(Illuminate\Http\Request))
#19 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8225): Illuminate\Routing\Route->run(Object(Illuminate\Http\Request))
#20 [internal function]: Illuminate\Routing\Router->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#21 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(52): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#22 C:\inetpub\wwwroot\app\Http\Middleware\CheckPermissions.php(28): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#23 [internal function]: App\Http\Middleware\CheckPermissions->handle(Object(Illuminate\Http\Request), Object(Closure),
```

```
'assets.view')
#24 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#25 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#26 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#27 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#28 [internal function]: App\Http\Middleware\Authenticate-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#29 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#30 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#31 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#32 C:\inetpub\wwwroot\app\Http\Middleware\CheckForTwoFactor.php(49):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#33 [internal function]: App\Http\Middleware\CheckForTwoFactor-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#34 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#35 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#36 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#37 C:\inetpub\wwwroot\app\Http\Middleware\CheckLocale.php(42):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#38 [internal function]: App\Http\Middleware\CheckLocale-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#39 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#40 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#41 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#42 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(3225):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
```

```
(Object(Illuminate\Http\Request))
#43 [internal function]:
Illuminate\Foundation\Http\Middleware\VerifyCsrfToken-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#44 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#45 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#46 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#47 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13213):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#48 [internal function]:
Illuminate\Cookie\Middleware\AddQueuedCookiesToResponse-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#49 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#50 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#51 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#52 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13150):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#53 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#54 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#55 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#56 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#57 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#58 [internal function]: App\Http\Middleware\Authenticate-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#59 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#60 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#61 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
```

```
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#62 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#63 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#64 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8226):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#65 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8217):
Illuminate\Routing\Router-
>runRouteWithinStack(Object(Illuminate\Routing\Route),
Object(Illuminate\Http\Request))
#66 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8207):
Illuminate\Routing\Router-
>dispatchToRoute(Object(Illuminate\Http\Request))
#67 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2419):
Illuminate\Routing\Router->dispatch(Object(Illuminate\Http\Request))
#68 [internal function]: Illuminate\Foundation\Http\Kernel-
>Illuminate\Foundation\Http\{closure}(Object(Illuminate\Http\Request))
#69 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(52): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#70 C:\inetpub\wwwroot\app\Http\Middleware\CheckForDebug.php(25):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#71 [internal function]: App\Http\Middleware\CheckForDebug-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#72 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#73 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#74 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#75 C:
\inetpub\wwwroot\vendor\fideloper\proxy\src\TrustProxies.php(46):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#76 [internal function]: Fideloper\Proxy\TrustProxies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#77 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#78 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#79 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
```

```
#80 C:\inetpub\wwwroot\app\Http\Middleware\CheckForSetup.php(27):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#81 [internal function]: App\Http\Middleware\CheckForSetup-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#82 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#83 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#84 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#85 C:\inetpub\wwwroot\app\Http\Middleware\NosniffGuard.php(17):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#86 [internal function]: App\Http\Middleware\NosniffGuard-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#87 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#88 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#89 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#90 C:\inetpub\wwwroot\app\Http\Middleware\XssProtectHeader.php(17):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#91 [internal function]: App\Http\Middleware\XssProtectHeader-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#92 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#93 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#94 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#95 C:\inetpub\wwwroot\app\Http\Middleware\FrameGuard.php(17):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#96 [internal function]: App\Http\Middleware\FrameGuard-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#97 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#98 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#99 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
```

```
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#100 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13474):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#101 [internal function]:
Illuminate\View\Middleware\ShareErrorsFromSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#102 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#103 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#104 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#105 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(11964):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#106 [internal function]: Illuminate\Session\Middleware\StartSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#107 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#108 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#109 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#110 C:\inetpub\wwwroot\vendor\misterphilip\maintenance-
mode\src\MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintena
nceMode.php(145): Illuminate\Routing\Pipeline->Illuminate\Routing\
{closure}(Object(Illuminate\Http\Request))
#111 [internal function]:
MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#112 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#113 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#114 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#115 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#116 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#117 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2366):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
```

```
#118 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2350):  
Illuminate\Foundation\Http\Kernel-  
>sendRequestThroughRouter(Object(Illuminate\Http\Request))  
#119 C:\inetpub\wwwroot\public\index.php(59):  
Illuminate\Foundation\Http\Kernel-  
>handle(Object(Illuminate\Http\Request))  
#120 {main}  
[2017-02-07 19:36:34] production.ERROR: LogicException: Unable to  
guess the mime type as no guessers are available (Did you enable the  
php_fileinfo extension?) in C:\inetpub\wwwroot\vendor\symfony\http-  
foundation\File\MimeType\MimeTypeGuesser.php:135  
Stack trace:  
#0 C:\inetpub\wwwroot\vendor\symfony\http-  
foundation\File\File.php(79):  
Symfony\Component\HttpFoundation\File\MimeType\MimeTypeGuesser-  
>guess('C:\\Windows\\Temp...')  
#1 C:\inetpub\wwwroot\app\Http\Controllers\AssetsController.php(889):  
Symfony\Component\HttpFoundation\File\File->getMimeType()  
#2 [internal function]: App\Http\Controllers\AssetsController-  
>postAPIImportUpload(Object(App\Http\Requests\AssetFileRequest))  
#3 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9424):  
call_user_func_array(Array, Array)  
#4 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9486):  
Illuminate\Routing\Controller->callAction('postAPIImportUp...', Array)  
#5 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9466):  
Illuminate\Routing\ControllerDispatcher-  
>call(Object(App\Http\Controllers\AssetsController),  
Object(Illuminate\Routing\Route), 'postAPIImportUp...')  
#6 [internal function]: Illuminate\Routing\ControllerDispatcher-  
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))  
#7 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(52): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#8 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#9 [internal function]: App\Http\Middleware\Authenticate-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#10 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#11 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#12 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#13 [internal function]: Illuminate\Routing\Pipeline-  
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))  
#14 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
```

```
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#15 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9467):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#16 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9454):
Illuminate\Routing\ControllerDispatcher-
>callWithinStack(Object(App\Http\Controllers\AssetsController),
Object(Illuminate\Routing\Route), Object(Illuminate\Http\Request),
'postAPIImportUp...')
#17 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8524):
Illuminate\Routing\ControllerDispatcher-
>dispatch(Object(Illuminate\Routing\Route),
Object(Illuminate\Http\Request), 'App\Http\Controllers',
'postAPIImportUp...')
#18 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8511):
Illuminate\Routing\Route-
>runController(Object(Illuminate\Http\Request))
#19 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8225):
Illuminate\Routing\Route->run(Object(Illuminate\Http\Request))
#20 [internal function]: Illuminate\Routing\Router-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#21 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(52): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#22 C:\inetpub\wwwroot\app\Http\Middleware\CheckPermissions.php(28):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#23 [internal function]: App\Http\Middleware\CheckPermissions-
>handle(Object(Illuminate\Http\Request), Object(Closure),
'assets.view')
#24 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#25 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#26 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#27 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#28 [internal function]: App\Http\Middleware\Authenticate-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#29 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#30 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#31 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
```



```
Object(Illuminate\Http\Request))
#32 C:\inetpub\wwwroot\app\Http\Middleware\CheckForTwoFactor.php(49):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#33 [internal function]: App\Http\Middleware\CheckForTwoFactor-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#34 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#35 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#36 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#37 C:\inetpub\wwwroot\app\Http\Middleware\CheckLocale.php(42):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#38 [internal function]: App\Http\Middleware\CheckLocale-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#39 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#40 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#41 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#42 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(3225):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#43 [internal function]:
Illuminate\Foundation\Http\Middleware\VerifyCsrfToken-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#44 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#45 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#46 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#47 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13213):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#48 [internal function]:
Illuminate\Cookie\Middleware\AddQueuedCookiesToResponse-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#49 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#50 [internal function]: Illuminate\Pipeline\Pipeline-
```

```
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#51 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#52 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13150): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#53 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies->handle(Object(Illuminate\Http\Request), Object(Closure))
#54 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#55 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#56 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#57 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#58 [internal function]: App\Http\Middleware\Authenticate->handle(Object(Illuminate\Http\Request), Object(Closure))
#59 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#60 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#61 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#62 [internal function]: Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#63 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#64 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8226): Illuminate\Pipeline\Pipeline->then(Object(Closure))
#65 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8217): Illuminate\Routing\Router->runRouteWithinStack(Object(Illuminate\Routing\Route), Object(Illuminate\Http\Request))
#66 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8207): Illuminate\Routing\Router->dispatchToRoute(Object(Illuminate\Http\Request))
#67 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2419): Illuminate\Routing\Router->dispatch(Object(Illuminate\Http\Request))
#68 [internal function]: Illuminate\Foundation\Http\Kernel->Illuminate\Foundation\Http\{closure}(Object(Illuminate\Http\Request))
#69 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline
```

```
ine.php(52): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#70 C:\inetpub\wwwroot\app\Http\Middleware\CheckForDebug.php(25):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#71 [internal function]: App\Http\Middleware\CheckForDebug-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#72 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#73 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#74 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#75 C:
\inetpub\wwwroot\vendor\fideloper\proxy\src\TrustProxies.php(46):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#76 [internal function]: Fideloper\Proxy\TrustProxies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#77 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#78 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#79 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#80 C:\inetpub\wwwroot\app\Http\Middleware\CheckForSetup.php(27):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#81 [internal function]: App\Http\Middleware\CheckForSetup-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#82 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#83 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#84 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#85 C:\inetpub\wwwroot\app\Http\Middleware\NosniffGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#86 [internal function]: App\Http\Middleware\NosniffGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#87 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#88 [internal function]: Illuminate\Pipeline\Pipeline-
```

```
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#89 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#90 C:\inetpub\wwwroot\app\Http\Middleware\XssProtectHeader.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#91 [internal function]: App\Http\Middleware\XssProtectHeader-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#92 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#93 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#94 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#95 C:\inetpub\wwwroot\app\Http\Middleware\FrameGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#96 [internal function]: App\Http\Middleware\FrameGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#97 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#98 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#99 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#100 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13474):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#101 [internal function]:
Illuminate\View\Middleware\ShareErrorsFromSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#102 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#103 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#104 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#105 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(11964):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#106 [internal function]: Illuminate\Session\Middleware\StartSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
```

```
#107 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#108 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#109 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#110 C:\inetpub\wwwroot\vendor\misterphilip\maintenance-
mode\src\MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintena
nceMode.php(145): Illuminate\Routing\Pipeline->Illuminate\Routing\
{closure}(Object(Illuminate\Http\Request))
#111 [internal function]:
MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#112 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#113 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#114 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#115 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#116 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#117 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2366):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#118 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2350):
Illuminate\Foundation\Http\Kernel-
>sendRequestThroughRouter(Object(Illuminate\Http\Request))
#119 C:\inetpub\wwwroot\public\index.php(59):
Illuminate\Foundation\Http\Kernel-
>handle(Object(Illuminate\Http\Request))
#120 {main}
[2017-02-07 19:39:24] production.ERROR: LogicException: Unable to
guess the mime type as no guessers are available (Did you enable the
php_fileinfo extension?) in C:\inetpub\wwwroot\vendor\symfony\http-
foundation\File\MimeType\MimeTypeGuesser.php:135
Stack trace:
#0 C:\inetpub\wwwroot\vendor\symfony\http-
foundation\File\File.php(79):
Symfony\Component\HttpFoundation\File\MimeType\MimeTypeGuesser-
>guess('C:\\Windows\\Temp...')
#1 C:\inetpub\wwwroot\app\Http\Controllers\AssetsController.php(889):
Symfony\Component\HttpFoundation\File\File->getMimeType()
#2 [internal function]: App\Http\Controllers\AssetsController-
>postAPIImportUpload(Object(App\Http\Requests\AssetFileRequest))
#3 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9424):
```

```
call_user_func_array(Array, Array)
#4 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9486):
Illuminate\Routing\Controller->callAction('postAPIImportUp...', Array)
#5 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9466):
Illuminate\Routing\ControllerDispatcher-
>call(Object(App\Http\Controllers\AssetsController),
Object(Illuminate\Routing\Route), 'postAPIImportUp...')
#6 [internal function]: Illuminate\Routing\ControllerDispatcher-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#7 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(52): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#8 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#9 [internal function]: App\Http\Middleware\Authenticate-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#10 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#11 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#12 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#13 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#14 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#15 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9467):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#16 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9454):
Illuminate\Routing\ControllerDispatcher-
>callWithinStack(Object(App\Http\Controllers\AssetsController),
Object(Illuminate\Routing\Route), Object(Illuminate\Http\Request),
'postAPIImportUp...')
#17 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8524):
Illuminate\Routing\ControllerDispatcher-
>dispatch(Object(Illuminate\Routing\Route),
Object(Illuminate\Http\Request), 'App\Http\Contro...',
'postAPIImportUp...')
#18 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8511):
Illuminate\Routing\Route-
>runController(Object(Illuminate\Http\Request))
#19 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8225):
Illuminate\Routing\Route->run(Object(Illuminate\Http\Request))
#20 [internal function]: Illuminate\Routing\Router-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#21 C:
```

```
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(52): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#22 C:\inetpub\wwwroot\app\Http\Middleware\CheckPermissions.php(28): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#23 [internal function]: App\Http\Middleware\CheckPermissions->handle(Object(Illuminate\Http\Request), Object(Closure), 'assets.view')
#24 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#25 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#26 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#27 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#28 [internal function]: App\Http\Middleware\Authenticate->handle(Object(Illuminate\Http\Request), Object(Closure))
#29 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#30 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#31 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#32 C:\inetpub\wwwroot\app\Http\Middleware\CheckForTwoFactor.php(49): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#33 [internal function]: App\Http\Middleware\CheckForTwoFactor->handle(Object(Illuminate\Http\Request), Object(Closure))
#34 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#35 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#36 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#37 C:\inetpub\wwwroot\app\Http\Middleware\CheckLocale.php(42): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#38 [internal function]: App\Http\Middleware\CheckLocale->handle(Object(Illuminate\Http\Request), Object(Closure))
#39 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
```

```
#40 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#41 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#42 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(3225):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#43 [internal function]:
Illuminate\Foundation\Http\Middleware\VerifyCsrfToken-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#44 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#45 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#46 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#47 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13213):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#48 [internal function]:
Illuminate\Cookie\Middleware\AddQueuedCookiesToResponse-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#49 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#50 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#51 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#52 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13150):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#53 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#54 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#55 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#56 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#57 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
```



```
#58 [internal function]: App\Http\Middleware\Authenticate-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#59 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#60 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#61 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#62 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#63 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#64 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8226):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#65 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8217):
Illuminate\Routing\Router-
>runRouteWithinStack(Object(Illuminate\Routing\Route),
Object(Illuminate\Http\Request))
#66 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8207):
Illuminate\Routing\Router-
>dispatchToRoute(Object(Illuminate\Http\Request))
#67 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2419):
Illuminate\Routing\Router->dispatch(Object(Illuminate\Http\Request))
#68 [internal function]: Illuminate\Foundation\Http\Kernel-
>Illuminate\Foundation\Http\{closure}(Object(Illuminate\Http\Request))
#69 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(52): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#70 C:\inetpub\wwwroot\app\Http\Middleware\CheckForDebug.php(25):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#71 [internal function]: App\Http\Middleware\CheckForDebug-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#72 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#73 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#74 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#75 C:
\inetpub\wwwroot\vendor\fideloper\proxy\src\TrustProxies.php(46):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#76 [internal function]: Fideloper\Proxy\TrustProxies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
```

```
#77 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#78 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#79 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#80 C:\inetpub\wwwroot\app\Http\Middleware\CheckForSetup.php(27):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#81 [internal function]: App\Http\Middleware\CheckForSetup-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#82 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#83 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#84 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#85 C:\inetpub\wwwroot\app\Http\Middleware\NosniffGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#86 [internal function]: App\Http\Middleware\NosniffGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#87 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#88 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#89 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#90 C:\inetpub\wwwroot\app\Http\Middleware\XssProtectHeader.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#91 [internal function]: App\Http\Middleware\XssProtectHeader-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#92 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#93 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#94 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#95 C:\inetpub\wwwroot\app\Http\Middleware\FrameGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
```

```
#96 [internal function]: App\Http\Middleware\FrameGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#97 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#98 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#99 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#100 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13474):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#101 [internal function]:
Illuminate\View\Middleware\ShareErrorsFromSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#102 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#103 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#104 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#105 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(11964):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#106 [internal function]: Illuminate\Session\Middleware\StartSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#107 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#108 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#109 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#110 C:\inetpub\wwwroot\vendor\misterphilip\maintenance-
mode\src\MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintena
nceMode.php(145): Illuminate\Routing\Pipeline->Illuminate\Routing\
{closure}(Object(Illuminate\Http\Request))
#111 [internal function]:
MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#112 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#113 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#114 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
```

```
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#115 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#116 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#117 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2366):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#118 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2350):
Illuminate\Foundation\Http\Kernel-
>sendRequestThroughRouter(Object(Illuminate\Http\Request))
#119 C:\inetpub\wwwroot\public\index.php(59):
Illuminate\Foundation\Http\Kernel-
>handle(Object(Illuminate\Http\Request))
#120 {main}
[2017-02-07 19:41:37] production.ERROR: LogicException: Unable to
guess the mime type as no guessers are available (Did you enable the
php_fileinfo extension?) in C:\inetpub\wwwroot\vendor\symfony\http-
foundation\File\MimeType\MimeTypeGuesser.php:135
Stack trace:
#0 C:\inetpub\wwwroot\vendor\symfony\http-
foundation\File\File.php(79):
Symfony\Component\HttpFoundation\File\MimeType\MimeTypeGuesser-
>guess('C:\\Windows\\Temp...')
#1 C:\inetpub\wwwroot\app\Http\Controllers\AssetsController.php(889):
Symfony\Component\HttpFoundation\File\File->getMimeType()
#2 [internal function]: App\Http\Controllers\AssetsController-
>postAPIImportUpload(Object(App\Http\Requests\AssetFileRequest))
#3 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9424):
call_user_func_array(Array, Array)
#4 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9486):
Illuminate\Routing\Controller->callAction('postAPIImportUp...', Array)
#5 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9466):
Illuminate\Routing\ControllerDispatcher-
>call(Object(App\Http\Controllers\AssetsController),
Object(Illuminate\Routing\Route), 'postAPIImportUp...')
#6 [internal function]: Illuminate\Routing\ControllerDispatcher-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#7 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(52): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#8 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#9 [internal function]: App\Http\Middleware\Authenticate-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#10 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#11 [internal function]: Illuminate\Pipeline\Pipeline-
```

```
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#12 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#13 [internal function]: Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#14 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#15 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9467): Illuminate\Pipeline\Pipeline->then(Object(Closure))
#16 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9454): Illuminate\Routing\ControllerDispatcher->callWithinStack(Object(App\Http\Controllers\AssetsController), Object(Illuminate\Routing\Route), Object(Illuminate\Http\Request), 'postAPIImportUp...')
#17 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8524): Illuminate\Routing\ControllerDispatcher->dispatch(Object(Illuminate\Routing\Route), Object(Illuminate\Http\Request), 'App\Http\Contro...', 'postAPIImportUp...')
#18 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8511): Illuminate\Routing\Route->runController(Object(Illuminate\Http\Request))
#19 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8225): Illuminate\Routing\Route->run(Object(Illuminate\Http\Request))
#20 [internal function]: Illuminate\Routing\Router->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#21 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(52): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#22 C:\inetpub\wwwroot\app\Http\Middleware\CheckPermissions.php(28): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#23 [internal function]: App\Http\Middleware\CheckPermissions->handle(Object(Illuminate\Http\Request), Object(Closure), 'assets.view')
#24 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#25 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#26 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#27 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#28 [internal function]: App\Http\Middleware\Authenticate-
```

```
>handle(Object(Illuminate\Http\Request), Object(Closure))
#29 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#30 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#31 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#32 C:\inetpub\wwwroot\app\Http\Middleware\CheckForTwoFactor.php(49):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#33 [internal function]: App\Http\Middleware\CheckForTwoFactor-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#34 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#35 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#36 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#37 C:\inetpub\wwwroot\app\Http\Middleware\CheckLocale.php(42):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#38 [internal function]: App\Http\Middleware\CheckLocale-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#39 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#40 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#41 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#42 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(3225):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#43 [internal function]:
Illuminate\Foundation\Http\Middleware\VerifyCsrfToken-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#44 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#45 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#46 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#47 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13213):
```

```
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#48 [internal function]:
Illuminate\Cookie\Middleware\AddQueuedCookiesToResponse-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#49 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#50 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#51 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#52 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13150):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#53 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#54 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#55 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#56 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#57 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#58 [internal function]: App\Http\Middleware\Authenticate-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#59 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#60 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#61 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#62 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#63 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#64 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8226):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#65 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8217):
Illuminate\Routing\Router-
>runRouteWithinStack(Object(Illuminate\Routing\Route),
Object(Illuminate\Http\Request))
#66 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8207):
```

```
Illuminate\Routing\Router-
>dispatchToRoute(Object(Illuminate\Http\Request))
#67 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2419):
Illuminate\Routing\Router->dispatch(Object(Illuminate\Http\Request))
#68 [internal function]: Illuminate\Foundation\Http\Kernel-
>Illuminate\Foundation\Http\{closure}(Object(Illuminate\Http\Request))
#69 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(52): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#70 C:\inetpub\wwwroot\app\Http\Middleware\CheckForDebug.php(25):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#71 [internal function]: App\Http\Middleware\CheckForDebug-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#72 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#73 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#74 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#75 C:
\inetpub\wwwroot\vendor\fideloper\proxy\src\TrustProxies.php(46):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#76 [internal function]: Fideloper\Proxy\TrustProxies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#77 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#78 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#79 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#80 C:\inetpub\wwwroot\app\Http\Middleware\CheckForSetup.php(27):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#81 [internal function]: App\Http\Middleware\CheckForSetup-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#82 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#83 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#84 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
```



```
#85 C:\inetpub\wwwroot\app\Http\Middleware\NosniffGuard.php(17):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#86 [internal function]: App\Http\Middleware\NosniffGuard-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#87 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#88 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#89 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#90 C:\inetpub\wwwroot\app\Http\Middleware\XssProtectHeader.php(17):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#91 [internal function]: App\Http\Middleware\XssProtectHeader-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#92 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#93 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#94 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#95 C:\inetpub\wwwroot\app\Http\Middleware\FrameGuard.php(17):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#96 [internal function]: App\Http\Middleware\FrameGuard-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#97 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#98 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#99 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#100 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13474):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#101 [internal function]:  
Illuminate\View\Middleware\ShareErrorsFromSession-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#102 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#103 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#104 C:
```

```
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#105 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(11964): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#106 [internal function]: Illuminate\Session\Middleware\StartSession->handle(Object(Illuminate\Http\Request), Object(Closure))
#107 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#108 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#109 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#110 C:\inetpub\wwwroot\vendor\misterphilip\maintenance-mode\src\MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode.php(145): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#111 [internal function]: MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode->handle(Object(Illuminate\Http\Request), Object(Closure))
#112 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#113 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#114 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#115 [internal function]: Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#116 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#117 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2366): Illuminate\Pipeline\Pipeline->then(Object(Closure))
#118 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2350): Illuminate\Foundation\Http\Kernel->sendRequestThroughRouter(Object(Illuminate\Http\Request))
#119 C:\inetpub\wwwroot\public\index.php(59): Illuminate\Foundation\Http\Kernel->handle(Object(Illuminate\Http\Request))
#120 {main}
[2017-02-07 19:52:01] production.ERROR: RuntimeException: mcrypt_encrypt(): Key of size 0 not supported by this algorithm. Only keys of sizes 16, 24 or 32 supported in C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\McryptEncrypter.php:104
Stack trace:
```

```
#0 [internal function]:  
Illuminate\Foundation\Bootstrap\HandleExceptions->handleError(2,  
'mcrypt_encrypt(...', 'C:\\inetpub\\wwwr...', 104, Array)  
#1 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc  
ryptEncrypter.php(104): mcrypt_encrypt('rijndael-256', '', 's:  
40:"coANd3fHc...', 'cbc', 'A\xE4T\xF6\xCE.  
\xACF\tH\x9E\x1D\x01\xEE\x95...')  
#2 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc  
ryptEncrypter.php(77): Illuminate\Encryption\McryptEncrypter-  
>padAndMcrypt('s:40:"coANd3fHc...', 'A\xE4T\xF6\xCE.  
\xACF\tH\x9E\x1D\x01\xEE\x95...')  
#3 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13186):  
Illuminate\Encryption\McryptEncrypter->encrypt('coANd3fHctUYsMO...')  
#4 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13150):  
Illuminate\Cookie\Middleware\EncryptCookies-  
>encrypt(Object(Illuminate\Http\RedirectResponse))  
#5 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#6 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#7 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#8 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#9 [internal function]: Illuminate\Routing\Pipeline-  
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))  
#10 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):  
call_user_func(Object(Closure), Object(Illuminate\Http\Request))  
#11 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8226):  
Illuminate\Pipeline\Pipeline->then(Object(Closure))  
#12 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8217):  
Illuminate\Routing\Router-  
>runRouteWithinStack(Object(Illuminate\Routing\Route),  
Object(Illuminate\Http\Request))  
#13 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8207):  
Illuminate\Routing\Router-  
>dispatchToRoute(Object(Illuminate\Http\Request))  
#14 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2419):  
Illuminate\Routing\Router->dispatch(Object(Illuminate\Http\Request))  
#15 [internal function]: Illuminate\Foundation\Http\Kernel-  
>Illuminate\Foundation\Http\{closure}(Object(Illuminate\Http\Request))  
#16 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(52): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#17 C:\inetpub\wwwroot\vendor\barryvdh\laravel-
```

```
debugbar\src\Middleware\Debugbar.php(49): Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#18 [internal function]: Barryvdh\Debugbar\Middleware\Debugbar-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#19 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#20 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#21 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#22 C:\inetpub\wwwroot\app\Http\Middleware\CheckForDebug.php(25):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#23 [internal function]: App\Http\Middleware\CheckForDebug-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#24 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#25 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#26 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#27 C:
\inetpub\wwwroot\vendor\fideloper\proxy\src\TrustProxies.php(46):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#28 [internal function]: Fideloper\Proxy\TrustProxies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#29 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#30 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#31 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#32 C:\inetpub\wwwroot\app\Http\Middleware\CheckForSetup.php(27):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#33 [internal function]: App\Http\Middleware\CheckForSetup-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#34 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#35 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#36 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
```

```
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#37 C:\inetpub\wwwroot\app\Http\Middleware\NosniffGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#38 [internal function]: App\Http\Middleware\NosniffGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#39 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#40 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#41 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#42 C:\inetpub\wwwroot\app\Http\Middleware\XssProtectHeader.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#43 [internal function]: App\Http\Middleware\XssProtectHeader-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#44 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#45 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#46 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#47 C:\inetpub\wwwroot\app\Http\Middleware\FrameGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#48 [internal function]: App\Http\Middleware\FrameGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#49 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#50 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#51 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#52 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13474):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#53 [internal function]:
Illuminate\View\Middleware\ShareErrorsFromSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#54 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#55 [internal function]: Illuminate\Pipeline\Pipeline-
```

```
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#56 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#57 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(11964): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#58 [internal function]: Illuminate\Session\Middleware\StartSession->handle(Object(Illuminate\Http\Request), Object(Closure))
#59 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#60 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#61 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#62 C:\inetpub\wwwroot\vendor\misterphilip\maintenance-mode\src\MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode.php(145): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#63 [internal function]: MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode->handle(Object(Illuminate\Http\Request), Object(Closure))
#64 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#65 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#66 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#67 [internal function]: Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#68 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#69 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2366): Illuminate\Pipeline\Pipeline->then(Object(Closure))
#70 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2350): Illuminate\Foundation\Http\Kernel->sendRequestThroughRouter(Object(Illuminate\Http\Request))
#71 C:\inetpub\wwwroot\public\index.php(59): Illuminate\Foundation\Http\Kernel->handle(Object(Illuminate\Http\Request))
#72 {main}
[2017-02-07 19:52:14] production.ERROR: RuntimeException: mcrypt_encrypt(): Key of size 0 not supported by this algorithm. Only keys of sizes 16, 24 or 32 supported in C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
```

ryptEncrypter.php:104

Stack trace:

#0 [internal function]:

Illuminate\Foundation\Bootstrap\HandleExceptions->handleError(2,
'mCRYPT_encrypt(...', 'C:\inetpub\wwwroot\...', 104, Array)

#1 C:

\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php(104): mCRYPT_encrypt('rijndael-256', '', 's:
40:"coANd3fHc... ', 'cbc',
'\xC6+k\x94\xF7xA4xA4zP\xE6\x1F\xCC\xB2\xFE\xA5... ')

#2 C:

\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php(77): Illuminate\Encryption\McryptEncrypter-
>padAndMCRYPT('s:40:"coANd3fHc... ',
'\xC6+k\x94\xF7xA4xA4zP\xE6\x1F\xCC\xB2\xFE\xA5... ')

#3 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13186):

Illuminate\Encryption\McryptEncrypter->encrypt('coANd3fHctUYsMO... ')

#4 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13150):

Illuminate\Cookie\Middleware\EncryptCookies-
>encrypt(Object(Illuminate\Http\RedirectResponse))

#5 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-
>handle(Object(Illuminate\Http\Request), Object(Closure))

#6 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):

call_user_func_array(Array, Array)

#7 [internal function]: Illuminate\Pipeline\Pipeline-

>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))

#8 C:

\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))

#9 [internal function]: Illuminate\Routing\Pipeline-

>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))

#10 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):

call_user_func(Object(Closure), Object(Illuminate\Http\Request))

#11 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8226):

Illuminate\Pipeline\Pipeline->then(Object(Closure))

#12 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8217):

Illuminate\Routing\Router-
>runRouteWithinStack(Object(Illuminate\Routing\Route),
Object(Illuminate\Http\Request))

#13 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8207):

Illuminate\Routing\Router-
>dispatchToRoute(Object(Illuminate\Http\Request))

#14 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2419):

Illuminate\Routing\Router->dispatch(Object(Illuminate\Http\Request))

#15 [internal function]: Illuminate\Foundation\Http\Kernel-

>Illuminate\Foundation\Http\{closure}(Object(Illuminate\Http\Request))

#16 C:

\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(52): call_user_func(Object(Closure),

```
Object(Illuminate\Http\Request))
#17 C:\inetpub\wwwroot\vendor\barryvdh\laravel-
debugbar\src\Middleware\Debugbar.php(49): Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#18 [internal function]: Barryvdh\Debugbar\Middleware\Debugbar-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#19 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#20 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#21 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#22 C:\inetpub\wwwroot\app\Http\Middleware\CheckForDebug.php(25):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#23 [internal function]: App\Http\Middleware\CheckForDebug-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#24 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#25 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#26 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#27 C:
\inetpub\wwwroot\vendor\fideloper\proxy\src\TrustProxies.php(46):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#28 [internal function]: Fideloper\Proxy\TrustProxies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#29 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#30 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#31 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#32 C:\inetpub\wwwroot\app\Http\Middleware\CheckForSetup.php(27):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#33 [internal function]: App\Http\Middleware\CheckForSetup-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#34 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#35 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
```



```
#36 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#37 C:\inetpub\wwwroot\app\Http\Middleware\NosniffGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#38 [internal function]: App\Http\Middleware\NosniffGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#39 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#40 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#41 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#42 C:\inetpub\wwwroot\app\Http\Middleware\XssProtectHeader.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#43 [internal function]: App\Http\Middleware\XssProtectHeader-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#44 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#45 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#46 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#47 C:\inetpub\wwwroot\app\Http\Middleware\FrameGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#48 [internal function]: App\Http\Middleware\FrameGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#49 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#50 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#51 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#52 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13474):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#53 [internal function]:
Illuminate\View\Middleware\ShareErrorsFromSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#54 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
```

```
call_user_func_array(Array, Array)
#55 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#56 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#57 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(11964):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#58 [internal function]: Illuminate\Session\Middleware\StartSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#59 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#60 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#61 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#62 C:\inetpub\wwwroot\vendor\misterphilip\maintenance-
mode\src\MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintena
nceMode.php(145): Illuminate\Routing\Pipeline->Illuminate\Routing\
{closure}(Object(Illuminate\Http\Request))
#63 [internal function]:
MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#64 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#65 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#66 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#67 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#68 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#69 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2366):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#70 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2350):
Illuminate\Foundation\Http\Kernel-
>sendRequestThroughRouter(Object(Illuminate\Http\Request))
#71 C:\inetpub\wwwroot\public\index.php(59):
Illuminate\Foundation\Http\Kernel-
>handle(Object(Illuminate\Http\Request))
#72 {main}
[2017-02-07 19:52:17] production.ERROR: RuntimeException:
mdecrypt_encrypt(): Key of size 0 not supported by this algorithm. Only
```

```
keys of sizes 16, 24 or 32 supported in C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php:104
Stack trace:
#0 [internal function]:
Illuminate\Foundation\Bootstrap\HandleExceptions->handleError(2,
'mcrypt_encrypt(...', 'C:\\inetpub\\wwr...', 104, Array)
#1 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php(104): mcrypt_encrypt('rijndael-256', '', 's:
40:"coANd3fHc...', 'cbc',
'#\xCA\xC8U\xC4\xBA\xFB\xB1\xBB&\xD9h\x91\x9A...')
#2 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php(77): Illuminate\Encryption\McryptEncrypter-
>padAndMcrypt('s:40:"coANd3fHc...',
'#\xCA\xC8U\xC4\xBA\xFB\xB1\xBB&\xD9h\x91\x9A...')
#3 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13186):
Illuminate\Encryption\McryptEncrypter->encrypt('coANd3fHctUYsM0...')
#4 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13150):
Illuminate\Cookie\Middleware\EncryptCookies-
>encrypt(Object(Illuminate\Http\Response))
#5 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#6 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#7 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#8 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#9 C:\inetpub\wwwroot\app\Http\Middleware\CheckForTwoFactor.php(49):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#10 [internal function]: App\Http\Middleware\CheckForTwoFactor-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#11 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#12 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#13 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#14 C:\inetpub\wwwroot\app\Http\Middleware\CheckLocale.php(42):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#15 [internal function]: App\Http\Middleware\CheckLocale-
>handle(Object(Illuminate\Http\Request), Object(Closure))
```

```
#16 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#17 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#18 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#19 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(3225):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#20 [internal function]:
Illuminate\Foundation\Http\Middleware\VerifyCsrfToken-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#21 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#22 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#23 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#24 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13213):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#25 [internal function]:
Illuminate\Cookie\Middleware\AddQueuedCookiesToResponse-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#26 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#27 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#28 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#29 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13150):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#30 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#31 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#32 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#33 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#34 [internal function]: Illuminate\Routing\Pipeline-
```

```
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#35 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#36 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8226):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#37 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8217):
Illuminate\Routing\Router-
>runRouteWithinStack(Object(Illuminate\Routing\Route),
Object(Illuminate\Http\Request))
#38 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8207):
Illuminate\Routing\Router-
>dispatchToRoute(Object(Illuminate\Http\Request))
#39 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2419):
Illuminate\Routing\Router->dispatch(Object(Illuminate\Http\Request))
#40 [internal function]: Illuminate\Foundation\Http\Kernel-
>Illuminate\Foundation\Http\{closure}(Object(Illuminate\Http\Request))
#41 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(52): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#42 C:\inetpub\wwwroot\vendor\barryvdh\laravel-
debugbar\src\Middleware\Debugbar.php(49): Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#43 [internal function]: Barryvdh\Debugbar\Middleware\Debugbar-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#44 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#45 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#46 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#47 C:\inetpub\wwwroot\app\Http\Middleware\CheckForDebug.php(25):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#48 [internal function]: App\Http\Middleware\CheckForDebug-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#49 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#50 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#51 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#52 C:
\inetpub\wwwroot\vendor\fideloper\proxy\src\TrustProxies.php(46):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
```

```
#53 [internal function]: Fideloper\Proxy\TrustProxies-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#54 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#55 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#56 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#57 C:\inetpub\wwwroot\app\Http\Middleware\CheckForSetup.php(27):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#58 [internal function]: App\Http\Middleware\CheckForSetup-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#59 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#60 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#61 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#62 C:\inetpub\wwwroot\app\Http\Middleware\NosniffGuard.php(17):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#63 [internal function]: App\Http\Middleware\NosniffGuard-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#64 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#65 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#66 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#67 C:\inetpub\wwwroot\app\Http\Middleware\XssProtectHeader.php(17):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#68 [internal function]: App\Http\Middleware\XssProtectHeader-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#69 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#70 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#71 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#72 C:\inetpub\wwwroot\app\Http\Middleware\FrameGuard.php(17):
```

```
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#73 [internal function]: App\Http\Middleware\FrameGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#74 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#75 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#76 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#77 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13474):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#78 [internal function]:
Illuminate\View\Middleware\ShareErrorsFromSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#79 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#80 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#81 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#82 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(11964):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#83 [internal function]: Illuminate\Session\Middleware\StartSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#84 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#85 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#86 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#87 C:\inetpub\wwwroot\vendor\misterphilip\maintenance-
mode\src\MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintena
nceMode.php(145): Illuminate\Routing\Pipeline->Illuminate\Routing\
{closure}(Object(Illuminate\Http\Request))
#88 [internal function]:
MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#89 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#90 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
```

```
#91 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#92 [internal function]: Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#93 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#94 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2366):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#95 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2350):
Illuminate\Foundation\Http\Kernel->sendRequestThroughRouter(Object(Illuminate\Http\Request))
#96 C:\inetpub\wwwroot\public\index.php(59):
Illuminate\Foundation\Http\Kernel->handle(Object(Illuminate\Http\Request))
#97 {main}
[2017-02-07 19:52:17] production.ERROR: RuntimeException:
mcrypt_encrypt(): Key of size 0 not supported by this algorithm. Only
keys of sizes 16, 24 or 32 supported in C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\McryptEncrypter.php:104
Stack trace:
#0 [internal function]:
Illuminate\Foundation\Bootstrap\HandleExceptions->handleError(2,
'mcrypt_encrypt(...)', 'C:\\inetpub\\wwr...', 104, Array)
#1 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\McryptEncrypter.php(104): mcrypt_encrypt('rijndael-256', '', 's:
40:"coANd3fHc...', 'cbc',
'@\xEB2\x0EZ\xF8i2\x9E_\xEB\xF8\xDB\x90\xDE...')
#2 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\McryptEncrypter.php(77): Illuminate\Encryption\McryptEncrypter->padAndMcrypt('s:40:"coANd3fHc...',
'@\xEB2\x0EZ\xF8i2\x9E_\xEB\xF8\xDB\x90\xDE...')
#3 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13186):
Illuminate\Encryption\McryptEncrypter->encrypt('coANd3fHctUYsMO...')
#4 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13150):
Illuminate\Cookie\Middleware\EncryptCookies->encrypt(Object(Illuminate\Http\Response))
#5 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies->handle(Object(Illuminate\Http\Request), Object(Closure))
#6 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#7 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#8 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
```



```
Object(Illuminate\Http\Request))
#9 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#10 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#11 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8226):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#12 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8217):
Illuminate\Routing\Router-
>runRouteWithinStack(Object(Illuminate\Routing\Route),
Object(Illuminate\Http\Request))
#13 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8207):
Illuminate\Routing\Router-
>dispatchToRoute(Object(Illuminate\Http\Request))
#14 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2419):
Illuminate\Routing\Router->dispatch(Object(Illuminate\Http\Request))
#15 [internal function]: Illuminate\Foundation\Http\Kernel-
>Illuminate\Foundation\Http\{closure}(Object(Illuminate\Http\Request))
#16 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(52): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#17 C:\inetpub\wwwroot\vendor\barryvdh\laravel-
debugbar\src\Middleware\Debugbar.php(49): Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#18 [internal function]: Barryvdh\Debugbar\Middleware\Debugbar-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#19 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#20 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#21 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#22 C:\inetpub\wwwroot\app\Http\Middleware\CheckForDebug.php(25):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#23 [internal function]: App\Http\Middleware\CheckForDebug-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#24 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#25 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#26 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#27 C:
\inetpub\wwwroot\vendor\fideloper\proxy\src\TrustProxies.php(46):
```

```
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#28 [internal function]: Fideloper\Proxy\TrustProxies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#29 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#30 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#31 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#32 C:\inetpub\wwwroot\app\Http\Middleware\CheckForSetup.php(27):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#33 [internal function]: App\Http\Middleware\CheckForSetup-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#34 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#35 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#36 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#37 C:\inetpub\wwwroot\app\Http\Middleware\NosniffGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#38 [internal function]: App\Http\Middleware\NosniffGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#39 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#40 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#41 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#42 C:\inetpub\wwwroot\app\Http\Middleware\XssProtectHeader.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#43 [internal function]: App\Http\Middleware\XssProtectHeader-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#44 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#45 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#46 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
```

```
Object(Illuminate\Http\Request))
#47 C:\inetpub\wwwroot\app\Http\Middleware\FramGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#48 [internal function]: App\Http\Middleware\FramGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#49 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#50 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#51 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#52 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13474):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#53 [internal function]:
Illuminate\View\Middleware\ShareErrorsFromSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#54 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#55 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#56 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#57 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(11964):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#58 [internal function]: Illuminate\Session\Middleware\StartSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#59 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#60 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#61 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#62 C:\inetpub\wwwroot\vendor\misterphilip\maintenance-
mode\src\MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintena
nceMode.php(145): Illuminate\Routing\Pipeline->Illuminate\Routing\
{closure}(Object(Illuminate\Http\Request))
#63 [internal function]:
MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#64 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
```

```
#65 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#66 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#67 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#68 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#69 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2366): Illuminate\Pipeline\Pipeline->then(Object(Closure))
#70 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2350): Illuminate\Foundation\Http\Kernel-
>sendRequestThroughRouter(Object(Illuminate\Http\Request))
#71 C:\inetpub\wwwroot\public\index.php(59): Illuminate\Foundation\Http\Kernel-
>handle(Object(Illuminate\Http\Request))
#72 {main}
[2017-02-07 19:57:16] production.ERROR: RuntimeException:
mcrypt_encrypt(): Key of size 0 not supported by this algorithm. Only
keys of sizes 16, 24 or 32 supported in C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\McryptEncrypter.php:104
Stack trace:
#0 [internal function]:
Illuminate\Foundation\Bootstrap\HandleExceptions->handleError(2,
'mcrypt_encrypt(...', 'C:\\inetpub\\wwwr...', 104, Array)
#1 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\McryptEncrypter.php(104): mcrypt_encrypt('rijndael-256', '', 's:
40:"coANd3fHc...', 'cbc', '\xC3\
\x9D\xE7v\xBB\xCB\xE1\x12\n\x8D\xAA67\xD1...')
#2 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\McryptEncrypter.php(77): Illuminate\Encryption\McryptEncrypter-
>padAndMcrypt('s:40:"coANd3fHc...', '\xC3\
\x9D\xE7v\xBB\xCB\xE1\x12\n\x8D\xAA67\xD1...')
#3 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13186): Illuminate\Encryption\McryptEncrypter->encrypt('coANd3fHctUYsM0...')
#4 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13150): Illuminate\Cookie\Middleware\EncryptCookies-
>encrypt(Object(Illuminate\Http\Response))
#5 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#6 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#7 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#8 C:
```

```
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#9 C:\inetpub\wwwroot\app\Http\Middleware\CheckForTwoFactor.php(49): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#10 [internal function]: App\Http\Middleware\CheckForTwoFactor->handle(Object(Illuminate\Http\Request), Object(Closure))
#11 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#12 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#13 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#14 C:\inetpub\wwwroot\app\Http\Middleware\CheckLocale.php(42): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#15 [internal function]: App\Http\Middleware\CheckLocale->handle(Object(Illuminate\Http\Request), Object(Closure))
#16 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#17 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#18 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#19 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(3225): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#20 [internal function]: Illuminate\Foundation\Http\Middleware\VerifyCsrfToken->handle(Object(Illuminate\Http\Request), Object(Closure))
#21 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#22 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#23 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#24 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13213): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#25 [internal function]: Illuminate\Cookie\Middleware\AddQueuedCookiesToResponse->handle(Object(Illuminate\Http\Request), Object(Closure))
#26 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
```

```
call_user_func_array(Array, Array)
#27 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#28 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#29 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13150): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#30 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies->handle(Object(Illuminate\Http\Request), Object(Closure))
#31 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#32 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#33 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#34 [internal function]: Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#35 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#36 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8226): Illuminate\Pipeline\Pipeline->then(Object(Closure))
#37 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8217): Illuminate\Routing\Router->runRouteWithinStack(Object(Illuminate\Routing\Route), Object(Illuminate\Http\Request))
#38 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8207): Illuminate\Routing\Router->dispatchToRoute(Object(Illuminate\Http\Request))
#39 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2419): Illuminate\Routing\Router->dispatch(Object(Illuminate\Http\Request))
#40 [internal function]: Illuminate\Foundation\Http\Kernel->Illuminate\Foundation\Http\{closure}(Object(Illuminate\Http\Request))
#41 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(52): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#42 C:\inetpub\wwwroot\vendor\barryvdh\laravel-debugbar\src\Middleware\Debugbar.php(49): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#43 [internal function]: Barryvdh\Debugbar\Middleware\Debugbar->handle(Object(Illuminate\Http\Request), Object(Closure))
#44 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#45 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
```

```
#46 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#47 C:\inetpub\wwwroot\app\Http\Middleware\CheckForDebug.php(25): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#48 [internal function]: App\Http\Middleware\CheckForDebug->handle(Object(Illuminate\Http\Request), Object(Closure))
#49 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#50 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#51 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#52 C:
\inetpub\wwwroot\vendor\fideloper\proxy\src\TrustProxies.php(46): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#53 [internal function]: Fideloper\Proxy\TrustProxies->handle(Object(Illuminate\Http\Request), Object(Closure))
#54 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#55 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#56 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#57 C:\inetpub\wwwroot\app\Http\Middleware\CheckForSetup.php(27): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#58 [internal function]: App\Http\Middleware\CheckForSetup->handle(Object(Illuminate\Http\Request), Object(Closure))
#59 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#60 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#61 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#62 C:\inetpub\wwwroot\app\Http\Middleware\NosniffGuard.php(17): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#63 [internal function]: App\Http\Middleware\NosniffGuard->handle(Object(Illuminate\Http\Request), Object(Closure))
#64 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
```

```
call_user_func_array(Array, Array)
#65 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#66 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#67 C:\inetpub\wwwroot\app\Http\Middleware\XssProtectHeader.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#68 [internal function]: App\Http\Middleware\XssProtectHeader-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#69 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#70 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#71 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#72 C:\inetpub\wwwroot\app\Http\Middleware\FrameGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#73 [internal function]: App\Http\Middleware\FrameGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#74 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#75 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#76 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#77 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13474):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#78 [internal function]:
Illuminate\View\Middleware\ShareErrorsFromSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#79 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#80 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#81 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#82 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(11964):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
```



```
#83 [internal function]: Illuminate\Session\Middleware\StartSession->
handle(Object(Illuminate\Http\Request), Object(Closure))
#84 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#85 [internal function]: Illuminate\Pipeline\Pipeline->
Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#86 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#87 C:\inetpub\wwwroot\vendor\misterphilip\maintenance-
mode\src\MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintena
nceMode.php(145): Illuminate\Routing\Pipeline->Illuminate\Routing\
{closure}(Object(Illuminate\Http\Request))
#88 [internal function]:
MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode->
handle(Object(Illuminate\Http\Request), Object(Closure))
#89 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#90 [internal function]: Illuminate\Pipeline\Pipeline->
Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#91 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#92 [internal function]: Illuminate\Routing\Pipeline->
Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#93 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#94 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2366):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#95 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2350):
Illuminate\Foundation\Http\Kernel->
sendRequestThroughRouter(Object(Illuminate\Http\Request))
#96 C:\inetpub\wwwroot\public\index.php(59):
Illuminate\Foundation\Http\Kernel->
handle(Object(Illuminate\Http\Request))
#97 {main}
[2017-02-07 19:57:16] production.ERROR: RuntimeException:
mcrypt_encrypt(): Key of size 0 not supported by this algorithm. Only
keys of sizes 16, 24 or 32 supported in C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php:104
Stack trace:
#0 [internal function]:
Illuminate\Foundation\Bootstrap\HandleExceptions->handleError(2,
'mcrypt_encrypt(...)', 'C:\\inetpub\\wwr...', 104, Array)
#1 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php(104): mcrypt_encrypt('rijndael-256', '', 's:
```

```
40:"coANd3fHc... ', 'cbc', '\x83\x1E1"\a\xDC&\xC1\xEB\x92-
\xD1\xB5h...')
#2 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php(77): Illuminate\Encryption\McryptEncrypter-
>padAndMcrypt('s:40:"coANd3fHc... ', '\x83\x1E1"\a\xDC&\xC1\xEB\x92-
\xD1\xB5h...')
#3 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13186):
Illuminate\Encryption\McryptEncrypter->encrypt('coANd3fHctUYsMO...')
#4 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13150):
Illuminate\Cookie\Middleware\EncryptCookies-
>encrypt(Object(Illuminate\Http\Response))
#5 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#6 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#7 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#8 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#9 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#10 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#11 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8226):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#12 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8217):
Illuminate\Routing\Router-
>runRouteWithinStack(Object(Illuminate\Routing\Route),
Object(Illuminate\Http\Request))
#13 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8207):
Illuminate\Routing\Router-
>dispatchToRoute(Object(Illuminate\Http\Request))
#14 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2419):
Illuminate\Routing\Router->dispatch(Object(Illuminate\Http\Request))
#15 [internal function]: Illuminate\Foundation\Http\Kernel-
>Illuminate\Foundation\Http\{closure}(Object(Illuminate\Http\Request))
#16 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(52): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#17 C:\inetpub\wwwroot\vendor\barryvdh\laravel-
debugbar\src\Middleware\Debugbar.php(49): Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#18 [internal function]: Barryvdh\Debugbar\Middleware\Debugbar-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#19 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
```

```
#20 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#21 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#22 C:\inetpub\wwwroot\app\Http\Middleware\CheckForDebug.php(25): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#23 [internal function]: App\Http\Middleware\CheckForDebug->handle(Object(Illuminate\Http\Request), Object(Closure))
#24 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#25 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#26 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#27 C:
\inetpub\wwwroot\vendor\fideloper\proxy\src\TrustProxies.php(46): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#28 [internal function]: Fideloper\Proxy\TrustProxies->handle(Object(Illuminate\Http\Request), Object(Closure))
#29 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#30 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#31 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#32 C:\inetpub\wwwroot\app\Http\Middleware\CheckForSetup.php(27): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#33 [internal function]: App\Http\Middleware\CheckForSetup->handle(Object(Illuminate\Http\Request), Object(Closure))
#34 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#35 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#36 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#37 C:\inetpub\wwwroot\app\Http\Middleware\NosniffGuard.php(17): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#38 [internal function]: App\Http\Middleware\NosniffGuard-
```

```
>handle(Object(Illuminate\Http\Request), Object(Closure))
#39 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#40 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#41 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#42 C:\inetpub\wwwroot\app\Http\Middleware\XssProtectHeader.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#43 [internal function]: App\Http\Middleware\XssProtectHeader-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#44 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#45 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#46 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#47 C:\inetpub\wwwroot\app\Http\Middleware\FrameGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#48 [internal function]: App\Http\Middleware\FrameGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#49 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#50 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#51 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#52 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13474):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#53 [internal function]:
Illuminate\View\Middleware\ShareErrorsFromSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#54 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#55 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#56 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#57 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(11964):
```

```
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#58 [internal function]: Illuminate\Session\Middleware\StartSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#59 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#60 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#61 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#62 C:\inetpub\wwwroot\vendor\misterphilip\maintenance-
mode\src\MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintena
nceMode.php(145): Illuminate\Routing\Pipeline->Illuminate\Routing\
{closure}(Object(Illuminate\Http\Request))
#63 [internal function]:
MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#64 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#65 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#66 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#67 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#68 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#69 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2366):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#70 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2350):
Illuminate\Foundation\Http\Kernel-
>sendRequestThroughRouter(Object(Illuminate\Http\Request))
#71 C:\inetpub\wwwroot\public\index.php(59):
Illuminate\Foundation\Http\Kernel-
>handle(Object(Illuminate\Http\Request))
#72 {main}
[2017-02-07 19:57:18] production.ERROR: RuntimeException:
mcrypt_encrypt(): Key of size 0 not supported by this algorithm. Only
keys of sizes 16, 24 or 32 supported in C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php:104
Stack trace:
#0 [internal function]:
Illuminate\Foundation\Bootstrap\HandleExceptions->handleError(2,
'mcrypt_encrypt(...', 'C:\\inetpub\\wwwr...', 104, Array)
#1 C:
```

```
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php(104): mcrypt_encrypt('rijndael-256', '', 's:
40:"coANd3fHc...', 'cbc', 'V\xAFYB,
\x97\x9A\x13\xDD\xA8[\xC6u\xB3\xAD...')
#2 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php(77): Illuminate\Encryption\McryptEncrypter-
>padAndMcrypt('s:40:"coANd3fHc...', 'V\xAFYB,
\x97\x9A\x13\xDD\xA8[\xC6u\xB3\xAD...')
#3 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13186):
Illuminate\Encryption\McryptEncrypter->encrypt('coANd3fHctUYsM0...')
#4 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13150):
Illuminate\Cookie\Middleware\EncryptCookies-
>encrypt(Object(Illuminate\Http\Response))
#5 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#6 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#7 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#8 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#9 C:\inetpub\wwwroot\app\Http\Middleware\CheckForTwoFactor.php(49):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#10 [internal function]: App\Http\Middleware\CheckForTwoFactor-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#11 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#12 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#13 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#14 C:\inetpub\wwwroot\app\Http\Middleware\CheckLocale.php(42):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#15 [internal function]: App\Http\Middleware\CheckLocale-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#16 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#17 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#18 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
```

```
#19 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(3225):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#20 [internal function]:  
Illuminate\Foundation\Http\Middleware\VerifyCsrfToken-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#21 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#22 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#23 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#24 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13213):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#25 [internal function]:  
Illuminate\Cookie\Middleware\AddQueuedCookiesToResponse-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#26 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#27 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#28 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#29 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13150):  
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}  
(Object(Illuminate\Http\Request))  
#30 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-  
>handle(Object(Illuminate\Http\Request), Object(Closure))  
#31 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):  
call_user_func_array(Array, Array)  
#32 [internal function]: Illuminate\Pipeline\Pipeline-  
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))  
#33 C:  
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel  
ine.php(32): call_user_func(Object(Closure),  
Object(Illuminate\Http\Request))  
#34 [internal function]: Illuminate\Routing\Pipeline-  
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))  
#35 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):  
call_user_func(Object(Closure), Object(Illuminate\Http\Request))  
#36 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8226):  
Illuminate\Pipeline\Pipeline->then(Object(Closure))  
#37 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8217):  
Illuminate\Routing\Router-  
>runRouteWithinStack(Object(Illuminate\Routing\Route),
```

```
Object(Illuminate\Http\Request))
#38 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8207):
Illuminate\Routing\Router-
>dispatchToRoute(Object(Illuminate\Http\Request))
#39 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2419):
Illuminate\Routing\Router->dispatch(Object(Illuminate\Http\Request))
#40 [internal function]: Illuminate\Foundation\Http\Kernel-
>Illuminate\Foundation\Http\{closure}(Object(Illuminate\Http\Request))
#41 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(52): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#42 C:\inetpub\wwwroot\vendor\barryvdh\laravel-
debugbar\src\Middleware\Debugbar.php(49): Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#43 [internal function]: Barryvdh\Debugbar\Middleware\Debugbar-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#44 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#45 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#46 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#47 C:\inetpub\wwwroot\app\Http\Middleware\CheckForDebug.php(25):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#48 [internal function]: App\Http\Middleware\CheckForDebug-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#49 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#50 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#51 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#52 C:
\inetpub\wwwroot\vendor\fideloper\proxy\src\TrustProxies.php(46):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#53 [internal function]: Fideloper\Proxy\TrustProxies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#54 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#55 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#56 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline
```



```
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#57 C:\inetpub\wwwroot\app\Http\Middleware\CheckForSetup.php(27):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#58 [internal function]: App\Http\Middleware\CheckForSetup-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#59 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#60 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#61 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#62 C:\inetpub\wwwroot\app\Http\Middleware\NosniffGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#63 [internal function]: App\Http\Middleware\NosniffGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#64 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#65 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#66 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#67 C:\inetpub\wwwroot\app\Http\Middleware\XssProtectHeader.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#68 [internal function]: App\Http\Middleware\XssProtectHeader-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#69 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#70 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#71 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#72 C:\inetpub\wwwroot\app\Http\Middleware\FrameGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#73 [internal function]: App\Http\Middleware\FrameGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#74 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#75 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
```

```
#76 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#77 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13474):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#78 [internal function]:
Illuminate\View\Middleware\ShareErrorsFromSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#79 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#80 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#81 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#82 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(11964):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#83 [internal function]: Illuminate\Session\Middleware\StartSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#84 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#85 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#86 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#87 C:\inetpub\wwwroot\vendor\misterphilip\maintenance-
mode\src\MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode.php(145): Illuminate\Routing\Pipeline->Illuminate\Routing\
{closure}(Object(Illuminate\Http\Request))
#88 [internal function]:
MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#89 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#90 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#91 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#92 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#93 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
```

```
#94 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2366):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#95 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2350):
Illuminate\Foundation\Http\Kernel-
>sendRequestThroughRouter(Object(Illuminate\Http\Request))
#96 C:\inetpub\wwwroot\public\index.php(59):
Illuminate\Foundation\Http\Kernel-
>handle(Object(Illuminate\Http\Request))
#97 {main}
[2017-02-07 19:57:18] production.ERROR: RuntimeException:
mcrypt_encrypt(): Key of size 0 not supported by this algorithm. Only
keys of sizes 16, 24 or 32 supported in C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php:104
Stack trace:
#0 [internal function]:
Illuminate\Foundation\Bootstrap\HandleExceptions->handleError(2,
'mcrypt_encrypt(...', 'C:\\inetpub\\wwr...', 104, Array)
#1 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php(104): mcrypt_encrypt('rijndael-256', '', 's:
40:"coANd3fHc...', 'cbc',
'\x00=\x0F0\x98\x01\xC0\xCAR\x9E#~\xE7YQ...')
#2 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php(77): Illuminate\Encryption\McryptEncrypter-
>padAndMcrypt('s:40:"coANd3fHc...',
'\x00=\x0F0\x98\x01\xC0\xCAR\x9E#~\xE7YQ...')
#3 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13186):
Illuminate\Encryption\McryptEncrypter->encrypt('coANd3fHctUYsMO...')
#4 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13150):
Illuminate\Cookie\Middleware\EncryptCookies-
>encrypt(Object(Illuminate\Http\Response))
#5 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#6 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#7 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#8 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#9 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#10 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#11 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8226):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#12 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8217):
```

```
Illuminate\Routing\Router-
>runRouteWithinStack(Object(Illuminate\Routing\Route),
Object(Illuminate\Http\Request))
#13 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8207):
Illuminate\Routing\Router-
>dispatchToRoute(Object(Illuminate\Http\Request))
#14 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2419):
Illuminate\Routing\Router->dispatch(Object(Illuminate\Http\Request))
#15 [internal function]: Illuminate\Foundation\Http\Kernel-
>Illuminate\Foundation\Http\{closure}(Object(Illuminate\Http\Request))
#16 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(52): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#17 C:\inetpub\wwwroot\vendor\barryvdh\laravel-
debugbar\src\Middleware\Debugbar.php(49): Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#18 [internal function]: Barryvdh\Debugbar\Middleware\Debugbar-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#19 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#20 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#21 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#22 C:\inetpub\wwwroot\app\Http\Middleware\CheckForDebug.php(25):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#23 [internal function]: App\Http\Middleware\CheckForDebug-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#24 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#25 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#26 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#27 C:
\inetpub\wwwroot\vendor\fideloper\proxy\src\TrustProxies.php(46):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#28 [internal function]: Fideloper\Proxy\TrustProxies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#29 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#30 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
```

```
#31 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#32 C:\inetpub\wwwroot\app\Http\Middleware\CheckForSetup.php(27):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#33 [internal function]: App\Http\Middleware\CheckForSetup-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#34 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#35 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#36 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#37 C:\inetpub\wwwroot\app\Http\Middleware\NosniffGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#38 [internal function]: App\Http\Middleware\NosniffGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#39 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#40 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#41 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#42 C:\inetpub\wwwroot\app\Http\Middleware\XssProtectHeader.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#43 [internal function]: App\Http\Middleware\XssProtectHeader-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#44 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#45 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#46 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#47 C:\inetpub\wwwroot\app\Http\Middleware\FrameGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#48 [internal function]: App\Http\Middleware\FrameGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#49 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
```

```
#50 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#51 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#52 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13474):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#53 [internal function]:
Illuminate\View\Middleware\ShareErrorsFromSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#54 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#55 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#56 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#57 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(11964):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#58 [internal function]: Illuminate\Session\Middleware\StartSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#59 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#60 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#61 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#62 C:\inetpub\wwwroot\vendor\misterphilip\maintenance-
mode\src\MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintena
nceMode.php(145): Illuminate\Routing\Pipeline->Illuminate\Routing\
{closure}(Object(Illuminate\Http\Request))
#63 [internal function]:
MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#64 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#65 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#66 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#67 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
```

```
#68 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#69 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2366):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#70 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2350):
Illuminate\Foundation\Http\Kernel-
>sendRequestThroughRouter(Object(Illuminate\Http\Request))
#71 C:\inetpub\wwwroot\public\index.php(59):
Illuminate\Foundation\Http\Kernel-
>handle(Object(Illuminate\Http\Request))
#72 {main}
[2017-02-07 19:58:01] production.ERROR: RuntimeException:
mcrypt_encrypt(): Key of size 0 not supported by this algorithm. Only
keys of sizes 16, 24 or 32 supported in C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php:104
Stack trace:
#0 [internal function]:
Illuminate\Foundation\Bootstrap\HandleExceptions->handleError(2,
'mcrypt_encrypt(...', 'C:\\inetpub\\wwr...', 104, Array)
#1 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php(104): mcrypt_encrypt('rijndael-256', '', 's:
40:"coANd3fHc...' , 'cbc', '\xC0\xF9\x12\x03c|
sg\x85gr\xB9\x01\x16...')
#2 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php(77): Illuminate\Encryption\McryptEncrypter-
>padAndMcrypt('s:40:"coANd3fHc...' , '\xC0\xF9\x12\x03c|
sg\x85gr\xB9\x01\x16...')
#3 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13186):
Illuminate\Encryption\McryptEncrypter->encrypt('coANd3fHctUYsMO...')
#4 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13150):
Illuminate\Cookie\Middleware\EncryptCookies-
>encrypt(Object(Illuminate\Http\Response))
#5 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#6 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#7 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#8 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipe
line.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#9 C:\inetpub\wwwroot\app\Http\Middleware\CheckForTwoFactor.php(49):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#10 [internal function]: App\Http\Middleware\CheckForTwoFactor-
>handle(Object(Illuminate\Http\Request), Object(Closure))
```

```
#11 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#12 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#13 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#14 C:\inetpub\wwwroot\app\Http\Middleware\CheckLocale.php(42):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#15 [internal function]: App\Http\Middleware\CheckLocale-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#16 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#17 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#18 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#19 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(3225):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#20 [internal function]:
Illuminate\Foundation\Http\Middleware\VerifyCsrfToken-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#21 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#22 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#23 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#24 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13213):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#25 [internal function]:
Illuminate\Cookie\Middleware\AddQueuedCookiesToResponse-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#26 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#27 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#28 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#29 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13150):
```



```
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#30 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#31 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#32 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#33 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#34 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#35 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#36 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8226):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#37 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8217):
Illuminate\Routing\Router-
>runRouteWithinStack(Object(Illuminate\Routing\Route),
Object(Illuminate\Http\Request))
#38 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8207):
Illuminate\Routing\Router-
>dispatchToRoute(Object(Illuminate\Http\Request))
#39 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2419):
Illuminate\Routing\Router->dispatch(Object(Illuminate\Http\Request))
#40 [internal function]: Illuminate\Foundation\Http\Kernel-
>Illuminate\Foundation\Http\{closure}(Object(Illuminate\Http\Request))
#41 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(52): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#42 C:\inetpub\wwwroot\vendor\barryvdh\laravel-
debugbar\src\Middleware\Debugbar.php(49): Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#43 [internal function]: Barryvdh\Debugbar\Middleware\Debugbar-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#44 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#45 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#46 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#47 C:\inetpub\wwwroot\app\Http\Middleware\CheckForDebug.php(25):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#48 [internal function]: App\Http\Middleware\CheckForDebug-
```

```
>handle(Object(Illuminate\Http\Request), Object(Closure))
#49 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#50 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#51 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#52 C:
\inetpub\wwwroot\vendor\fideloper\proxy\src\TrustProxies.php(46):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#53 [internal function]: Fideloper\Proxy\TrustProxies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#54 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#55 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#56 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#57 C:\inetpub\wwwroot\app\Http\Middleware\CheckForSetup.php(27):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#58 [internal function]: App\Http\Middleware\CheckForSetup-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#59 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#60 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#61 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#62 C:\inetpub\wwwroot\app\Http\Middleware\NosniffGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#63 [internal function]: App\Http\Middleware\NosniffGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#64 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#65 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#66 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#67 C:\inetpub\wwwroot\app\Http\Middleware\XssProtectHeader.php(17):
```

```
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#68 [internal function]: App\Http\Middleware\XssProtectHeader-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#69 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#70 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#71 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#72 C:\inetpub\wwwroot\app\Http\Middleware\FrameGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#73 [internal function]: App\Http\Middleware\FrameGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#74 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#75 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#76 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#77 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13474):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#78 [internal function]:
Illuminate\View\Middleware\ShareErrorsFromSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#79 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#80 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#81 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#82 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(11964):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#83 [internal function]: Illuminate\Session\Middleware\StartSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#84 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#85 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#86 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
```

```
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#87 C:\inetpub\wwwroot\vendor\misterphilip\maintenance-
mode\src\MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintena
nceMode.php(145): Illuminate\Routing\Pipeline->Illuminate\Routing\
{closure}(Object(Illuminate\Http\Request))
#88 [internal function]:
MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#89 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#90 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#91 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#92 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#93 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#94 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2366):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#95 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2350):
Illuminate\Foundation\Http\Kernel-
>sendRequestThroughRouter(Object(Illuminate\Http\Request))
#96 C:\inetpub\wwwroot\public\index.php(59):
Illuminate\Foundation\Http\Kernel-
>handle(Object(Illuminate\Http\Request))
#97 {main}
[2017-02-07 19:58:01] production.ERROR: RuntimeException:
mcrypt_encrypt(): Key of size 0 not supported by this algorithm. Only
keys of sizes 16, 24 or 32 supported in C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php:104
Stack trace:
#0 [internal function]:
Illuminate\Foundation\Bootstrap\HandleExceptions->handleError(2,
'mcrypt_encrypt(...', 'C:\\inetpub\\wwr...', 104, Array)
#1 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php(104): mcrypt_encrypt('rijndael-256', '', 's:
40:"coANd3fHc...' , 'cbc',
'\xC4\t\xE2K\xE8\xAF\xE4\xC3u\xF3\xe\xEE\xAC\r)...')
#2 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php(77): Illuminate\Encryption\McryptEncrypter-
>padAndMcrypt('s:40:"coANd3fHc...' ,
'\xC4\t\xE2K\xE8\xAF\xE4\xC3u\xF3\xe\xEE\xAC\r)...')
#3 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13186):
```

```
Illuminate\Encryption\McryptEncrypter->encrypt('coANd3fHctUYsMO...')
#4 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13150):
Illuminate\Cookie\Middleware\EncryptCookies-
>encrypt(Object(Illuminate\Http\Response))
#5 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#6 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#7 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#8 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#9 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#10 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#11 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8226):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#12 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8217):
Illuminate\Routing\Router-
>runRouteWithinStack(Object(Illuminate\Routing\Route),
Object(Illuminate\Http\Request))
#13 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8207):
Illuminate\Routing\Router-
>dispatchToRoute(Object(Illuminate\Http\Request))
#14 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2419):
Illuminate\Routing\Router->dispatch(Object(Illuminate\Http\Request))
#15 [internal function]: Illuminate\Foundation\Http\Kernel-
>Illuminate\Foundation\Http\{closure}(Object(Illuminate\Http\Request))
#16 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(52): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#17 C:\inetpub\wwwroot\vendor\barryvdh\laravel-
debugbar\src\Middleware\Debugbar.php(49): Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#18 [internal function]: Barryvdh\Debugbar\Middleware\Debugbar-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#19 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#20 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#21 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#22 C:\inetpub\wwwroot\app\Http\Middleware\CheckForDebug.php(25):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
```

```
(Object(Illuminate\Http\Request))
#23 [internal function]: App\Http\Middleware\CheckForDebug-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#24 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#25 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#26 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#27 C:
\inetpub\wwwroot\vendor\fideloper\proxy\src\TrustProxies.php(46):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#28 [internal function]: Fideloper\Proxy\TrustProxies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#29 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#30 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#31 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#32 C:\inetpub\wwwroot\app\Http\Middleware\CheckForSetup.php(27):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#33 [internal function]: App\Http\Middleware\CheckForSetup-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#34 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#35 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#36 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#37 C:\inetpub\wwwroot\app\Http\Middleware\NosniffGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#38 [internal function]: App\Http\Middleware\NosniffGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#39 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#40 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#41 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
```

```
Object(Illuminate\Http\Request))
#42 C:\inetpub\wwwroot\app\Http\Middleware\XssProtectHeader.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#43 [internal function]: App\Http\Middleware\XssProtectHeader-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#44 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#45 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#46 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#47 C:\inetpub\wwwroot\app\Http\Middleware\FrameGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#48 [internal function]: App\Http\Middleware\FrameGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#49 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#50 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#51 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#52 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13474):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#53 [internal function]:
Illuminate\View\Middleware\ShareErrorsFromSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#54 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#55 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#56 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#57 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(11964):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#58 [internal function]: Illuminate\Session\Middleware\StartSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#59 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#60 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
```

```
#61 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#62 C:\inetpub\wwwroot\vendor\misterphilip\maintenance-
mode\src\MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode.php(145): Illuminate\Routing\Pipeline->Illuminate\Routing\
{closure}(Object(Illuminate\Http\Request))
#63 [internal function]:
MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#64 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#65 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#66 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#67 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#68 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#69 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2366):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#70 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2350):
Illuminate\Foundation\Http\Kernel-
>sendRequestThroughRouter(Object(Illuminate\Http\Request))
#71 C:\inetpub\wwwroot\public\index.php(59):
Illuminate\Foundation\Http\Kernel-
>handle(Object(Illuminate\Http\Request))
#72 {main}
[2017-02-07 20:00:34] production.ERROR: RuntimeException:
mcrypt_encrypt(): Key of size 0 not supported by this algorithm. Only
keys of sizes 16, 24 or 32 supported in C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php:104
Stack trace:
#0 [internal function]:
Illuminate\Foundation\Bootstrap\HandleExceptions->handleError(2,
'mcrypt_encrypt(...', 'C:\\inetpub\\wwr...', 104, Array)
#1 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php(104): mcrypt_encrypt('rijndael-256', '', 's:
40:"EZvv55U43...', 'cbc',
'\xA6a\xC4\xA6\xBD\x82\xDC\x8A\x9B(\x86\x8A7\xCF\xAA...')
#2 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php(77): Illuminate\Encryption\McryptEncrypter-
>padAndMcrypt('s:40:"EZvv55U43...',
```



```
'\xA6a\xC4\xA6\xBD\x82\xDC\x8A\x9B(\x86\x8A7\xCF\xAA...')
#3 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13186):
Illuminate\Encryption\McryptEncrypter->encrypt('EZvv55U43lXgHix...')
#4 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13150):
Illuminate\Cookie\Middleware\EncryptCookies-
>encrypt(Object(Illuminate\Http\RedirectResponse))
#5 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#6 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#7 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#8 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#9 C:\inetpub\wwwroot\app\Http\Middleware\CheckForTwoFactor.php(49):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#10 [internal function]: App\Http\Middleware\CheckForTwoFactor-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#11 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#12 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#13 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#14 C:\inetpub\wwwroot\app\Http\Middleware\CheckLocale.php(42):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#15 [internal function]: App\Http\Middleware\CheckLocale-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#16 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#17 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#18 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#19 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(3225):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#20 [internal function]:
Illuminate\Foundation\Http\Middleware\VerifyCsrfToken-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#21 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
```

```
#22 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#23 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#24 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13213):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#25 [internal function]:
Illuminate\Cookie\Middleware\AddQueuedCookiesToResponse-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#26 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#27 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#28 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#29 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13150):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#30 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#31 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#32 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#33 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#34 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#35 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#36 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8226):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#37 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8217):
Illuminate\Routing\Router-
>runRouteWithinStack(Object(Illuminate\Routing\Route),
Object(Illuminate\Http\Request))
#38 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8207):
Illuminate\Routing\Router-
>dispatchToRoute(Object(Illuminate\Http\Request))
#39 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2419):
Illuminate\Routing\Router->dispatch(Object(Illuminate\Http\Request))
#40 [internal function]: Illuminate\Foundation\Http\Kernel-
>Illuminate\Foundation\Http\{closure}(Object(Illuminate\Http\Request))
```

```
#41 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(52): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#42 C:\inetpub\wwwroot\vendor\barryvdh\laravel-debugbar\src\Middleware\Debugbar.php(49): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#43 [internal function]: Barryvdh\Debugbar\Middleware\Debugbar->handle(Object(Illuminate\Http\Request), Object(Closure))
#44 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#45 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#46 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#47 C:\inetpub\wwwroot\app\Http\Middleware\CheckForDebug.php(25): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#48 [internal function]: App\Http\Middleware\CheckForDebug->handle(Object(Illuminate\Http\Request), Object(Closure))
#49 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#50 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#51 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#52 C:
\inetpub\wwwroot\vendor\fideloper\proxy\src\TrustProxies.php(46): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#53 [internal function]: Fideloper\Proxy\TrustProxies->handle(Object(Illuminate\Http\Request), Object(Closure))
#54 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#55 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#56 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#57 C:\inetpub\wwwroot\app\Http\Middleware\CheckForSetup.php(27): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#58 [internal function]: App\Http\Middleware\CheckForSetup->handle(Object(Illuminate\Http\Request), Object(Closure))
#59 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
```

```
call_user_func_array(Array, Array)
#60 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#61 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#62 C:\inetpub\wwwroot\app\Http\Middleware\NosniffGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#63 [internal function]: App\Http\Middleware\NosniffGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#64 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#65 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#66 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#67 C:\inetpub\wwwroot\app\Http\Middleware\XssProtectHeader.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#68 [internal function]: App\Http\Middleware\XssProtectHeader-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#69 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#70 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#71 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#72 C:\inetpub\wwwroot\app\Http\Middleware\FrameGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#73 [internal function]: App\Http\Middleware\FrameGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#74 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#75 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#76 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#77 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13474):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#78 [internal function]:
```

```
Illuminate\View\Middleware\ShareErrorsFromSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#79 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#80 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#81 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#82 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(11964):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#83 [internal function]: Illuminate\Session\Middleware\StartSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#84 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#85 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#86 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#87 C:\inetpub\wwwroot\vendor\misterphilip\maintenance-
mode\src\MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintena
nceMode.php(145): Illuminate\Routing\Pipeline->Illuminate\Routing\
{closure}(Object(Illuminate\Http\Request))
#88 [internal function]:
MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#89 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#90 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#91 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#92 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#93 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#94 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2366):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#95 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2350):
Illuminate\Foundation\Http\Kernel-
>sendRequestThroughRouter(Object(Illuminate\Http\Request))
#96 C:\inetpub\wwwroot\public\index.php(59):
Illuminate\Foundation\Http\Kernel-
>handle(Object(Illuminate\Http\Request))
```

```
#97 {main}
[2017-02-07 20:00:34] production.ERROR: RuntimeException:
mcrypt_encrypt(): Key of size 0 not supported by this algorithm. Only
keys of sizes 16, 24 or 32 supported in C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php:104
Stack trace:
#0 [internal function]:
Illuminate\Foundation\Bootstrap\HandleExceptions->handleError(2,
'mcrypt_encrypt(...', 'C:\\inetpub\\wwr...', 104, Array)
#1 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php(104): mcrypt_encrypt('rijndael-256', '', 's:
40:"EZvv55U43...', 'cbc', 'fJ\x8A'\x9C8\xF4\xA13}@4&\xCB...')
#2 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php(77): Illuminate\Encryption\McryptEncrypter-
>padAndMcrypt('s:40:"EZvv55U43...', 'fJ\x8A'\x9C8\xF4\xA13}
@4&\xCB...')
#3 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13186):
Illuminate\Encryption\McryptEncrypter->encrypt('EZvv55U43lXgHix...')
#4 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13150):
Illuminate\Cookie\Middleware\EncryptCookies-
>encrypt(Object(Illuminate\Http\Response))
#5 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#6 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#7 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#8 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipe
line.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#9 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#10 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#11 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8226):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#12 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8217):
Illuminate\Routing\Router-
>runRouteWithinStack(Object(Illuminate\Routing\Route),
Object(Illuminate\Http\Request))
#13 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8207):
Illuminate\Routing\Router-
>dispatchToRoute(Object(Illuminate\Http\Request))
#14 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2419):
Illuminate\Routing\Router->dispatch(Object(Illuminate\Http\Request))
#15 [internal function]: Illuminate\Foundation\Http\Kernel-
```

```
>Illuminate\Foundation\Http\{closure}(Object(Illuminate\Http\Request))
#16 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(52): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#17 C:\inetpub\wwwroot\vendor\barryvdh\laravel-debugbar\src\Middleware\Debugbar.php(49): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#18 [internal function]: Barryvdh\Debugbar\Middleware\Debugbar->handle(Object(Illuminate\Http\Request), Object(Closure))
#19 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#20 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#21 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#22 C:\inetpub\wwwroot\app\Http\Middleware\CheckForDebug.php(25): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#23 [internal function]: App\Http\Middleware\CheckForDebug->handle(Object(Illuminate\Http\Request), Object(Closure))
#24 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#25 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#26 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#27 C:
\inetpub\wwwroot\vendor\fideloper\proxy\src\TrustProxies.php(46): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#28 [internal function]: Fideloper\Proxy\TrustProxies->handle(Object(Illuminate\Http\Request), Object(Closure))
#29 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#30 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#31 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#32 C:\inetpub\wwwroot\app\Http\Middleware\CheckForSetup.php(27): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#33 [internal function]: App\Http\Middleware\CheckForSetup->handle(Object(Illuminate\Http\Request), Object(Closure))
```

```
#34 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#35 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#36 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#37 C:\inetpub\wwwroot\app\Http\Middleware\NosniffGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#38 [internal function]: App\Http\Middleware\NosniffGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#39 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#40 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#41 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#42 C:\inetpub\wwwroot\app\Http\Middleware\XssProtectHeader.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#43 [internal function]: App\Http\Middleware\XssProtectHeader-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#44 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#45 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#46 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#47 C:\inetpub\wwwroot\app\Http\Middleware\FrameGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#48 [internal function]: App\Http\Middleware\FrameGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#49 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#50 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#51 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#52 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13474):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
```



```
#53 [internal function]:
Illuminate\View\Middleware\ShareErrorsFromSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#54 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#55 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#56 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#57 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(11964):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#58 [internal function]: Illuminate\Session\Middleware\StartSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#59 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#60 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#61 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#62 C:\inetpub\wwwroot\vendor\misterphilip\maintenance-
mode\src\MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintena
nceMode.php(145): Illuminate\Routing\Pipeline->Illuminate\Routing\
{closure}(Object(Illuminate\Http\Request))
#63 [internal function]:
MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#64 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#65 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#66 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#67 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#68 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#69 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2366):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#70 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2350):
Illuminate\Foundation\Http\Kernel-
>sendRequestThroughRouter(Object(Illuminate\Http\Request))
#71 C:\inetpub\wwwroot\public\index.php(59):
Illuminate\Foundation\Http\Kernel-
```

```
>handle(Object(Illuminate\Http\Request))
#72 {main}
[2017-02-07 20:01:12] production.ERROR: RuntimeException:
mcrypt_encrypt(): Key of size 0 not supported by this algorithm. Only
keys of sizes 16, 24 or 32 supported in C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php:104
Stack trace:
#0 [internal function]:
Illuminate\Foundation\Bootstrap\HandleExceptions->handleError(2,
'mcrypt_encrypt(...', 'C:\\inetpub\\wwr...', 104, Array)
#1 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php(104): mcrypt_encrypt('rijndael-256', '', 's:
40:"EZvv55U43...', 'cbc',
'\<\xCA\xC2\xAB\xE6f\xDC\xBC\x195\x84\xB2B`c...')
#2 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php(77): Illuminate\Encryption\McryptEncrypter-
>padAndMcrypt('s:40:"EZvv55U43...',
'\<\xCA\xC2\xAB\xE6f\xDC\xBC\x195\x84\xB2B`c...')
#3 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13186):
Illuminate\Encryption\McryptEncrypter->encrypt('EZvv55U43lXgHix...')
#4 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13150):
Illuminate\Cookie\Middleware\EncryptCookies-
>encrypt(Object(Illuminate\Http\RedirectResponse))
#5 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#6 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#7 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#8 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#9 C:\inetpub\wwwroot\app\Http\Middleware\CheckForTwoFactor.php(49):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#10 [internal function]: App\Http\Middleware\CheckForTwoFactor-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#11 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#12 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#13 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#14 C:\inetpub\wwwroot\app\Http\Middleware\CheckLocale.php(42):
```

```
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#15 [internal function]: App\Http\Middleware\CheckLocale-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#16 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#17 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#18 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#19 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(3225):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#20 [internal function]:
Illuminate\Foundation\Http\Middleware\VerifyCsrfToken-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#21 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#22 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#23 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#24 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13213):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#25 [internal function]:
Illuminate\Cookie\Middleware\AddQueuedCookiesToResponse-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#26 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#27 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#28 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#29 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13150):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#30 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#31 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#32 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#33 C:
```

```
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#34 [internal function]: Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#35 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#36 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8226): Illuminate\Pipeline\Pipeline->then(Object(Closure))
#37 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8217): Illuminate\Routing\Router->runRouteWithinStack(Object(Illuminate\Routing\Route), Object(Illuminate\Http\Request))
#38 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8207): Illuminate\Routing\Router->dispatchToRoute(Object(Illuminate\Http\Request))
#39 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2419): Illuminate\Routing\Router->dispatch(Object(Illuminate\Http\Request))
#40 [internal function]: Illuminate\Foundation\Http\Kernel->Illuminate\Foundation\Http\{closure}(Object(Illuminate\Http\Request))
#41 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(52): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#42 C:\inetpub\wwwroot\vendor\barryvdh\laravel-debugbar\src\Middleware\Debugbar.php(49): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#43 [internal function]: Barryvdh\Debugbar\Middleware\Debugbar->handle(Object(Illuminate\Http\Request), Object(Closure))
#44 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#45 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#46 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#47 C:\inetpub\wwwroot\app\Http\Middleware\CheckForDebug.php(25): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#48 [internal function]: App\Http\Middleware\CheckForDebug->handle(Object(Illuminate\Http\Request), Object(Closure))
#49 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#50 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#51 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
```

```
#52 C:
\inetpub\wwwroot\vendor\fideloper\proxy\src\TrustProxies.php(46):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#53 [internal function]: Fideloper\Proxy\TrustProxies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#54 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#55 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#56 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#57 C:\inetpub\wwwroot\app\Http\Middleware\CheckForSetup.php(27):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#58 [internal function]: App\Http\Middleware\CheckForSetup-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#59 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#60 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#61 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#62 C:\inetpub\wwwroot\app\Http\Middleware\NosniffGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#63 [internal function]: App\Http\Middleware\NosniffGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#64 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#65 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#66 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#67 C:\inetpub\wwwroot\app\Http\Middleware\XssProtectHeader.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#68 [internal function]: App\Http\Middleware\XssProtectHeader-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#69 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#70 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#71 C:
```

```
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#72 C:\inetpub\wwwroot\app\Http\Middleware\FramGuard.php(17): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#73 [internal function]: App\Http\Middleware\FramGuard->handle(Object(Illuminate\Http\Request), Object(Closure))
#74 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#75 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#76 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#77 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13474): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#78 [internal function]: Illuminate\View\Middleware\ShareErrorsFromSession->handle(Object(Illuminate\Http\Request), Object(Closure))
#79 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#80 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#81 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#82 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(11964): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#83 [internal function]: Illuminate\Session\Middleware\StartSession->handle(Object(Illuminate\Http\Request), Object(Closure))
#84 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#85 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#86 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#87 C:\inetpub\wwwroot\vendor\misterphilip\maintenance-mode\src\MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode.php(145): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#88 [internal function]: MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode->handle(Object(Illuminate\Http\Request), Object(Closure))
```

```
#89 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#90 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#91 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#92 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#93 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#94 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2366):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#95 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2350):
Illuminate\Foundation\Http\Kernel-
>sendRequestThroughRouter(Object(Illuminate\Http\Request))
#96 C:\inetpub\wwwroot\public\index.php(59):
Illuminate\Foundation\Http\Kernel-
>handle(Object(Illuminate\Http\Request))
#97 {main}
[2017-02-07 20:01:12] production.ERROR: RuntimeException:
mcrypt_encrypt(): Key of size 0 not supported by this algorithm. Only
keys of sizes 16, 24 or 32 supported in C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php:104
Stack trace:
#0 [internal function]:
Illuminate\Foundation\Bootstrap\HandleExceptions->handleError(2,
'mcrypt_encrypt(...)', 'C:\\inetpub\\wwwr...', 104, Array)
#1 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php(104): mcrypt_encrypt('rijndael-256', '', 's:
40:"EZvv55U43...', 'cbc', '\xBF1\xC8\xB4q\xEB1/\xC04\xE3aLw_...')
#2 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Encryption\Mc
ryptEncrypter.php(77): Illuminate\Encryption\McryptEncrypter-
>padAndMcrypt('s:40:"EZvv55U43...',
'\xBF1\xC8\xB4q\xEB1/\xC04\xE3aLw_...')
#3 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13186):
Illuminate\Encryption\McryptEncrypter->encrypt('EZvv55U43lXgHix...')
#4 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13150):
Illuminate\Cookie\Middleware\EncryptCookies-
>encrypt(Object(Illuminate\Http\Response))
#5 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#6 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#7 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
```

```
#8 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#9 [internal function]: Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#10 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#11 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8226): Illuminate\Pipeline\Pipeline->then(Object(Closure))
#12 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8217): Illuminate\Routing\Router->runRouteWithinStack(Object(Illuminate\Routing\Route),
Object(Illuminate\Http\Request))
#13 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8207): Illuminate\Routing\Router->dispatchToRoute(Object(Illuminate\Http\Request))
#14 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2419): Illuminate\Routing\Router->dispatch(Object(Illuminate\Http\Request))
#15 [internal function]: Illuminate\Foundation\Http\Kernel->Illuminate\Foundation\Http\{closure}(Object(Illuminate\Http\Request))
#16 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(52): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#17 C:\inetpub\wwwroot\vendor\barryvdh\laravel-debugbar\src\Middleware\Debugbar.php(49): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#18 [internal function]: Barryvdh\Debugbar\Middleware\Debugbar->handle(Object(Illuminate\Http\Request), Object(Closure))
#19 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#20 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#21 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#22 C:\inetpub\wwwroot\app\Http\Middleware\CheckForDebug.php(25): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#23 [internal function]: App\Http\Middleware\CheckForDebug->handle(Object(Illuminate\Http\Request), Object(Closure))
#24 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#25 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#26 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
```



```
Object(Illuminate\Http\Request))
#27 C:
\inetpub\wwwroot\vendor\fideloper\proxy\src\TrustProxies.php(46):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#28 [internal function]: Fideloper\Proxy\TrustProxies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#29 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#30 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#31 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#32 C:\inetpub\wwwroot\app\Http\Middleware\CheckForSetup.php(27):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#33 [internal function]: App\Http\Middleware\CheckForSetup-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#34 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#35 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#36 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#37 C:\inetpub\wwwroot\app\Http\Middleware\NosniffGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#38 [internal function]: App\Http\Middleware\NosniffGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#39 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#40 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#41 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#42 C:\inetpub\wwwroot\app\Http\Middleware\XssProtectHeader.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#43 [internal function]: App\Http\Middleware\XssProtectHeader-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#44 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#45 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
```

```
#46 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#47 C:\inetpub\wwwroot\app\Http\Middleware\FrameGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#48 [internal function]: App\Http\Middleware\FrameGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#49 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#50 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#51 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#52 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13474):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#53 [internal function]:
Illuminate\View\Middleware\ShareErrorsFromSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#54 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#55 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#56 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#57 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(11964):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#58 [internal function]: Illuminate\Session\Middleware\StartSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#59 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#60 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#61 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#62 C:\inetpub\wwwroot\vendor\misterphilip\maintenance-
mode\src\MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode.php(145): Illuminate\Routing\Pipeline->Illuminate\Routing\
{closure}(Object(Illuminate\Http\Request))
#63 [internal function]:
MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode-
```

```
>handle(Object(Illuminate\Http\Request), Object(Closure))
#64 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#65 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#66 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#67 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#68 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#69 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2366):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#70 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2350):
Illuminate\Foundation\Http\Kernel-
>sendRequestThroughRouter(Object(Illuminate\Http\Request))
#71 C:\inetpub\wwwroot\public\index.php(59):
Illuminate\Foundation\Http\Kernel-
>handle(Object(Illuminate\Http\Request))
#72 {main}
[2017-02-07 20:05:46] production.DEBUG: Authenticating user against
database.
[2017-02-07 20:06:11] production.ERROR: LogicException: Unable to
guess the mime type as no guessers are available (Did you enable the
php_fileinfo extension?) in C:\inetpub\wwwroot\vendor\symfony\http-
foundation\File\MimeType\MimeTypeGuesser.php:135
Stack trace:
#0 C:\inetpub\wwwroot\vendor\symfony\http-
foundation\File\File.php(79):
Symfony\Component\HttpFoundation\File\MimeType\MimeTypeGuesser-
>guess('C:\\Windows\\Temp...')
#1 C:\inetpub\wwwroot\app\Http\Controllers\AssetsController.php(889):
Symfony\Component\HttpFoundation\File\File->getMimeType()
#2 [internal function]: App\Http\Controllers\AssetsController-
>postAPIImportUpload(Object(App\Http\Requests\AssetFileRequest))
#3 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9424):
call_user_func_array(Array, Array)
#4 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9486):
Illuminate\Routing\Controller->callAction('postAPIImportUp...', Array)
#5 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9466):
Illuminate\Routing\ControllerDispatcher-
>call(Object(App\Http\Controllers\AssetsController),
Object(Illuminate\Routing\Route), 'postAPIImportUp...')
#6 [internal function]: Illuminate\Routing\ControllerDispatcher-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#7 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(52): call_user_func(Object(Closure),
```

```
Object(Illuminate\Http\Request))
#8 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#9 [internal function]: App\Http\Middleware\Authenticate-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#10 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#11 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#12 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#13 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#14 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#15 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9467):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#16 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9454):
Illuminate\Routing\ControllerDispatcher-
>callWithinStack(Object(App\Http\Controllers\AssetsController),
Object(Illuminate\Routing\Route), Object(Illuminate\Http\Request),
'postAPIImportUp...')
#17 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8524):
Illuminate\Routing\ControllerDispatcher-
>dispatch(Object(Illuminate\Routing\Route),
Object(Illuminate\Http\Request), 'App\Http\Contro...',
'postAPIImportUp...')
#18 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8511):
Illuminate\Routing\Route-
>runController(Object(Illuminate\Http\Request))
#19 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8225):
Illuminate\Routing\Route->run(Object(Illuminate\Http\Request))
#20 [internal function]: Illuminate\Routing\Router-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#21 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(52): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#22 C:\inetpub\wwwroot\app\Http\Middleware\CheckPermissions.php(28):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#23 [internal function]: App\Http\Middleware\CheckPermissions-
>handle(Object(Illuminate\Http\Request), Object(Closure),
'assets.view')
#24 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#25 [internal function]: Illuminate\Pipeline\Pipeline-
```

```
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#26 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#27 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#28 [internal function]: App\Http\Middleware\Authenticate->handle(Object(Illuminate\Http\Request), Object(Closure))
#29 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#30 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#31 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#32 C:\inetpub\wwwroot\app\Http\Middleware\CheckForTwoFactor.php(49): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#33 [internal function]: App\Http\Middleware\CheckForTwoFactor->handle(Object(Illuminate\Http\Request), Object(Closure))
#34 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#35 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#36 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#37 C:\inetpub\wwwroot\app\Http\Middleware\CheckLocale.php(42): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#38 [internal function]: App\Http\Middleware\CheckLocale->handle(Object(Illuminate\Http\Request), Object(Closure))
#39 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963): call_user_func_array(Array, Array)
#40 [internal function]: Illuminate\Pipeline\Pipeline->Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#41 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#42 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(3225): Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#43 [internal function]: Illuminate\Foundation\Http\Middleware\VerifyCsrfToken->handle(Object(Illuminate\Http\Request), Object(Closure))
```

```
#44 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#45 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#46 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#47 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13213):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#48 [internal function]:
Illuminate\Cookie\Middleware\AddQueuedCookiesToResponse-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#49 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#50 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#51 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#52 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13150):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#53 [internal function]: Illuminate\Cookie\Middleware\EncryptCookies-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#54 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#55 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#56 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#57 C:\inetpub\wwwroot\app\Http\Middleware\Authenticate.php(45):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#58 [internal function]: App\Http\Middleware\Authenticate-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#59 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#60 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#61 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#62 [internal function]: Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
```

```
#63 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948):
call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#64 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8226):
Illuminate\Pipeline\Pipeline->then(Object(Closure))
#65 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8217):
Illuminate\Routing\Router-
>runRouteWithinStack(Object(Illuminate\Routing\Route),
Object(Illuminate\Http\Request))
#66 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(8207):
Illuminate\Routing\Router-
>dispatchToRoute(Object(Illuminate\Http\Request))
#67 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2419):
Illuminate\Routing\Router->dispatch(Object(Illuminate\Http\Request))
#68 [internal function]: Illuminate\Foundation\Http\Kernel-
>Illuminate\Foundation\Http\{closure}(Object(Illuminate\Http\Request))
#69 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(52): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#70 C:\inetpub\wwwroot\vendor\barryvdh\laravel-
debugbar\src\Middleware\Debugbar.php(49): Illuminate\Routing\Pipeline-
>Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#71 [internal function]: Barryvdh\Debugbar\Middleware\Debugbar-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#72 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#73 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#74 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#75 C:\inetpub\wwwroot\app\Http\Middleware\CheckForDebug.php(25):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#76 [internal function]: App\Http\Middleware\CheckForDebug-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#77 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#78 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#79 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#80 C:
\inetpub\wwwroot\vendor\fideloper\proxy\src\TrustProxies.php(46):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#81 [internal function]: Fideloper\Proxy\TrustProxies-
```

```
>handle(Object(Illuminate\Http\Request), Object(Closure))
#82 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#83 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#84 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#85 C:\inetpub\wwwroot\app\Http\Middleware\CheckForSetup.php(27):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#86 [internal function]: App\Http\Middleware\CheckForSetup-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#87 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#88 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#89 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#90 C:\inetpub\wwwroot\app\Http\Middleware\NosniffGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#91 [internal function]: App\Http\Middleware\NosniffGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#92 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#93 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#94 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#95 C:\inetpub\wwwroot\app\Http\Middleware\XssProtectHeader.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#96 [internal function]: App\Http\Middleware\XssProtectHeader-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#97 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#98 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#99 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#100 C:\inetpub\wwwroot\app\Http\Middleware\FrameGuard.php(17):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
```



```
(Object(Illuminate\Http\Request))
#101 [internal function]: App\Http\Middleware\FramGuard-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#102 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#103 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#104 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#105 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(13474):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#106 [internal function]:
Illuminate\View\Middleware\ShareErrorsFromSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#107 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#108 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#109 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#110 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(11964):
Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}
(Object(Illuminate\Http\Request))
#111 [internal function]: Illuminate\Session\Middleware\StartSession-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#112 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#113 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#114 C:
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipel
ine.php(32): call_user_func(Object(Closure),
Object(Illuminate\Http\Request))
#115 C:\inetpub\wwwroot\vendor\misterphilip\maintenance-
mode\src\MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintena
nceMode.php(145): Illuminate\Routing\Pipeline->Illuminate\Routing\
{closure}(Object(Illuminate\Http\Request))
#116 [internal function]:
MisterPhilip\MaintenanceMode\Http\Middleware\CheckForMaintenanceMode-
>handle(Object(Illuminate\Http\Request), Object(Closure))
#117 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9963):
call_user_func_array(Array, Array)
#118 [internal function]: Illuminate\Pipeline\Pipeline-
>Illuminate\Pipeline\{closure}(Object(Illuminate\Http\Request))
#119 C:
```

```
\inetpub\wwwroot\vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php(32): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#120 [internal function]: Illuminate\Routing\Pipeline->Illuminate\Routing\{closure}(Object(Illuminate\Http\Request))
#121 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(9948): call_user_func(Object(Closure), Object(Illuminate\Http\Request))
#122 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2366): Illuminate\Pipeline\Pipeline->then(Object(Closure))
#123 C:\inetpub\wwwroot\bootstrap\cache\compiled.php(2350): Illuminate\Foundation\Http\Kernel->sendRequestThroughRouter(Object(Illuminate\Http\Request))
#124 C:\inetpub\wwwroot\public\index.php(59): Illuminate\Foundation\Http\Kernel->handle(Object(Illuminate\Http\Request))
#125 {main}
```