Documents

processing_jobs

PK	id
FK	*version_id*
	step
	status
	error ?
	duration_ms
	ocr_confidence
	page_count
	chunk_count
	created_at
	updated_at

documents [S]

PK	id
FK	*space_id*
	title
	author
	tags
	created_at
	updated_at
	deleted_at ?

document_access

PK	id
FK	*document_id*
FK	*school_id ?*
FK	*role_id ?*
FK	*group_id ?*
	created_at
	updated_at

document_versions

PK	id
FK	*document_id*
	version_no
	storage_key
	mime_type
	checksum
	status
	page_count
	created_at
	updated_at

spaces

PK	id
FK	*school_id*
	name
	description
	language
	privacy
	created_at
	updated_at

Identity and access

groups

PK	id
FK	*school_id*
	name
	type
	created_at
	updated_at

group_members

PK	id
FK	*group_id*
FK	*user_id*
	created_at
	updated_at

sessions

PK	id
FK	*user_id*
FK	*device_id ?*
	expires_at
	revoked_at ?
	created_at
	updated_at

schools

PK	id
	name
	allowed_domains
	status
	settings (JSONB)
	created_at
	updated_at

user_assignments

PK	id
FK	*user_id*
FK	*school_id*
FK	*group_id ?*
FK	*role_id*
	created_at
	updated_at

users

PK	id
	email
	full_name
	auth_provider
	password_hash ?
	status
	created_at
	updated_at

roles

PK	id
	name
	scope
	created_at
	updated_at

role_permissions

PK	id
FK	*role_id*
FK	*permission_id*
	created_at
	updated_at

permissions

PK	id
	code
	created_at
	updated_at

Mobile and synchronization

devices

PK	id
FK	*user_id*
	platform
	last_sync_at
	created_at
	updated_at

sync_changes (optional)

PK	id
FK	*user_id*
	entity_type
	entity_id
	operation
	version
	created_at
	updated_at

pending_questions

PK	id
FK	*device_id*
FK	*conversation_id*
	content
	status
	created_at
	updated_at

offline_selections

PK	id
FK	*device_id*
FK	*space_id ?*
FK	*document_id ?*
	created_at
	updated_at

Audit trail

audit_events (append-only)

PK	id
	category
	action
FK	*actor_id ?*
	actor_role
FK	*school_id ?*
	entity_type
	entity_id
	ip
	device_id ?
	details (JSONB)
	created_at
	updated_at
	prev_hash
	hash

RAG performance

rag_request_metrics

PK	id
FK	*message_id*
	model_used
	latency_total_ms
	retrieval_ms
	rerank_ms
	generation_ms
	tokens_in
	tokens_out
	cost
	chunks_retrieved
	chunks_used
	citations_valid
	citations_invalid
	insufficient_evidence
	status
	error_code ?
	created_at
	updated_at

Conversations

conversations [S]

PK	id
FK	*user_id*
FK	*space_id*
	title
	created_at
	updated_at
	deleted_at ?

saved_answers

PK	id
FK	*user_id*
FK	*message_id*
	created_at
	updated_at

answer_reports

PK	id
FK	*message_id*
FK	*user_id*
	reason
	feedback ?
	created_at
	updated_at

message_references

PK	id
FK	*message_id*
FK	*document_version_id*
	page_or_image_id
	excerpt
	coordinates
	created_at
	updated_at

messages [S]

PK	id
FK	*conversation_id*
	role
	content (TEXT)
	model_used
	parameters (JSONB)
	status
	auth_snapshot (JSONB)
	created_at
	updated_at
	deleted_at ?

retrieved_passages

PK	id
FK	*message_id*
	chunk_id (external, no FK)
	score
	created_at
	updated_at

chunk_id is an external ID from the RAG system (vector store) - no foreign key.

Legend

- Identity and access
- Documents
- Conversations
- RAG performance
- Mobile and synchronization
- Audit trail

PK	Primary key (bold)
FK	Foreign key (italic)
?	Nullable attribute
(min,max)	Merise cardinality, written at its entity's end
To ...	Relationship verb (infinitive), mid-line
	Dashed border = optional table

All PKs are UUID. Every table has created_at / updated_at; [S] tables also have deleted_at.