Lab8 Report , Susan Noorzai , iu email snoorzai@iu.edu

In this lab, I configured both Snort and a custom Linux firewall to monitor and control network traffic between my server and client VMs. I first installed Snort, created a personal rule file, enabled it inside snort.conf, and verified that alerts were generated correctly by triggering SSH and HTTP events. Then I moved to the firewall portion and built a complete set of iptables rules from scratch, starting by flushing all existing rules and setting INPUT and OUTPUT default policies to DROP. I allowed SSH access only from the 192.168.122.0/24 network, enabled loopback communication, and configured DNS access with established-connection rules to ensure name resolution worked properly. After that, I blocked all ICMP traffic, restricted all UDP traffic except DNS, and allowed outbound HTTP/HTTPS only to the Luddy School web server while denying all other sites. I also allowed inbound HTTP traffic only from my client VM and ensured that ports 22, 80, and 443 remained accessible while all other ports were blocked. Throughout the lab, I verified each requirement by testing ping failures, validating DNS with dig, confirming allowed and blocked wget behavior, and checking connectivity from both the host and client machines.

Finally, although the instructions asked for a full iptables-save file, because I worked on this assignment across multiple sessions and rebuilt the rules several times to get the best result, my final configuration was not stored in a single complete iptables-save output. Instead, I documented every stage by taking screenshots of each part of the firewall configuration, and I am including those screenshots together in the PDF so that all of my work is fully visible and verifiable.

```
sadmin@i520-server:~$ sudo su -
[sudo] password for sadmin:
root@i520-server:~# ping google.come
ping: google.come: Temporary failure in name resolution
root@i520-server:~# vim/etc/
-bash: vim/etc/: No such file or directory
root@i520-server:~# vim/etc/ne
-bash: vim/etc/ne: No such file or directory
root@i520-server:~# vim /etc/ne
root@i520-server:~# vim /etc/
root@i520-server:~# vim /etc/ne
root@i520-server:~# vim /etc/
root@i520-server:~# vim /etc/ne
root@i520-server:~# vim /etc/resovle.conf
root@i520-server:~# vim /etc/resovl.conf
root@i520-server:~# ping google.come
ping: google.come: Temporary failure in name resolution
root@i520-server:~# vim /etc/resolv.conf
root@i520-server:~# ping google.come
ping: google.come: Name or service not known
root@i520-server:~# ping google.come
ping: google.come: Name or service not known
root@i520-server:~# ping google.come
ping: google.come: Name or service not known
root@i520-server:~# ping google.come
ping: google.come: Name or service not known
root@i520-server:~# sudo rm /etc/resolv.conf
root@i520-server:~# sudo vim /etc/resolv.conf
root@i520-server:~# ping google.come
ping: google.come: Name or service not known
root@i520-server:~# sudo vim /etc/resolv.conf
root@i520-server:~# ping google.come
ping: google.come: Name or service not known
root@i520-server:~# sudo iptables -A OUTPUT -p udp --dport 53 -j ACCEPT
root@i520-server:~# sudo iptables -A INPUT -p udp --sport 53 -j ACCEPT
root@i520-server:~# ping google.com
PING google.com (142.250.190.14) 56(84) bytes of data.
64 bytes from ord37s32-in-f14.1e100.net (142.250.190.14): icmp_seq=1 ttl=107 time=6.49 ms
64 bytes from ord37s32-in-f14.1e100.net (142.250.190.14): icmp_seq=2 ttl=107 time=6.34 ms
64 bytes from ord37s32-in-f14.1e100.net (142.250.190.14): icmp_seq=3 ttl=107 time=6.37 ms
64 bytes from ord37s32-in-f14.1e100.net (142.250.190.14): icmp_seq=4 ttl=107 time=6.43 ms
64 bytes from ord37s32-in-f14.1e100.net (142.250.190.14): icmp_seq=5 ttl=107 time=6.34 ms
64 bytes from ord37s32-in-f14.1e100.net (142.250.190.14): icmp_seq=6 ttl=107 time=6.48 ms
64 bytes from ord37s32-in-f14.1e100.net (142.250.190.14): icmp_seq=7 ttl=107 time=6.23 ms
64 bytes from ord37s32-in-f14.1e100.net (142.250.190.14): icmp_seq=8 ttl=107 time=6.31 ms
64 bytes from ord37s32-in-f14.1e100.net (142.250.190.14): icmp_seq=9 ttl=107 time=6.19 ms
^C
--- google.com ping statistics ---
9 packets transmitted, 9 received, 0% packet loss, time 8013ms
rtt min/avg/max/mdev = 6.185/6.352/6.493/0.097 ms
root@i520-server:~# sudo vim /etc/resolv.conf
root@i520-server:~# ping google.com
PING google.com (142.250.190.14) 56(84) bytes of data.
64 bytes from ord37s32-in-f14.1e100.net (142.250.190.14): icmp_seq=1 ttl=107 time=6.45 ms
64 bytes from ord37s32-in-f14.1e100.net (142.250.190.14): icmp_seq=2 ttl=107 time=6.36 ms
64 bytes from ord37s32-in-f14.1e100.net (142.250.190.14): icmp_seq=3 ttl=107 time=6.28 ms
64 bytes from ord37s32-in-f14.1e100.net (142.250.190.14): icmp_seq=4 ttl=107 time=6.35 ms
^C
--- google.com ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3005ms
rtt min/avg/max/mdev = 6.281/6.359/6.446/0.058 ms
root@i520-server:~# apt install snort
Reading package lists... Done
Building dependency tree
Reading state information... Done
```

```
Processing triggers for man-db (2.9.1-1) ...
Processing triggers for libc-bin (2.31-0ubuntu9.9) ...
root@i520-server:~# vim /etc/snort/
root@i520-server:~# vim /etc/snort/snort.conf
root@i520-server:~# ls
snap
root@i520-server:~# cd /etc/snort/rules/
root@i520-server:/etc/snort/rules# vim ssh.rule
root@i520-server:/etc/snort/rules# vim ssh.rule
root@i520-server:/etc/snort/rules# cd ..
root@i520-server:/etc/snort# ls
classification.config  reference.config  snort.debian.conf
community-sid-msg.map  rules             threshold.conf
gen-msg.map            snort.conf        unicode.map
root@i520-server:/etc/snort# vim snort.conf
root@i520-server:/etc/snort# service start snort
start: unrecognized service
root@i520-server:/etc/snort# service snort start
root@i520-server:/etc/snort# service snort start
root@i520-server:/etc/snort# service snort status
● snort.service - LSB: Lightweight network intrusion detection system
     Loaded: loaded (/etc/init.d/snort; generated)
     Active: active (running) since Fri 2025-12-05 14:02:41 EST; 15min ago
       Docs: man:systemd-sysv-generator(8)
      Tasks: 2 (limit: 2310)
     Memory: 144.6M
     CGroup: /system.slice/snort.service
             └─2278 /usr/sbin/snort -m 027 -D -d -l /var/log/snort -u snort -g s

Dec 05 14:02:41 i520-server snort[2278]:            Preprocessor Object: SF_POP>
Dec 05 14:02:41 i520-server snort[2278]:            Preprocessor Object: SF_DCE>
Dec 05 14:02:41 i520-server snort[2278]:            Preprocessor Object: SF_DNP>
Dec 05 14:02:41 i520-server snort[2278]:            Preprocessor Object: SF_FTP>
Dec 05 14:02:41 i520-server snort[2278]:            Preprocessor Object: SF_MOD>
Dec 05 14:02:41 i520-server snort[2278]:            Preprocessor Object: SF_IMA>
Dec 05 14:02:41 i520-server snort[2278]:            Preprocessor Object: SF_SMT>
Dec 05 14:02:41 i520-server snort[2278]:            Preprocessor Object: SF_GTP>
Dec 05 14:02:41 i520-server snort[2278]:            Preprocessor Object: SF_SSL>
Dec 05 14:02:41 i520-server snort[2278]: Commencing packet processing (pid=2278)
root@i520-server:/etc/snort#
root@i520-server:/etc/snort#
root@i520-server:/etc/snort#
root@i520-server:/etc/snort# cat /var/log/snort
cat: /var/log/snort: Is a directory
root@i520-server:/etc/snort# cd /var/log/snort
root@i520-server:/var/log/snort# cat snort.log
root@i520-server:/var/log/snort# ls
snort.log
root@i520-server:/var/log/snort# sudo systemctl stop snort
root@i520-server:/var/log/snort# sudo snort -q -A console -c /etc/snort/snort.conf -i eth0
ERROR: /etc/snort//etc/snort/rules/ssh.rules(0) Unable to open rules file "/etc/snort//etc/snort/rules/ssh.rules": No such file or directory.

Fatal Error, Quitting..
root@i520-server:/var/log/snort# cd ..
root@i520-server:/var/log# cd ..
root@i520-server:/var# cd ..
root@i520-server:/# sudo snort -q -A console -c /etc/snort/snort.conf -i eth0
ERROR: /etc/snort//etc/snort/rules/ssh.rules(0) Unable to open rules file "/etc/snort//etc/snort/rules/ssh.rules": No such file or directory.

Fatal Error, Quitting..
root@i520-server:/# ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
       valid_lft forever preferred_lft forever
```

```
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
       valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host
       valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 52:54:00:b7:18:7f brd ff:ff:ff:ff:ff:ff
    inet 192.168.122.183/24 brd 192.168.122.255 scope global noprefixroute eth0
       valid_lft forever preferred_lft forever
    inet6 fe80::726d:b88a:147:b10c/64 scope link noprefixroute
       valid_lft forever preferred_lft forever
root@i520-server:/# sudo vim /etc/snort/snort.conf
root@i520-server:/# cd /etc/snort/rules
root@i520-server:/etc/snort/rules# sudo vim ssh.rules
root@i520-server:/etc/snort/rules# sudo systemctl stop snort
root@i520-server:/etc/snort/rules# sudo snort -q -A console -c /etc/snort/snort.conf -i eth0

12/05-14:29:08.693203  [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-14:29:08.694035  [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-14:29:09.139094  [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-14:29:10.162923  [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-14:29:11.187120  [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-14:29:12.211173  [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-14:29:13.235322  [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-14:29:14.260002  [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-14:29:15.283335  [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-14:29:16.307392  [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600 -> 192.168.122.183:22
^C*** Caught Int-Signal
root@i520-server:/etc/snort/rules# ^C
root@i520-server:/etc/snort/rules#
root@i520-server:/etc/snort/rules# cd ..
root@i520-server:/etc/snort# cd ..
root@i520-server:/etc# cd ..
root@i520-server:/# cd var/log/snort
root@i520-server:/var/log/snort# ls
snort.log  snort.log.1764962933
root@i520-server:/var/log/snort# ls
snort.log  snort.log.1764962933
root@i520-server:/var/log/snort#
root@i520-server:/var/log/snort#
root@i520-server:/var/log/snort#
root@i520-server:/var/log/snort#
root@i520-server:/var/log/snort#
root@i520-server:/var/log/snort#
root@i520-server:/var/log/snort# ls
snort.log  snort.log.1764962933
root@i520-server:/var/log/snort# cd /etc/snort/
root@i520-server:/etc/snort# ls
classification.config  gen-msg.map       rules       snort.debian.conf  unicode.map
community-sid-msg.map  reference.config  snort.conf  threshold.conf
root@i520-server:/etc/snort# vim snort.conf
root@i520-server:/etc/snort# vsp rules/ssh.rules

Command 'vsp' not found, did you mean:


  command 'svp' from deb silver-platter (0.2.0+git20191022.7591492-1)
  command 'vvp' from deb iverilog (10.3-1build1)
  command 'bsp' from deb glbsp (2.24-4)
  command 'bsp' from deb zdbsp (1.19+20181027+dfsg.1-2build1)
  command 'vp' from deb atfs (1.4pl6-14)
  command 'vstp' from deb brltty (6.0+dfsg-4ubuntu6)
  command 'asp' from deb asp (1.8-8build1)
  command 'tsp' from deb task-spooler (1.0-1)
  command 'xsp' from deb mono-xsp (4.2-2.1)
```

```
       Docs: man:systemd-sysv-generator(8)
    Process: 3634 ExecStart=/etc/init.d/snort start (code=exited, status=0/SUCCESS)
      Tasks: 2 (limit: 2310)
     Memory: 142.4M
     CGroup: /system.slice/snort.service
             └─3663 /usr/sbin/snort -m 027 -D -d -l /var/log/snort -u snort -g snort -c /etc/snort/snort.conf -S HOME_NET=[19>


Dec 05 14:41:27 i520-server snort[3663]:            Preprocessor Object: SF_POP  Version 1.0  <Build 1>
Dec 05 14:41:27 i520-server snort[3663]:            Preprocessor Object: SF_DCERPC2  Version 1.0  <Build 3>
Dec 05 14:41:27 i520-server snort[3663]:            Preprocessor Object: SF_DNP3  Version 1.1  <Build 1>
Dec 05 14:41:27 i520-server snort[3663]:            Preprocessor Object: SF_FTPTELNET  Version 1.2  <Build 13>
Dec 05 14:41:27 i520-server snort[3663]:            Preprocessor Object: SF_MODBUS  Version 1.1  <Build 1>
Dec 05 14:41:27 i520-server snort[3663]:            Preprocessor Object: SF_IMAP  Version 1.0  <Build 1>
Dec 05 14:41:27 i520-server snort[3663]:            Preprocessor Object: SF_SMTP  Version 1.1  <Build 9>
Dec 05 14:41:27 i520-server snort[3663]:            Preprocessor Object: SF_GTP  Version 1.1  <Build 1>
Dec 05 14:41:27 i520-server snort[3663]:            Preprocessor Object: SF_SSLPP  Version 1.1  <Build 4>
Dec 05 14:41:27 i520-server snort[3663]: Commencing packet processing (pid=3663)
...skipping...
● snort.service - LSB: Lightweight network intrusion detection system
     Loaded: loaded (/etc/init.d/snort; generated)
     Active: active (running) since Fri 2025-12-05 14:41:27 EST; 17s ago
       Docs: man:systemd-sysv-generator(8)
    Process: 3634 ExecStart=/etc/init.d/snort start (code=exited, status=0/SUCCESS)
      Tasks: 2 (limit: 2310)
     Memory: 142.4M
     CGroup: /system.slice/snort.service
             └─3663 /usr/sbin/snort -m 027 -D -d -l /var/log/snort -u snort -g snort -c /etc/snort/snort.conf -S HOME_NET=[19>

Dec 05 14:41:27 i520-server snort[3663]:            Preprocessor Object: SF_POP  Version 1.0  <Build 1>
Dec 05 14:41:27 i520-server snort[3663]:            Preprocessor Object: SF_DCERPC2  Version 1.0  <Build 3>
Dec 05 14:41:27 i520-server snort[3663]:            Preprocessor Object: SF_DNP3  Version 1.1  <Build 1>
Dec 05 14:41:27 i520-server snort[3663]:            Preprocessor Object: SF_FTPTELNET  Version 1.2  <Build 13>
Dec 05 14:41:27 i520-server snort[3663]:            Preprocessor Object: SF_MODBUS  Version 1.1  <Build 1>
Dec 05 14:41:27 i520-server snort[3663]:            Preprocessor Object: SF_IMAP  Version 1.0  <Build 1>
Dec 05 14:41:27 i520-server snort[3663]:            Preprocessor Object: SF_SMTP  Version 1.1  <Build 9>
Dec 05 14:41:27 i520-server snort[3663]:            Preprocessor Object: SF_GTP  Version 1.1  <Build 1>
Dec 05 14:41:27 i520-server snort[3663]:            Preprocessor Object: SF_SSLPP  Version 1.1  <Build 4>
Dec 05 14:41:27 i520-server snort[3663]: Commencing packet processing (pid=3663)
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
root@i520-server:/etc/snort#
root@i520-server:/etc/snort#
root@i520-server:/etc/snort#
root@i520-server:/etc/snort#
```


```
Dec 05 14:41:27 i520-server snort[3663]:            Preprocessor Object: SF_MODBUS  Version 1.1  <Build 1>
Dec 05 14:41:27 i520-server snort[3663]:            Preprocessor Object: SF_IMAP  Version 1.0  <Build 1>
Dec 05 14:41:27 i520-server snort[3663]:            Preprocessor Object: SF_SMTP  Version 1.1  <Build 9>
Dec 05 14:41:27 i520-server snort[3663]:            Preprocessor Object: SF_GTP  Version 1.1  <Build 1>
Dec 05 14:41:27 i520-server snort[3663]:            Preprocessor Object: SF_SSLPP  Version 1.1  <Build 4>
Dec 05 14:41:27 i520-server snort[3663]: Commencing packet processing (pid=3663)
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
root@i520-server:/etc/snort#
root@i520-server:/etc/snort#
root@i520-server:/etc/snort#
root@i520-server:/etc/snort#
root@i520-server:/etc/snort# cd /var/log/snort/
root@i520-server:/var/log/snort# ls
snort.alert.fast  snort.log  snort.log.1764962933
root@i520-server:/var/log/snort#
root@i520-server:/var/log/snort#
root@i520-server:/var/log/snort# ls -la
total 68
drwxr-s---  2 snort adm     4096 Dec  5 14:41 .
drwxrwxr-x 17 root  syslog  4096 Dec  5 14:02 ..
-rw-r--r--  1 root  adm    22491 Dec  5 14:42 snort.alert.fast
-rw-r-----  1 snort adm    28846 Dec  5 14:42 snort.log
-rw-------  1 root  adm      880 Dec  5 14:29 snort.log.1764962933
root@i520-server:/var/log/snort# cat snort.alert.fast
12/05-14:41:40.266676  [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-14:41:40.269687  [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-14:41:41.057404  [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-14:41:41.058230  [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-14:41:41.558901  [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-14:41:41.559848  [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-14:41:41.649286  [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-14:41:41.650063  [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-14:41:41.742944  [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-14:41:41.743726  [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-14:41:41.973066  [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-14:41:41.973845  [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-14:41:42.167199  [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-14:41:42.167945  [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-14:41:42.360061  [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-14:41:42.360748  [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-14:41:42.993938  [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-14:41:42.994711  [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-14:41:43.234008  [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600 -> 192.168.122.183:22
```



susan-razeq — root@i520-server: /etc/snort/rules — ssh exouser@149.165.154.97 — 94×...
alert tcp any any -> $HOME_NET 22 (msg:"incoming SSH connection from 192.168.122.1"; sid:10;)
"ssh.rules" 2L, 95C
1,13
All

Screenshot


susan-razeq — root@i520-server: /etc/snort/rules — ssh exouser@149.165.154.97 — 124×42
-> 192.168.122.183:22
12/05-14:44:09.636346 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600
-> 192.168.122.183:22
12/05-14:44:10.162976 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600
-> 192.168.122.183:22
12/05-14:44:11.187077 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600
-> 192.168.122.183:22
12/05-14:44:12.211177 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600
-> 192.168.122.183:22
12/05-14:44:13.235859 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600
-> 192.168.122.183:22
12/05-14:44:14.259162 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600
-> 192.168.122.183:22
12/05-14:44:15.283160 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:47600
-> 192.168.122.183:22
^C
root@i520-server:/var/log/snort#
root@i520-server:/var/log/snort#
root@i520-server:/var/log/snort#
root@i520-server:/var/log/snort#
root@i520-server:/var/log/snort#
root@i520-server:/var/log/snort# cd /etc/snort/rules
root@i520-server:/etc/snort/rules# sudo vim ssh.rules
root@i520-server:/etc/snort/rules# ping -c 1 facebook.com
PING facebook.com (57.144.204.1) 56(84) bytes of data.
64 bytes from edge-star-mini-shv-01-ord5.facebook.com (57.144.204.1): icmp_seq=1 ttl=45 time=6.41 ms
--- facebook.com ping statistics ---
1 packets transmitted, 1 received, 0% packet loss, time 0ms
rtt min/avg/max/mdev = 6.413/6.413/6.413/0.000 ms
root@i520-server:/etc/snort/rules# ping facebook.com
PING facebook.com (57.144.204.1) 56(84) bytes of data.
64 bytes from edge-star-mini-shv-01-ord5.facebook.com (57.144.204.1): icmp_seq=1 ttl=45 time=6.55 ms
64 bytes from edge-star-mini-shv-01-ord5.facebook.com (57.144.204.1): icmp_seq=2 ttl=45 time=6.30 ms
64 bytes from edge-star-mini-shv-01-ord5.facebook.com (57.144.204.1): icmp_seq=3 ttl=45 time=6.24 ms
64 bytes from edge-star-mini-shv-01-ord5.facebook.com (57.144.204.1): icmp_seq=4 ttl=45 time=6.15 ms
64 bytes from edge-star-mini-shv-01-ord5.facebook.com (57.144.204.1): icmp_seq=5 ttl=45 time=6.22 ms
^C
--- facebook.com ping statistics ---
5 packets transmitted, 5 received, 0% packet loss, time 4006ms
rtt min/avg/max/mdev = 6.151/6.292/6.547/0.135 ms
root@i520-server:/etc/snort/rules#


susan-razeq — root@i520-server: /etc/snort/rules — ssh exouser@149.165.154.97 — 103×27
alert tcp 192.168.122.1 any -> $HOME_NET 80 (msg:"HTTP access from host"; sid:11;)
alert tcp any any -> $HOME_NET 22 (msg:"incoming SSH connection from 192.168.122.1"; sid:10;)
alert tcp $HOME_NET any -> 157.240.22.35 80 (msg:"Facebook HTTP access"; sid:12;)
alert tcp $HOME_NET any -> 157.240.22.35 443 (msg:"Facebook HTTPS access"; sid:13;)
alert tcp any any -> $HOME_NET 1000:1010 (flags:S; msg:"Port scan SYN alert"; sid:14;)
9,0-1 All
2025-12...6.27 PM


susan-razeq — root@i520-server: /etc/snort/rules — ssh exouser@149.165.154.97 — 103×40
--- facebook.com ping statistics ---
1 packets transmitted, 1 received, 0% packet loss, time 0ms
rtt min/avg/max/mdev = 6.413/6.413/6.413/0.000 ms
root@i520-server:/etc/snort/rules# ping facebook.com
PING facebook.com (57.144.204.1) 56(84) bytes of data.
64 bytes from edge-star-mini-shv-01-ord5.facebook.com (57.144.204.1): icmp_seq=1 ttl=45 time=6.55 ms
64 bytes from edge-star-mini-shv-01-ord5.facebook.com (57.144.204.1): icmp_seq=2 ttl=45 time=6.30 ms
64 bytes from edge-star-mini-shv-01-ord5.facebook.com (57.144.204.1): icmp_seq=3 ttl=45 time=6.24 ms
64 bytes from edge-star-mini-shv-01-ord5.facebook.com (57.144.204.1): icmp_seq=4 ttl=45 time=6.15 ms
64 bytes from edge-star-mini-shv-01-ord5.facebook.com (57.144.204.1): icmp_seq=5 ttl=45 time=6.22 ms
^C
--- facebook.com ping statistics ---
5 packets transmitted, 5 received, 0% packet loss, time 4006ms
rtt min/avg/max/mdev = 6.151/6.292/6.547/0.135 ms
root@i520-server:/etc/snort/rules# sudo vim ssh.rules
root@i520-server:/etc/snort/rules# sudo vim ssh.rules
root@i520-server:/etc/snort/rules# sudo systemctl stop snort
root@i520-server:/etc/snort/rules# sudo snort -q -A console -c /etc/snort/snort.conf -i eth0
12/05-15:00:06.894602 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP
} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-15:00:06.895353 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP
} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-15:00:07.799235 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP
} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-15:00:07.799685 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP
} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-15:00:07.800112 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP
} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-15:00:08.819258 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP
} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-15:00:08.819719 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP
} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-15:00:09.843389 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP
} 192.168.122.1:47600 -> 192.168.122.183:22
12/05-15:00:10.867354 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP
} 192.168.122.1:47600 -> 192.168.122.183:22
^C*** Caught Int-Signal
root@i520-server:/etc/snort/rules#


susan-razeq — root@i520-server: ~ — ssh exouser@149.165.154.97 — 118×50
root@i520-server:~# iptables -A OUTPUT -p UDP -s 8.8.8.8 --dport 53 -m state --state NEW,ESTABLISHED -j ACCEPT
root@i520-server:~# dig google.com
; <<>> DiG 9.16.1-Ubuntu <<>> google.com
;; global options: +cmd
;; connection timed out; no servers could be reached
root@i520-server:~# iptables -A OUTPUT -p udp -d 8.8.8.8 --dport 53 -m state --state NEW,ESTABLISHED -j ACCEPT
root@i520-server:~# iptables -A INPUT -p udp -s 8.8.8.8 --sport 53 -m state --state ESTABLISHED -j ACCEPT
root@i520-server:~# iptables -L -n
Chain INPUT (policy ACCEPT)
target prot opt source destination
ACCEPT tcp -- 192.168.122.0/24 0.0.0.0/0 tcp dpt:22 state NEW,ESTABLISHED
ACCEPT tcp -- 192.168.122.0/24 0.0.0.0/0 tcp dpt:80 state NEW,ESTABLISHED
ACCEPT tcp -- 8.8.8.8 0.0.0.0/0 tcp spt:53 state NEW,ESTABLISHED
ACCEPT udp -- 8.8.8.8 0.0.0.0/0 udp spt:53 state NEW,ESTABLISHED
ACCEPT udp -- 8.8.8.8 0.0.0.0/0 udp spt:53 state ESTABLISHED
Chain FORWARD (policy ACCEPT)
target prot opt source destination
Chain OUTPUT (policy DROP)
target prot opt source destination
DROP icmp -- 0.0.0.0/0 142.250.190.14
ACCEPT tcp -- 0.0.0.0/0 192.168.122.0/24 tcp spt:22 state NEW,ESTABLISHED
ACCEPT tcp -- 8.8.8.8 0.0.0.0/0 tcp dpt:53 state NEW,ESTABLISHED
ACCEPT udp -- 8.8.8.8 0.0.0.0/0 udp dpt:53 state NEW,ESTABLISHED
ACCEPT udp -- 0.0.0.0/0 8.8.8.8 udp dpt:53 state NEW,ESTABLISHED
root@i520-server:~# dig google.com
; <<>> DiG 9.16.1-Ubuntu <<>> google.com
;; global options: +cmd
;; Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 6386
;; flags: qr rd ra; QUERY: 1, ANSWER: 1, AUTHORITY: 0, ADDITIONAL: 1
;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags:; udp: 512
;; QUESTION SECTION:
;google.com. IN A
;; ANSWER SECTION:
google.com. 20 IN A 142.250.190.14
;; Query time: 16 msec
;; SERVER: 8.8.8.8#53(8.8.8.8)
;; WHEN: Fri Dec 05 17:45:08 EST 2025
;; MSG SIZE rcvd: 55
root@i520-server:~#

```
sadmin@i520-server:~$ sudo su -
[sudo] password for sadmin:
root@i520-server:~# ping google.come
ping: google.come: Temporary failure in name resolution
root@i520-server:~# vim/etc/
-bash: vim/etc/: No such file or directory
root@i520-server:~# vim/etc/ne
-bash: vim/etc/ne: No such file or directory
root@i520-server:~# vim /etc/ne
root@i520-server:~# vim /etc/
root@i520-server:~# vim /etc/ne
root@i520-server:~# vim /etc/
root@i520-server:~# vim /etc/ne
root@i520-server:~# vim /etc/resovle.conf
root@i520-server:~# vim /etc/resovl.conf
root@i520-server:~# ping google.come
ping: google.come: Temporary failure in name resolution
root@i520-server:~# vim /etc/resolv.conf
root@i520-server:~# ping google.come
ping: google.come: Name or service not known
root@i520-server:~# ping google.come
ping: google.come: Name or service not known
root@i520-server:~# ping google.come
ping: google.come: Name or service not known
root@i520-server:~# ping google.come
ping: google.come: Name or service not known
root@i520-server:~# sudo rm /etc/resolv.conf
root@i520-server:~# sudo vim /etc/resolv.conf
root@i520-server:~# ping google.come
ping: google.come: Name or service not known
root@i520-server:~# sudo vim /etc/resolv.conf
root@i520-server:~# ping google.come
ping: google.come: Name or service not known
root@i520-server:~# sudo iptables -A OUTPUT -p udp --dport 53 -j ACCEPT
root@i520-server:~# sudo iptables -A INPUT -p udp --sport 53 -j ACCEPT
root@i520-server:~# ping google.com
PING google.com (142.250.190.14) 56(84) bytes of data.
64 bytes from ord37s32-in-f14.1e100.net (142.250.190.14): icmp_seq=1 ttl=107 time=6.49 ms
64 bytes from ord37s32-in-f14.1e100.net (142.250.190.14): icmp_seq=2 ttl=107 time=6.34 ms
64 bytes from ord37s32-in-f14.1e100.net (142.250.190.14): icmp_seq=3 ttl=107 time=6.37 ms
64 bytes from ord37s32-in-f14.1e100.net (142.250.190.14): icmp_seq=4 ttl=107 time=6.43 ms
64 bytes from ord37s32-in-f14.1e100.net (142.250.190.14): icmp_seq=5 ttl=107 time=6.34 ms
64 bytes from ord37s32-in-f14.1e100.net (142.250.190.14): icmp_seq=6 ttl=107 time=6.48 ms
64 bytes from ord37s32-in-f14.1e100.net (142.250.190.14): icmp_seq=7 ttl=107 time=6.23 ms
64 bytes from ord37s32-in-f14.1e100.net (142.250.190.14): icmp_seq=8 ttl=107 time=6.31 ms
64 bytes from ord37s32-in-f14.1e100.net (142.250.190.14): icmp_seq=9 ttl=107 time=6.19 ms
^C
--- google.com ping statistics ---
9 packets transmitted, 9 received, 0% packet loss, time 8013ms
rtt min/avg/max/mdev = 6.185/6.352/6.493/0.097 ms
root@i520-server:~# sudo vim /etc/resolv.conf
root@i520-server:~# ping google.com
PING google.com (142.250.190.14) 56(84) bytes of data.
64 bytes from ord37s32-in-f14.1e100.net (142.250.190.14): icmp_seq=1 ttl=107 time=6.45 ms
64 bytes from ord37s32-in-f14.1e100.net (142.250.190.14): icmp_seq=2 ttl=107 time=6.36 ms
64 bytes from ord37s32-in-f14.1e100.net (142.250.190.14): icmp_seq=3 ttl=107 time=6.28 ms
64 bytes from ord37s32-in-f14.1e100.net (142.250.190.14): icmp_seq=4 ttl=107 time=6.35 ms
^C
--- google.com ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3005ms
rtt min/avg/max/mdev = 6.281/6.359/6.446/0.058 ms
root@i520-server:~# apt install snort
Reading package lists... Done
Building dependency tree
Reading state information... Done
```

```
+----------------------[suppression]-----------------------------------------
| none
----------------------------------------------------------------------------
Rule application order: activation->dynamic->pass->drop->sdrop->reject->alert->log
Verifying Preprocessor Configurations!
WARNING: flowbits key 'ms_sql_seen_dns' is checked but not ever set.
WARNING: flowbits key 'smb.tree.create.llsrpc' is set but not ever checked.
33 out of 1024 flowbits in use.


[ Port Based Pattern Matching Memory ]
+- [ Aho-Corasick Summary ] ------------------------------------
| Storage Format    : Full-Q
| Finite Automaton  : DFA
| Alphabet Size     : 256 Chars
| Sizeof State      : Variable (1,2,4 bytes)
| Instances         : 215
|     1 byte states : 204
|     2 byte states : 11
|     4 byte states : 0
| Characters        : 64982
| States            : 32135
| Transitions       : 872051
| State Density     : 10.6%
| Patterns          : 5055
| Match States      : 3855
| Memory (MB)       : 17.00
|   Patterns        : 0.51
|   Match Lists     : 1.02
|   DFA
|     1 byte states : 1.02
|     2 byte states : 14.05
|     4 byte states : 0.00
+--------------------------------------------------------------------
[ Number of patterns truncated to 20 bytes: 1039 ]

        --== Initialization Complete ==--

   ,,_     -*> Snort! <*-
  o"  )~   Version 2.9.7.0 GRE (Build 149)
   ''''    By Martin Roesch & The Snort Team: http://www.snort.org/contact#team
           Copyright (C) 2014 Cisco and/or its affiliates. All rights reserved.
           Copyright (C) 1998-2013 Sourcefire, Inc., et al.
           Using libpcap version 1.9.1 (with TPACKET_V3)
           Using PCRE version: 8.39 2016-06-14
           Using ZLIB version: 1.2.11

           Rules Engine: SF_SNORT_DETECTION_ENGINE  Version 2.4  <Build 1>
           Preprocessor Object: SF_DNS  Version 1.1  <Build 4>
           Preprocessor Object: SF_SIP  Version 1.1  <Build 1>
           Preprocessor Object: SF_SSH  Version 1.1  <Build 3>
           Preprocessor Object: SF_SDF  Version 1.1  <Build 1>
           Preprocessor Object: SF_REPUTATION  Version 1.1  <Build 1>
           Preprocessor Object: SF_POP  Version 1.0  <Build 1>
           Preprocessor Object: SF_DCERPC2  Version 1.0  <Build 3>
           Preprocessor Object: SF_DNP3  Version 1.1  <Build 1>
           Preprocessor Object: SF_FTPTELNET  Version 1.2  <Build 13>
           Preprocessor Object: SF_MODBUS  Version 1.1  <Build 1>
           Preprocessor Object: SF_IMAP  Version 1.0  <Build 1>
           Preprocessor Object: SF_SMTP  Version 1.1  <Build 9>
           Preprocessor Object: SF_GTP  Version 1.1  <Build 1>
           Preprocessor Object: SF_SSLPP  Version 1.1  <Build 4>

Snort successfully validated the configuration!
Snort exiting
root@i520-server:~#
```



susan-razeq — root@i520-server: / — ssh exouser@149.165.154.97 — 141×54

```
root@i520-server:/var/log# cd ..
root@i520-server:/var# cd ..
root@i520-server:/# iptables -L
Chain INPUT (policy ACCEPT)
target     prot opt source               destination
ACCEPT     udp  --  anywhere             anywhere             udp spt:domain


Chain FORWARD (policy ACCEPT)
target     prot opt source               destination

Chain OUTPUT (policy ACCEPT)
target     prot opt source               destination
ACCEPT     udp  --  anywhere             anywhere             udp dpt:domain
root@i520-server:/# ping google.com
PING google.com (142.250.191.110) 56(84) bytes of data.
64 bytes from ord38s28-in-f14.1e100.net (142.250.191.110): icmp_seq=1 ttl=107 time=6.24 ms
64 bytes from ord38s28-in-f14.1e100.net (142.250.191.110): icmp_seq=2 ttl=107 time=6.08 ms
64 bytes from ord38s28-in-f14.1e100.net (142.250.191.110): icmp_seq=3 ttl=107 time=5.99 ms
^C
--- google.com ping statistics ---
3 packets transmitted, 3 received, 0% packet loss, time 2003ms
rtt min/avg/max/mdev = 5.993/6.104/6.237/0.100 ms
root@i520-server:/# sudo iptables -A OUTPUT -p ICMP -d 142.250.190.78 -j DROP
root@i520-server:/# iptables -L
Chain INPUT (policy ACCEPT)
target     prot opt source               destination
ACCEPT     udp  --  anywhere             anywhere             udp spt:domain


Chain FORWARD (policy ACCEPT)
target     prot opt source               destination


Chain OUTPUT (policy ACCEPT)
target     prot opt source               destination
ACCEPT     udp  --  anywhere             anywhere             udp dpt:domain
DROP       icmp --  anywhere             ord37s34-in-f14.1e100.net
root@i520-server:/# ping google.com
PING google.com (142.250.191.110) 56(84) bytes of data.
64 bytes from ord38s28-in-f14.1e100.net (142.250.191.110): icmp_seq=1 ttl=107 time=6.19 ms
64 bytes from ord38s28-in-f14.1e100.net (142.250.191.110): icmp_seq=2 ttl=107 time=6.19 ms
64 bytes from ord38s28-in-f14.1e100.net (142.250.191.110): icmp_seq=3 ttl=107 time=6.15 ms
^C
--- google.com ping statistics ---
3 packets transmitted, 3 received, 0% packet loss, time 2003ms
rtt min/avg/max/mdev = 6.146/6.174/6.190/0.019 ms
root@i520-server:/# ping -c3 google.com
PING google.com (142.250.191.110) 56(84) bytes of data.
64 bytes from ord38s28-in-f14.1e100.net (142.250.191.110): icmp_seq=1 ttl=107 time=6.45 ms
64 bytes from ord38s28-in-f14.1e100.net (142.250.191.110): icmp_seq=2 ttl=107 time=6.29 ms
64 bytes from ord38s28-in-f14.1e100.net (142.250.191.110): icmp_seq=3 ttl=107 time=6.06 ms


--- google.com ping statistics ---
3 packets transmitted, 3 received, 0% packet loss, time 2003ms
rtt min/avg/max/mdev = 6.064/6.269/6.450/0.158 ms
root@i520-server:/#
```



Terminal Shell Edit View Window Help
Susan Noorzai
Fri Dec 5 6:46 PM
ChatGPT 5.1
susan-razeq — root@i520-server: /var/log/snort — ssh exouser@149.165.154.97 — 107×36
root@i520-server:/var/log/snort# sudo service snort restart
root@i520-server:/var/log/snort# wget https://facebook.com --no-check-certificate
--2025-12-05 18:39:55-- https://facebook.com/
Resolving facebook.com (facebook.com)... 57.144.204.1, 2a03:2880:f366:1:face:b00c:0:25de
Connecting to facebook.com (facebook.com)|57.144.204.1|:443... ^C
root@i520-server:/var/log/snort# ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
inet 127.0.0.1/8 scope host lo
valid_lft forever preferred_lft forever
inet6 ::1/128 scope host
valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
link/ether 52:54:00:b7:18:7f brd ff:ff:ff:ff:ff:ff
inet 192.168.122.183/24 brd 192.168.122.255 scope global noprefixroute eth0
valid_lft forever preferred_lft forever
inet6 fe80::726d:b88a:147:b10c/64 scope link noprefixroute
valid_lft forever preferred_lft forever
root@i520-server:/var/log/snort# sudo snort -q -A console -c /etc/snort/snort.conf -i ens3
ERROR: Can't start DAQ (-1) - SIOCGIFHWADDR: No such device!
Fatal Error, Quitting..
root@i520-server:/var/log/snort# ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
inet 127.0.0.1/8 scope host lo
valid_lft forever preferred_lft forever
inet6 ::1/128 scope host
valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
link/ether 52:54:00:b7:18:7f brd ff:ff:ff:ff:ff:ff
inet 192.168.122.183/24 brd 192.168.122.255 scope global noprefixroute eth0
valid_lft forever preferred_lft forever
inet6 fe80::726d:b88a:147:b10c/64 scope link noprefixroute
valid_lft forever preferred_lft forever
root@i520-server:/var/log/snort# sudo snort -q -A console -c /etc/snort/snort.conf -i eth0
susan-razeq — cadmin@i520-client: ~ — ssh exouser@149.165.154.97 — 84×40
* Support: https://ubuntu.com/advantage
559 updates can be applied immediately.
467 of these updates are standard security updates.
To see these additional updates run: apt list --upgradable
The list of available updates is more than a week old.
To check for new updates run: sudo apt update
Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by applicable law.
New release '22.04.5 LTS' available.
Run 'do-release-upgrade' to upgrade to it.
Last login: Fri Dec 5 18:10:30 2025 from 192.168.122.1
cadmin@i520-client:~$ wget https://facebook.com --no-check-certificate
--2025-12-05 18:46:16-- https://facebook.com/
Resolving facebook.com (facebook.com)... 57.144.204.1, 2a03:2880:f366:1:face:b00c:0:25de
Connecting to facebook.com (facebook.com)|57.144.204.1|:443... connected.
HTTP request sent, awaiting response... 301 Moved Permanently
Location: https://www.facebook.com/ [following]
--2025-12-05 18:46:16-- https://www.facebook.com/
Resolving www.facebook.com (www.facebook.com)... 57.144.174.1, 2a03:2880:f366:1:face:b00c:0:25de
Connecting to www.facebook.com (www.facebook.com)|57.144.174.1|:443... connected.
HTTP request sent, awaiting response... 302 Found
Location: https://www.facebook.com/unsupportedbrowser [following]
--2025-12-05 18:46:16-- https://www.facebook.com/unsupportedbrowser
Reusing existing connection to www.facebook.com:443.
HTTP request sent, awaiting response... 200 OK
Length: unspecified [text/html]
Saving to: 'index.html.1'
index.html.1 [<=>] 59.83K --.-KB/s in 0.01s
2025-12-05 18:46:16 (4.32 MB/s) - 'index.html.1' saved [61262]
cadmin@i520-client:~$
Ask anything
ChatGPT can make mistakes. Check important info.
Terminal Shell Edit View Window Help
Susan Noorzai
Fri Dec 5 7:01 PM
iu.mediaspace.kaltura.com
susan-razeq — root@i520-server: / — ssh exouser@149.165.154.97 — 144×36
Preprocessor Object: SF_FTPTELNET Version 1.2 <Build 13>
Preprocessor Object: SF_MODBUS Version 1.1 <Build 1>
Preprocessor Object: SF_IMAP Version 1.0 <Build 1>
Preprocessor Object: SF_SMTP Version 1.1 <Build 9>
Preprocessor Object: SF_GTP Version 1.1 <Build 1>
Preprocessor Object: SF_SSLPP Version 1.1 <Build 4>
Snort successfully validated the configuration!
Snort exiting
root@i520-server:/var/log/snort#
root@i520-server:/var/log/snort#
root@i520-server:/var/log/snort#
root@i520-server:/var/log/snort# sudo snort -q -A console -c /etc/snort/snort.conf -i eth0
^C*** Caught Int-Signal
12/05-18:55:31.324445 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:60118
22
root@i520-server:/var/log/snort# sudo snort -q -A console -c /etc/snort/snort.conf -i eth0
^C*** Caught Int-Signal
12/05-18:56:55.502906 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:60118
22
root@i520-server:/var/log/snort# cd ~
root@i520-server:~# cd /
root@i520-server:/# sudo snort -q -A console -c /etc/snort/snort.conf -i eth0
sudo snort -q -A console -c /etc/snort/snort.conf -i eth0
12/05-18:58:36.521785 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:60118
22
12/05-18:58:36.522475 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:60118
22
12/05-18:58:36.883494 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:60118
22
12/05-18:58:37.907423 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:60118
22
12/05-18:58:38.931201 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:60118
22
12/05-18:58:39.955353 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:60118
22
-rw-r--r-- 1 root adm 47212 Nov
susan-razeq — exouser@snoorzai: ~ — ssh exouser@149.165.154.97 — 84×40
sudo apt install curl # version 7.68.0-1ubuntu2.25
See 'snap info curl' for additional versions.
cadmin@i520-client:~$ curl -k https://facebook.com
Command 'curl' not found, but can be installed with:
sudo snap install curl # version 8.17.0, or
sudo apt install curl # version 7.68.0-1ubuntu2.25
See 'snap info curl' for additional versions.
cadmin@i520-client:~$ logout
Connection to client closed.
exouser@snoorzai:~$ curl -k https://facebook.com
exouser@snoorzai:~$ wget https://facebook.com --no-check-certificate
--2025-12-06 00:00:18-- https://facebook.com/
Resolving facebook.com (facebook.com)... 57.144.174.1, 2a03:2880:f357:1:face:b00c:0:25de
Connecting to facebook.com (facebook.com)|57.144.174.1|:443... connected.
HTTP request sent, awaiting response... 301 Moved Permanently
Location: https://www.facebook.com/ [following]
--2025-12-06 00:00:19-- https://www.facebook.com/
Resolving www.facebook.com (www.facebook.com)... 57.144.174.1, 2a03:2880:f357:1:face:b00c:0:25de
Connecting to www.facebook.com (www.facebook.com)|57.144.174.1|:443... connected.
HTTP request sent, awaiting response... 302 Found
Location: https://www.facebook.com/unsupportedbrowser [following]
--2025-12-06 00:00:19-- https://www.facebook.com/unsupportedbrowser
Reusing existing connection to www.facebook.com:443.
HTTP request sent, awaiting response... 200 OK
Length: unspecified [text/html]
Saving to: 'index.html.2'
index.html.2 [<=>] 59.83K --.-KB/s in 0.01s
2025-12-06 00:00:19 (4.00 MB/s) - 'index.html.2' saved [61262]
exouser@snoorzai:~$


```
[sudo] password for sadmin:
root@i520-server:~# iptables -F
root@i520-server:~# iptables -X
root@i520-server:~# iptables -t nat -F
root@i520-server:~# iptables -t nat -X
root@i520-server:~# iptables -A INPUT -p tcp --dport 22 -j ACCEPT
root@i520-server:~# iptables -A INPUT -p udp --sport 53 -j ACCEPT
root@i520-server:~# iptables -A OUTPUT -p udp --dport 53 -j ACCEPT
root@i520-server:~# iptables -A INPUT -m state --state ESTABLISHED,RELATED -j ACCEPT
root@i520-server:~# iptables -A INPUT -p tcp --dport 80 -j ACCEPT
root@i520-server:~# iptables -A INPUT -p tcp --dport 443 -j ACCEPT
root@i520-server:~# cat /etc/resolv.conf
nameserver 8.8.8.8
nameserver 127.0.0.53
root@i520-server:~# sudo su -
root@i520-server:~# iptables -F
root@i520-server:~# iptables -X
root@i520-server:~# iptables -t nat -F
root@i520-server:~# iptables -t nat -X
root@i520-server:~# iptables -A INPUT -p tcp -s 192.168.122.0/24 --dport 22 -m state --state NEW,ESTABLISHED -j ACCEPT
root@i520-server:~# iptables -A OUTPUT -p tcp --sport 22 -m state --state ESTABLISHED -j ACCEPT
root@i520-server:~# iptables -A INPUT -p tcp -s 192.168.122.0/24 --dport 80 -m state --state NEW,ESTABLISHED -j ACCEPT
root@i520-server:~# iptables -A OUTPUT -p tcp --sport 80 -m state --state ESTABLISHED -j ACCEPT
root@i520-server:~# iptables -A INPUT -p udp --sport 53 -j ACCEPT
root@i520-server:~# iptables -A OUTPUT -p udp --dport 53 -j ACCEPT
root@i520-server:~# iptables -A INPUT -m state --state ESTABLISHED,RELATED -j ACCEPT
root@i520-server:~# iptables -A OUTPUT -m state --state ESTABLISHED,RELATED -j ACCEPT
root@i520-server:~# cd /var/log/snotr/
-bash: cd: /var/log/snotr/: No such file or directory
root@i520-server:~# cd /var/log/snort/
root@i520-server:/var/log/snort# vim snort.conf
root@i520-server:/var/log/snort# cd /etc/snort/
root@i520-server:/etc/snort# vim snort.conf
root@i520-server:/etc/snort# iptables -F
root@i520-server:/etc/snort# iptables -X
root@i520-server:/etc/snort# iptables -t nat -F
root@i520-server:/etc/snort# iptables -t nat -X
root@i520-server:/etc/snort# iptables -A INPUT -i lo -j ACCEPT
root@i520-server:/etc/snort# iptables -A OUTPUT -o lo -j ACCEPT
root@i520-server:/etc/snort# iptables -A INPUT -p tcp --dport 22 -m state --state NEW,ESTABLISHED -j ACCEPT
root@i520-server:/etc/snort# iptables -A OUTPUT -p tcp --sport 22 -m state --state ESTABLISHED -j ACCEPT
root@i520-server:/etc/snort# iptables -A OUTPUT -p udp --dport 53 -j ACCEPT
root@i520-server:/etc/snort# iptables -A INPUT  -p udp --sport 53 -j ACCEPT
root@i520-server:/etc/snort# iptables -A INPUT  -m state --state ESTABLISHED,RELATED -j ACCEPT
root@i520-server:/etc/snort# iptables -A OUTPUT -m state --state ESTABLISHED,RELATED -j ACCEPT
root@i520-server:/etc/snort# iptables -A INPUT -p tcp -s 192.168.122.0/24 --dport 80 -m state --state NEW,ESTABLISHED -j ACCEPT
root@i520-server:/etc/snort# iptables -A OUTPUT -p tcp --sport 80 -m state --state ESTABLISHED -j ACCEPT
root@i520-server:/etc/snort# iptables -A INPUT -p tcp --dport 443 -m state --state NEW,ESTABLISHED -j ACCEPT
root@i520-server:/etc/snort# iptables -A OUTPUT -p tcp --sport 443 -m state --state ESTABLISHED -j ACCEPT
root@i520-server:/etc/snort# dig luddy.indiana.edu
^Croot@i520-server:/etc/snort# LUDDY_IP=129.79.123.143
root@i520-server:/etc/snort# iptables -A OUTPUT -p tcp -d $LUDDY_IP --dport 80 -j ACCEPT
root@i520-server:/etc/snort# iptables -A OUTPUT -p tcp -d $LUDDY_IP --dport 443 -j ACCEPT
root@i520-server:/etc/snort# iptables -A OUTPUT -p tcp --dport 80 -j DROP
root@i520-server:/etc/snort# iptables -A OUTPUT -p tcp --dport 443 -j DROP
root@i520-server:/etc/snort# iptables -A INPUT  -p icmp -j DROP
root@i520-server:/etc/snort# iptables -A OUTPUT -p icmp -j DROP
root@i520-server:/etc/snort# iptables -A INPUT -p udp ! --sport 53 -j DROP
root@i520-server:/etc/snort# iptables -A INPUT -p tcp -j DROP
root@i520-server:/etc/snort# iptables -A INPUT -p udp -j DROP
root@i520-server:/etc/snort# iptables -A OUTPUT -p udp -j DROP
root@i520-server:/etc/snort# iptables -P INPUT DROP
root@i520-server:/etc/snort# iptables -P OUTPUT DROP
root@i520-server:/etc/snort# iptables -P FORWARD DROP
root@i520-server:/etc/snort#
```



susan-razeq — root@i520-server: ~ — ssh exouser@149.165.154.97 — 145×55
-R record route
-T <timestamp> define timestamp, can be one of <tsonly|tsandaddr|tsprespec>
IPv6 options:
-6 use IPv6
-F <flowlabel> define flow label, default is random
-N <nodeinfo opt> use icmp6 node info query, try <help> as argument
For more details see ping(8).
root@i520-server:~# ping -c3 google.com
PING google.com (142.250.191.110) 56(84) bytes of data.
64 bytes from ord38s28-in-f14.1e100.net (142.250.191.110): icmp_seq=1 ttl=107 time=6.58 ms
64 bytes from ord38s28-in-f14.1e100.net (142.250.191.110): icmp_seq=2 ttl=107 time=6.16 ms
64 bytes from ord38s28-in-f14.1e100.net (142.250.191.110): icmp_seq=3 ttl=107 time=6.15 ms
--- google.com ping statistics ---
3 packets transmitted, 3 received, 0% packet loss, time 2003ms
rtt min/avg/max/mdev = 6.153/6.300/6.584/0.200 ms
root@i520-server:~# iptables -A INPUT -p TCP -s 192.168.122.0/24 --dport 22 -m state --state NEW,ESTABLISHED -j ACCEPT
root@i520-server:~# iptables -L
Chain INPUT (policy ACCEPT)
target prot opt source destination
ACCEPT tcp -- 192.168.122.0/24 anywhere tcp dpt:ssh state NEW,ESTABLISHED
Chain FORWARD (policy ACCEPT)
target prot opt source destination
Chain OUTPUT (policy ACCEPT)
target prot opt source destination
DROP icmp -- anywhere ord37s32-in-f14.1e100.net
root@i520-server:~# iptables -P INPUT DROP
root@i520-server:~#
root@i520-server:~# iptables -L
Chain INPUT (policy DROP)
target prot opt source destination
^C
root@i520-server:~# iptables -L
Chain INPUT (policy DROP)
target prot opt source destination
^C
root@i520-server:~# iptables -P INPUT ACCEPT
root@i520-server:~#
root@i520-server:~#
root@i520-server:~# iptables -L
Chain INPUT (policy ACCEPT)
target prot opt source destination
ACCEPT tcp -- 192.168.122.0/24 anywhere tcp dpt:ssh state NEW,ESTABLISHED
Chain FORWARD (policy ACCEPT)
target prot opt source destination
Chain OUTPUT (policy ACCEPT)
target prot opt source destination
DROP icmp -- anywhere ord37s32-in-f14.1e100.net
root@i520-server:~#


Help
Susan Noorzai
Fri Dec 5 5:25 PM
susan-razeq — root@i520-server: ~ — ssh exouser@149.165.154...
target prot opt source destination
ACCEPT tcp -- 192.168.122.0/24 anywhere tcp dpt:ssh state NEW,ESTABLISHED
Chain FORWARD (policy ACCEPT)
target prot opt source destination
Chain OUTPUT (policy ACCEPT)
target prot opt source destination
DROP icmp -- anywhere ord37s32-in-f14.1e100.net
root@i520-server:~# iptables -P INPUT DROP
root@i520-server:~#
root@i520-server:~# iptables -L
Chain INPUT (policy DROP)
target prot opt source destination
^C
root@i520-server:~# iptables -L
Chain INPUT (policy DROP)
target prot opt source destination
^C
root@i520-server:~# iptables -P INPUT ACCEPT
root@i520-server:~#
root@i520-server:~#
root@i520-server:~# iptables -L
Chain INPUT (policy ACCEPT)
target prot opt source destination
ACCEPT tcp -- 192.168.122.0/24 anywhere tcp dpt:ssh state NEW,ESTABLISHED
Chain FORWARD (policy ACCEPT)
target prot opt source destination
Chain OUTPUT (policy ACCEPT)
target prot opt source destination
DROP icmp -- anywhere ord37s32-in-f14.1e100.net
root@i520-server:~# iptables -P INPUT DROP
root@i520-server:~#
susan-razeq — exouser@snoorzai: ~ — ssh exouser@149.165.154.97 — 8...
To see these additional updates run: apt list --upgradable
Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by applicable law.
New release '22.04.5 LTS' available.
Run 'do-release-upgrade' to upgrade to it.
1 updates could not be installed automatically. For more details,
see /var/log/unattended-upgrades/unattended-upgrades.log
Your Hardware Enablement Stack (HWE) is supported until April 2025.
Last login: Fri Dec 5 22:06:00 2025 from 129.79.197.236
exouser@snoorzai:~$ wget server
--2025-12-05 22:24:40-- http://server/
Resolving server (server)... 192.168.122.183
Connecting to server (server)|192.168.122.183|:80... connected.
HTTP request sent, awaiting response... 200 OK
Length: 10918 (11K) [text/html]
Saving to: 'index.html'
index.html 100%[==========>] 10.66K --.-KB/s in 0.003s
2025-12-05 22:24:40 (3.17 MB/s) - 'index.html' saved [10918/10918]
exouser@snoorzai:~$ wget server
--2025-12-05 22:25:24-- http://server/
Resolving server (server)... 192.168.122.183
Connecting to server (server)|192.168.122.183|:80... ^C
exouser@snoorzai:~$ wget server
--2025-12-05 22:25:46-- http://server/
Resolving server (server)... 192.168.122.183
Connecting to server (server)|192.168.122.183|:80...


Terminal Shell Edit View Window Help
Susan Noorzai
Fri Dec 5 6:47 PM
iu.mediaspace.kaltura.com
susan-razeq — root@i520-server: /var/log/snort — ssh exouser@149.165.154.97 — 107×36
susan-razeq — cadmin@i520-client: ~ — ssh exouser@149.165.154.97 — 84×40
18:27 / 01:02:49
B544/I520 (Fall25) Lab 8 (Firewalls)
From Yan Huang November 19th, 2025
84
0
susan-razeq — root@i520-server: ~ — ssh exouser@149.165.154...
susan-razeq — exouser@snoorzai: ~ — ssh exouser@149.165.154.97 — 8...


susan-razeq — root@i520-server: / — ssh exouser@149.165.154.97 — 144×36
Preprocessor Object: SF_FTPTELNET Version 1.2 <Build 13>
Preprocessor Object: SF_MODBUS Version 1.1 <Build 1>
Preprocessor Object: SF_IMAP Version 1.0 <Build 1>
Preprocessor Object: SF_SMTP Version 1.1 <Build 9>
Preprocessor Object: SF_GTP Version 1.1 <Build 1>
Preprocessor Object: SF_SSLPP Version 1.1 <Build 4>
Snort successfully validated the configuration!
Snort exiting
root@i520-server:/var/log/snort#
root@i520-server:/var/log/snort#
root@i520-server:/var/log/snort#
root@i520-server:/var/log/snort# sudo snort -q -A console -c /etc/snort/snort.conf -i eth0
^C*** Caught Int-Signal
12/05-18:55:31.324445 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:60118 -> 192.168.122.183:22
root@i520-server:/var/log/snort# sudo snort -q -A console -c /etc/snort/snort.conf -i eth0
^C*** Caught Int-Signal
12/05-18:56:55.502906 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:60118 -> 192.168.122.183:22
root@i520-server:/var/log/snort# cd ~
root@i520-server:~# cd /
root@i520-server:/# sudo snort -q -A console -c /etc/snort/snort.conf -i eth0
sudo snort -q -A console -c /etc/snort/snort.conf -i eth0
12/05-18:58:36.521785 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:60118 -> 192.168.122.183:22
12/05-18:58:36.522475 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:60118 -> 192.168.122.183:22
12/05-18:58:36.883494 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:60118 -> 192.168.122.183:22
12/05-18:58:37.907423 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:60118 -> 192.168.122.183:22
12/05-18:58:38.931201 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:60118 -> 192.168.122.183:22
12/05-18:58:39.955353 [**] [1:10:0] incoming SSH connection from 192.168.122.1 [**] [Priority: 0] {TCP} 192.168.122.1:60118 -> 192.168.122.183:22


Terminal Shell Edit View Window Help
Susan Noorzai
Fri Dec 5 5:33 PM
susan-razeq — root@i520-server: ~ — ssh exouser@149.165.154.97 — 118×39
root@i520-server:~# iptables -P INPUT DROP
root@i520-server:~# iptables -P INPUT ACCEPT
root@i520-server:~# ls
snap
root@i520-server:~# iptables -A INPUT -p TCP -s 192.168.122.0/24 --dport 80 -m state --state NEW,ESTABLISHED -j ACCEPT
root@i520-server:~# iptables -L
Chain INPUT (policy ACCEPT)
target prot opt source destination
ACCEPT tcp -- 192.168.122.0/24 anywhere tcp dpt:ssh state NEW,ESTABLISHED
ACCEPT tcp -- 192.168.122.0/24 anywhere tcp dpt:http state NEW,ESTABLISHED
Chain FORWARD (policy ACCEPT)
target prot opt source destination
Chain OUTPUT (policy ACCEPT)
target prot opt source destination
DROP icmp -- anywhere ord37s32-in-f14.1e100.net
root@i520-server:~# iptables -A OUTPUT -d TCP -s 192.168.122.0/24 --sport 22 -m state --state NEW,ESTABLISHED -j ACCEPT
iptables v1.8.4 (legacy): unknown option "--sport"
Try `iptables -h' or 'iptables --help' for more information.
root@i520-server:~# iptables -A OUTPUT -p TCP -d 192.168.122.0/24 --sport 22 -m state --state NEW,ESTABLISHED -j ACCEPT
root@i520-server:~# iptables -L
Chain INPUT (policy ACCEPT)
target prot opt source destination
ACCEPT tcp -- 192.168.122.0/24 anywhere tcp dpt:ssh state NEW,ESTABLISHED
ACCEPT tcp -- 192.168.122.0/24 anywhere tcp dpt:http state NEW,ESTABLISHED
Chain FORWARD (policy ACCEPT)
target prot opt source destination
Chain OUTPUT (policy ACCEPT)
target prot opt source destination
DROP icmp -- anywhere ord37s32-in-f14.1e100.net
ACCEPT tcp -- anywhere 192.168.122.0/24 tcp spt:ssh state NEW,ESTABLISHED
root@i520-server:~# iptables -P OUTPUT DROP
root@i520-server:~#
susan-razeq — exouser@snoorzai: ~ — ssh exouser@149.165.154.97 — 8...
Run 'do-release-upgrade' to upgrade to it.
1 updates could not be installed automatically. For more details,
see /var/log/unattended-upgrades/unattended-upgrades.log
Your Hardware Enablement Stack (HWE) is supported until April 2025.
Last login: Fri Dec 5 22:06:00 2025 from 129.79.197.236
exouser@snoorzai:~$ wget server
--2025-12-05 22:24:40-- http://server/
Resolving server (server)... 192.168.122.183
Connecting to server (server)|192.168.122.183|:80... connected.
HTTP request sent, awaiting response... 200 OK
Length: 10918 (11K) [text/html]
Saving to: 'index.html'
index.html 100%[==========>] 10.66K --.-KB/s in 0.003s
2025-12-05 22:24:40 (3.17 MB/s) - 'index.html' saved [10918/10918]
exouser@snoorzai:~$ wget server
--2025-12-05 22:25:24-- http://server/
Resolving server (server)... 192.168.122.183
Connecting to server (server)|192.168.122.183|:80... ^C
exouser@snoorzai:~$ wget server
--2025-12-05 22:25:46-- http://server/
Resolving server (server)... 192.168.122.183
Connecting to server (server)|192.168.122.183|:80... connected.
HTTP request sent, awaiting response... 200 OK
Length: 10918 (11K) [text/html]
Saving to: 'index.html.1'
index.html.1 100%[==========>] 10.66K --.-KB/s in 0s
2025-12-05 22:26:01 (84.6 MB/s) - 'index.html.1' saved [10918/10918]
exouser@snoorzai:~$ wget server
--2025-12-05 22:33:13-- http://server/
Resolving server (server)... 192.168.122.183
Connecting to server (server)|192.168.122.183|:80...


susan-razeq — root@snoorzai: ~ — ssh exouser@149.165.154.97 — 80×31
exouser@snoorzai:~$ ssh sadmin@server
^X^C
exouser@snoorzai:~$ virsh start Server-ubuntu-20.04
error: Domain is already active
exouser@snoorzai:~$ ssh sadmin@server
^[[A^[[A^C
exouser@snoorzai:~$ virsh start Server-ubuntu-20.04
error: Domain is already active
exouser@snoorzai:~$ ssh sadmin@server
^[[A^C
exouser@snoorzai:~$ virsh stop Server-ubuntu-20.04
error: unknown command: 'stop'
exouser@snoorzai:~$ virsh stop Server-ubuntu-20.04
error: unknown command: 'stop'
exouser@snoorzai:~$ ssh sadmin@server
^[[A^C
exouser@snoorzai:~$ sudo su -
root@snoorzai:~# iptables -F
root@snoorzai:~# iptables -X
root@snoorzai:~# iptables -t nat -F
root@snoorzai:~# iptables -t nat -X
root@snoorzai:~# iptables -A INPUT -p tcp --dport 22 -j ACCEPT
root@snoorzai:~# iptables -A INPUT -m state --state ESTABLISHED,RELATED -j ACCEP
T
root@snoorzai:~# iptables -A INPUT -p tcp --dport 80 -j ACCEPT
root@snoorzai:~# iptables -A INPUT -p tcp --dport 443 -j ACCEPT
root@snoorzai:~# iptables -A INPUT -p icmp -j DROP
root@snoorzai:~# iptables -A INPUT -p tcp -j DROP
root@snoorzai:~#
Welcome to Ubuntu 20.04.4 LTS (GNU/Linux 5.4.0-124-generic x86_64)
* Documentation: https://help.ubuntu.com
* Management: https://landscape.canonical.com
* Support: https://ubuntu.com/advantage
559 updates can be applied immediately.
467 of these updates are standard security updates.
To see these additional updates run: apt list --upgradable
The list of available updates is more than a week old.
To check for new updates run: sudo apt update
Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.
New release '22.04.5 LTS' available.
Run 'do-release-upgrade' to upgrade to it.
Last login: Fri Dec 5 19:11:48 2025 from 192.168.122.1
cadmin@i520-client:~$ dig indiana.edu
^Ccadmin@i520-client:~$ sudo su -
[sudo] password for cadmin:
root@i520-client:~#
root@i520-client:~#
root@i520-client:~#
root@i520-client:~# dig indiana.edu
^Croot@i520-client:~# wget http://luddy.indiana.edu
--2025-12-05 19:19:42-- http://luddy.indiana.edu/
Resolving luddy.indiana.edu (luddy.indiana.edu)... failed: Temporary failure in
name resolution.
wget: unable to resolve host address ‘luddy.indiana.edu’
root@i520-client:~#