Visoka škola strukovnih studija za infromacione i komunikacione tehnologije

# Strahinja Popadić 281/18

# Dokumentacija

http://strahinja2112.000webhostapp.com

# **Contents**

1. Uvo	od	3
1.1	Korišćeni programski jezici	3
1.2	Opis funkcionalnosti	3
1.3	Templejt	3
2. Org	anizacija	3
2.1	Organizaciona šema	3
2.2	Baza	4
2.3	Stranice	7
3. Koc	lovi	13
3.1	Javascript	13
3.2	PHP	16
4. Doo	datno	48

### 1. Uvod

### 1.1 Korišćeni programski jezici

Za izradu sajta su korišćeni javascript i php. Sajt je rađen u Visual Studio Code-u.

### 1.2 Opis funkcionalnosti

- Sve bitne informacije se ispisuju dinamički
- Admin panel
- Sortiranje i filtriranje
- Restartovanje password-a

### 1.3 Templejt

https://www.free-css.com/free-css-templates/page138/moviehunter


# 2. Organizacija

# 2.1 Organizaciona šema

Glavna je index stranica koja includuje sve ostale:

- Home
- News
- Coming soon
- Login-Register-Forgot password
- Show all movies
- Admin
- Profile
- Movie


Struktura foldera:



ASSETS	CONFIG	DATA	MODELS	VIEWS	.htaccess	index.php
CSS *style.css JS *main.js IMAGES	.env config.php connection.php	log.txt	EXPORT  *download_excel.php *excel.php *word.php MOVIES *addActor.php *addComment.php *addComment.php *delete.php filiter.php *insert.php *sort.php *update.php PROFILE *changelmage.php SIGNUP *forgot_password.php *login.php *register.php functions.php	FIXED  *footer.php *head.php *header.php PAGES *404.php *admin.php *allMovies.php *author.php *comingSoon.php *home.php *login.php *logout.php *movie.php *password.php *profile.php *register.php *getActors.php PARTIALS *getActors.php *movieShort.php *movieShort.php *profile.php *profile.php *stars.php *movieShort.php *movieShort.php *profile.php *printPages.php *printPages.php		

#### 2.2 Baza

Iz svih tabela će biti prikazano samo prvih par redova.




#### **ACTORS**



#### COMING\_SOON



#### **COMMENTS**



#### **DIRECTORS**



#### **GENRES**



#### **MENU**



#### **MOVIES**



#### MOVIE ACTOR




#### MOVIE\_GENRE



#### **NEWS**



#### **ROLES**



#### **SUBMENU**





### USERS

←	<b>√</b> → ▼	idUser	idRole	firstName	lastName	email	username	password	userPicture
	Ø Edit   Gopy   Opelete  Opelete	1	2	Strahinja	Popadić	strahinja.popadic.281.18@ict.edu.rs	admin	79294919a18286802ae30db46e394d7d	user-admin.jpg
	⊘ Edit ¾ Copy   ○ Delete	2	1	Danijela	Nikitin	danijela.nikitin@ict.edu.rs	danijela	28a4fc21276765acf2d2b0f014e172c9	user.png
	Ø Edit      ♣ Copy      Opelete	3	1	Pera	Perić	pera.peric@gmail.com	pera	84b90ebb62cb2a59d5d525582ded3a9e	user.png

# 2.3 Stranice


# HOME






Dinamički ispis u tri kategorije (najviše komentara, najbolje ocenjeni, najskoriji), dinamički ispisane novosti i filmovi koji najskorije izlaze. Ajax-om omogućeno filtriranje po nazivu filma i sortiranje po gore navedenim kategorijama. U footer-u se nalazi link ka stranici o autoru i dokumentacija. Klikom na konkretan film ide se na stranicu movie koja u sebi ima detalje filma.

#### **NEWS**



#### Izlistane sve vesti iz baze




#### LOGIN

SHOW ALL LATEST MOVIES TOP RA	TED MOST COMMENTED	Enter search here	GO!
SHOW ALE CATEST MOVIES TOP ICA	TED MOST COMMENTED		
	Log In		
	Username:		
	Password:		
	r distrord.		
	Log In		


Logovanje na sajt, regularni izrazi, ispisivanje grešaka pomoću sesija. Mogućnost restartovanja password-a prelaskom na stranicu password, link ka registraciji. Logovanjem se omogućuje korisniku da komentariše filmove I u slučaju da je administrator da menja sadržaj sajta.

#### REGISTER




Registracija novih korisnika, provera regularnim izrazima I ispis grešaka.

#### **PASSWORD**




Restartovanje password-a korisnika, ukoliko postoji username šalje se mailsa novim password-om, a ukoliko ne postoji ispisuje se poruka.

#### **PROFILE**




Profil korisnika gde se prikazuje ime i slika(postoji default slika) koja se može promeniti (resize odrađen), takođe ovde se prikazuju svi komentari korisnika kao I za koje filmove su komentari vezani.

#### **MOVIE**




Prikazuje se konkretan film I svi komentari korisnika za taj film(ukoliko ih nema prikatuje se poruka). Omogućeno da ulogovani korisnici ostave svoj komentar.

#### ALL




Na stranici se prikazuju svi filmovi sa paginacijom, klikom na ime filma se otvara konkretan film, administratoru se prikazuju opcije za brisanje ili menjanje konkretnog filma.

#### **ADMIN**



Administratoru omogućeno da unese novi film, nove glumce kao I nove režisere.

### **AUTOR**



Stranica o autoru, export u word file I excel file(kod me ne radi ne znam da li inače radi)

### 3. Kodovi

### 3.1 Javascript

#### Main.js

```
$(document).ready(function () {
        $(".search-button").click(function() {
             let search = $("#search-field").val()
             $.ajax({
                 method: "GET",
                 url: "models/movies/filter.php",
                 data: {
                     search : search
                 dataType: "json",
                 success: function(data) {
                     printMovies(data);
                 error: function(xhr, status, error) {
17
                     console.log(xhr);
        $(document).on("click", ".del", function(e) {
            e.preventDefault();
            var id = $(this).data("id");
            $.ajax({
                method: "GET",
                url: "models/movies/delete.php",
                data: {
                    id : id
                success: function(data) {
                    location.reload();
                 },
                error: function(xhr, statusText, error) {
                     var status = xhr.status;
                     switch(status) {
                         case 500:
                              alert("Server error!");
                             break;
                          case 404:
                              alert("Page not found!");
                              break;
                         default:
                              alert("ERROR: " + status + " - " + statusText);
                              break;
```

```
alert("ERROR: " + status + " - " + statusText);
                    break;
$(document).on("click", ".sort", function(e) {
 e.preventDefault();
 var id = $(this).data("id");
 $.ajax({
     method: "GET",
     url: "models/movies/sort.php",
     data: {
     dataType: "json",
     success: function(data) {
         printMovies(data);
     error: function(xhr, statusText, error) {
         alert(error);
 function printMovies(movies) {
    let html = "";
     for(let movie of movies) {
         html += `<div class="oneMovie">
            <img src="assets/images/movies/${movie.moviePicture}" alt="${movie.movieHeading}" widt</pre>
            <h2><a href="index.php?page=movie&movie=${movie.idMovie}">${movie.movieHeading}</a></h</pre>
            <i class="colorIt">Date:</i> <i>${movie.movieDate}</i>
            <i class="colorIt">Director:</i> ${movie.director.nameDirector}
            <i class="colorIt">Actors: </i> ${printActors(movie.actors)}
            <i class="colorIt">Duration: </i><fi>${movie.movieDuration}min</i>
            <i class="colorIt">Rating: </i></i>
            ${printRating(movie.movieRating)}
            <div class="summary">
                <i class="small">${movie.movieDescription}</i>
```

```
<div class="summary">
                           <i class="small">${movie.movieDescription}</i>
                       </div>
                       </div>
                       </div>
                   $("#main").html(html);
100
          function printActors(actors) {
              let html = "";
101
102
              for(let i in actors) {
103
                   if(i == 0) {
104
                       html += `${actors[i].nameActor}`;
105
106
                   } else {
107
                       html += `, ${actors[i].nameActor}`;
108
109
110
              return html;
111
112
L13
          function printRating(stars) {
114
              let fullStars = Math.floor(stars);
115
              let halfStar = (Math.floor(stars) == stars) ? 0 : 1;
116
              let emptyStars = 5 - fullStars - halfStar;
117
              let html = "";
118
119
              for(let i = 0; i < fullStars; i++) {</pre>
                  html += '<i class="fas fa-star fa-xs">&nbsp;</i>';
120
121
122
              if(halfStar) {
                  html += '<i class="fas fa-star-half-alt fa-xs">&nbsp;</i>';
123
124
125
              for(let i = 0; i < emptyStars; i++) {</pre>
126
                  html += '<i class="far fa-star fa-xs">&nbsp;</i>';
127
128
129
              return html;
130
131
132
      });
```

#### **3.2 PHP**

#### <u>.env</u>

DBNAME=movie\_hunter SERVER=localhost USERNAME=root PASSWORD=

### **Config.php**

# **Connection.php**

```
<?php

require_once "config.php";

pageAccess();

try {
    $conn = new PDO("mysql:host=".SERVER.";dbname=".DATABASE.";charset=utf8", USERNAME, PASSWORD);
    $conn->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
}

catch(PDOException $ex){
    echo $ex->getMessage();
}

function executeQuery($query){
    global $conn;
    return $conn->query($query)->fetchAll();
}
```

### .htaccess

ErrorDocument 404 http://localhost/moviehunter/index.php?page=404
ErrorDocument 403 http://localhost/moviehunter/index.php?page=404
php\_value output\_buffering On

# index.php

```
session_start();
 require_once "config/connection.php";
 include "views/fixed/head.php";
 include "views/fixed/header.php";
 if(isset($_GET['page'])) {
   switch($_GET['page']){
      include "views/pages/home.php";
      include "views/pages/news.php";
      include "views/pages/comingSoon.php";
      break;
      case 'all':
      include "views/pages/allMovies.php";
      include "views/pages/mostCommented.php";
      include "views/pages/topRated.php";
      include "views/pages/latest.php";
      break;
      include "views/pages/movie.php";
```

```
include "views/pages/login.php";
   include "views/pages/profile.php";
   include "views/pages/author.php";
    include "views/pages/register.php";
   case 'logout':
   include "views/pages/logout.php";
   case 'mod':
   include "views/pages/update.php";
   break;
    include "views/pages/password.php";
   include "views/pages/404.php";
   default:
   include "views/pages/404.php";
   break;
} else {
 include "views/pages/home.php";
```

# addActor.php(models)

```
<?php
  if(!isset($_POST['addActor'])) {
    header("Location: ../../index.php?page=admin");
} else {
    require_once "../../config/connection.php";
    include "../functions.php";
    $actor = $_POST['actor'];
    insert_actor($actor);
    header("Location: ../../index.php?page=admin");
}
</pre>
```

# addComment.php(models)

```
    require_once "../../config/connection.php";
    include "../functions.php";
    if(isset($_POST['addComment'])) {
        $text = $_POST['text'];
        $idMovie = $_POST['idMovie'];
        $idUser = $_POST['idUser'];

        $result = add_comment($idMovie, $idUser, $text);
        header("Location: ../../index.php?page=movie&movie=".$idMovie);
    } else {
        header("Location: ../../index.php?page=404");
    }
}
```

### addDirector.php(models)

```
if(!isset($_POST['addDirector'])) {
    header("Location: ../../index.php?page=admin");
} else {
    require_once "../../config/connection.php";
    include "../functions.php";
    $director = $_POST['director'];
    insert_director($director);
    header("Location: ../../index.php?page=admin");
}

}
```

# Delete.php(models)

```
$statusCode = 404;
if(!isset($_GET['id'])) {
    http_response_code(404);
}
if(isset($_GET['id'])) {
    $id = $_GET['id'];
    require_once "../../config/connection.php";
    include "../functions.php";

    $statusCode = delete_movie($id);
    http_response_code($statusCode);
}

}
```

# Filter.php(models)

```
<?php
header("Content-Type: application/json");
require_once "../../config/connection.php";
include "../functions.php";

if(isset($_GET['search'])) {

    $search = $_GET['search'];
    $filter = filter_movies($search);
    echo json_encode($filter);

} else {
    http_response_code(404);
}

}
</pre>
```

### Insert.php(models)

```
<?php
    if(!isset($_POST['insert'])) {
        header("Location: ../../index.php?page=admin");
    } else {
        require_once "../../config/connection.php";
        include "../functions.php";
        $pictureName = $ FILES['moviePicture']['name'];
        $pictureTmp = $_FILES['moviePicture']['tmp_name'];
        $destination = "../../assets/images/movies/".$pictureName;
        move_uploaded_file($pictureTmp, $destination);
        $movieHeading = $_POST['movieHeading'];
        $movieDate = $ POST['movieDate'];
        $movieDuration = $_POST['movieDuration'];
        $movieRating = $_POST['movieRating'];
        $movieDescription = $ POST['movieDescription'];
        $movieDirector = $ POST['movieDirector'];
        $movieGenre = $_POST['genre'];
        $actor1 = $_POST['actor1'];
        $actor2 = $ POST['actor2'];
        $actor3 = $_POST['actor3'];
        $insert = insert movie($movieHeading, $pictureName, $movieRating,
$movieDate, $movieDuration, $movieDescription, $movieDirector);
```

```
if($insert) {
    movie_actor($movieHeading, $actor1);
    movie_actor($movieHeading, $actor2);
    movie_actor($movieHeading, $actor3);

    movie_genre($movieHeading, $movieGenre);
}
```

### Sort.php(models)

# **Update.php**

```
<?php
  if(!isset($_POST['modify'])) {
    header("Location: ../../index.php");
} else {
  include "../../config/connection.php";
  include "../functions.php";
  $movieHeading = $_POST['movieHeading'];</pre>
```

```
$movieDate = $_POST['movieDate'];
$movieDuration = $_POST['movieDuration'];
$movieRating = $_POST['movieRating'];
$movieDescription = $_POST['movieDescription'];
$id = $_POST['id'];

update_movie($id, $movieHeading, $movieDate, $movieDuration,
$movieRating, $movieDescription);
}
```

## changeImage.php(models)

```
<?php
   if(isset($_POST['change'])) {
       include "../../config/connection.php";
       include "../functions.php";
       $picureName = $ FILES['picture']['name'];
       $picture_tmp = $_FILES['picture']['tmp_name'];
       $pictureType = $_FILES['picture']['type'];
       $pictureSize = $_FILES['picture']['size'];
       $explode = explode(".", $picureName);
       $extenstion = $explode[1];
       $username = $_POST['hidden'];
       $errors = [];
       $types = ['image/jpg', 'image/png'];
       if(!in_array($pictureType, $types)){
           array_push($errors, "Wrong type of picture.");
       if($pictureSize > 3000000){
           array_push($errors, "Picutre max size is 3MB.");
       if(count($errors == 0)) {
           list($width, $height) = getimagesize($picture_tmp);
           $original = null;
           switch($pictureType){
             case 'image/jpeg':
               $original = imagecreatefromjpeg($picture_tmp);
```

```
break;
              case 'image/png':
                $original = imagecreatefrompng($picture_tmp);
                break;
            $newWidth = 128;
            $newHeight = ($newWidth / $width) * $height;
            $newImage = imagecreatetruecolor($newWidth, $newHeight);
            imagecopyresampled($newImage, $original, 0, 0, 0, 0, $newWidth,
$newHeight, $width, $height);
            $path = "assets/images/profile/".$username.".".$extenstion;
            $userPicture = "user-".$username.".".$extenstion;
            switch($pictureType){
                case 'image/jpeg':
                    imagejpeg($newImage,
'../../assets/images/profile/'.$userPicture, 75);
                    break;
                case 'image/png':
                    imagepng($newImage,
'../../assets/images/profile/'.$userPicture);
                    break;
                change_image($username, $userPicture);
                imagedestroy($original);
                imagedestroy($newImage);
                header("Location: ../../index.php?page=profile");
        } else {
            header("Location: ../../index.php?page=profile");
    } else {
        header("Location: ../../index.php");
```

## Forgot\_password.php

```
if(isset($_POST['restart'])) {
    require_once "../../config/connection.php";
include "../functions.php";
    session_start();
    $username = $_POST['username'];
    $exist = check_username($username);
    if($exist) {
        $random = mt rand(100000, 999999);
        $password = md5($random);
        set_new_password($password, $username);
        $user = user_details($username);
        $mail = $user->email;
        $subject = "Your password has been changed";
        $message = "Your new password is: " .$random;
        $headers = 'From moviehunter';
        mail($mail, $subject, $message, $headers);
        $ SESSION['password'] = "Your new password has been sent to your email.";
        header("Location: ../../index.php?page=password");
        $_SESSION['password'] = "Username does not exist";
        header("Location: ../../index.php?page=password");
} else {
    header("Location: ../../index.php?page=404");
```

# Login.php(models)

### Register.php(models)

```
session_start();
    if(isset($_POST['signin'])) {
$regexName = "/^[A-Z][a-z]{2,13}$/";

$regexEmail = "/^[a-zA-Z0-9.!#$%&'*+=?^_`{|}~~]+@[a-zA-Z0-9](?:[a-zA-Z0-9-]{0,61}[a-zA-Z0-9])?(?:\.[a-zA-Z0-9-]{0,61}[a-zA-Z0-9])?)*$/";
        prescript{$ = "/^[\w#@!]{4,20}$/";}
        $fName = $_POST['fName'];
        $1Name = $_POST['1Name'];
        $email = $_POST['email'];
        $username = $_POST['username'];
        $password = $_POST['password'];
        $repassword = $_POST['repassword'];
        $errors = [];
        if(!preg_match($regexName, $fName)) {
             $errors[] = "Wrong First Name format";
        if(!preg_match($regexName, $1Name)) {
             $errors[] = "Wrong Last Name format";
         if(!preg_match($regexEmail, $email)) {
             $errors[] = "Wrong Email format";
         if(!preg_match($regex, $username)) {
             $errors[] = "Wrong Username format";
        if(!preg_match($regex, $password)) {
             $errors[] = "Wrong Password format";
        if($password != $repassword) {
             $errors[] = "Passwords do not match";
```

```
$password = md5($password);

if(count($errors) > 0) {
    $_SESSION['register'] = $errors;
    header("Location: ../../index.php?page=register");
} else {
    $result = register($fName, $1Name, $email, $username, $password);
    if($result) {
        header("Location: ../../index.php?page=login");
    } else {
        $_SESSION['change'] = "Username or email already exist";
        header("Location: ../../index.php?page=register");
    }
} else {
    http_response_code(404);
}
```

# Functions.php(models)

```
function get_genres() {
       return executeQuery("SELECT * FROM genres");
   function latest_movies_top() {
       return executeQuery("SELECT * FROM movies m ORDER BY m.movieDate DESC LIMIT 6");
   function count_comments($idMovie){
       global $conn;
       $query = $conn->prepare("SELECT COUNT(*) as number FROM movies m INNER JOIN comments c ON
c.idMovie = m.idMovie where m.idMovie = ?");
       $query->execute([$idMovie]);
       return $query->fetch();
   function top_rated() {
       return executeQuery("SELECT * FROM movies m ORDER BY m.movieRating DESC LIMIT 6");
   function most_commented() {
       return executeQuery("SELECT m.movieHeading, m.idMovie, m.moviePicture, m.movieRating, COUNT(*)
as number FROM comments c INNER JOIN movies m on c.idMovie = m.idMovie GROUP BY c.idMovie ORDER BY
number` DESC LIMIT 0,6");
   function recent_news() {
       return executeQuery("SELECT * FROM news ORDER BY news.newsTime DESC LIMIT 3");
   function coming_soon() {
       return executeQuery("SELECT * FROM coming_soon ORDER BY coming_soon.soonDate DESC LIMIT 2");
   function get_menu() {
       return executeQuery("SELECT * FROM menu");
```

```
function get_submenu() {
       return executeQuery("SELECT * FROM submenu");
   function get_all_news() {
       return executeQuery("SELECT * FROM news");
   function get_all_soon() {
       return executeQuery("SELECT * FROM coming_soon ORDER BY coming_soon.soonDate ASC");
   function get_all_movies() {
       return executeQuery("SELECT * FROM movies WHERE movies.visible = 1");
   function show_director($idMovie) {
       global $conn;
       $query = $conn->prepare("SELECT d.nameDirector FROM movies m INNER JOIN directors d ON
m.movieDirector= d.idDirector WHERE m.idMovie = ?");
       $query->execute([$idMovie]);
       return $query->fetch();
   function show_actors($idMovie) {
       global $conn;
       $query = $conn->prepare("SELECT a.nameActor FROM movies m INNER JOIN movie_actor ma ON
m.idMovie = ma.idMovie INNER JOIN actors a ON a.idActor = ma.idActor WHERE m.idMovie = ?");
       $query->execute([$idMovie]);
       return $query->fetchAll();
   function show_comments($idMovie) {
       global $conn;
       $query = $conn->prepare("SELECT u.username, c.comment FROM movies m INNER JOIN comments c ON
c.idMovie = m.idMovie INNER JOIN users u ON c.idUser = u.idUser WHERE m.idMovie = ?");
       $query->execute([$idMovie]);
       return $query->fetchAll();
   function all_top_rated() {
       return executeQuery("SELECT * FROM movies m ORDER BY m.movieRating DESC LIMIT 12");
   function all_most_commented() {
       return executeQuery("SELECT *, COUNT(*) as number FROM comments c INNER JOIN movies m on
c.idMovie = m.idMovie GROUP BY c.idMovie ORDER BY `number` DESC LIMIT 12");
   function all_latest_movies() {
       return executeQuery("SELECT * FROM movies m ORDER BY m.movieDate DESC LIMIT 12");
   function get_one_movie($idMovie) {
       global $conn;
       $query = $conn->prepare("SELECT * FROM movies m WHERE m.idMovie = ?");
       $query->execute([$idMovie]);
       return $query->fetch();
   function show_genres($idMovie) {
```

```
global $conn;
       $query = $conn->prepare("SELECT g.genre FROM movies m INNER JOIN movie_genre mg ON m.idMovie =
mg.idMovie INNER JOIN genres g ON g.idGenre = mg.idGenre WHERE m.idMovie = ?");
       $query->execute([$idMovie]);
       return $query->fetchAll();
   function count_movies() {
       global $conn;
       $query = $conn->query("SELECT COUNT(*) as number FROM movies");
       return $query->fetch();
   function get_movies_page($from, $to) {
       global $conn;
       $query = $conn->prepare("SELECT * FROM movies WHERE movies.visible = 1 LIMIT :from, :to");
       $query->bindParam(":from", $from, PDO::PARAM_INT);
       $query->bindParam(":to", $to, PDO::PARAM_INT);
       $query->execute();
       return $query->fetchAll();
   function register($fName, $1Name, $email, $username, $password) {
        global $conn;
       $query = $conn->prepare("INSERT INTO users ( users.firstName, users.lastName, users.email,
users.username, users.password) VALUES (?, ?, ?, ?)");
           $query->execute([$fName, $1Name, $email, $username, $password]);
           return 1:
       } catch(PDOException $e) {
           return 0;
   function login($username, $password) {
       global $conn;
       $query = ("SELECT * FROM users WHERE users.username = ? AND users.password = ?");
       $result = $conn->prepare($query);
       $result->bindValue(1, $username);
       $result->bindValue(2, $password);
           $result->execute();
           $user = $result->fetch();
            return $user;
        } catch(PDOException $e) {
           return 0;
   function user_details($username) {
       global $conn;
       $query = $conn->prepare("SELECT * FROM users WHERE users.username = ?");
       $query->execute([$username]);
       return $query->fetch();
   function get_comments_user($username) {
       global $conn;
       $query = $conn->prepare("SELECT m.movieHeading, c.comment FROM movies m INNER JOIN comments c
on m.idMovie = c.idMovie INNER JOIN users u on u.idUser = c.idUser WHERE u.username = ?");
        $query->execute([$username]);
       return $query->fetchAll();
```

```
function add_comment($idMovie, $idUser, $text) {
        global $conn;
        $query = $conn->prepare("INSERT INTO comments (idMovie, idUser, comment) VALUES (?, ?, ?)");
        $query->execute([$idMovie, $idUser, $text]);
    function delete movie($idMovie) {
        global $conn;
        $query = $conn->prepare("UPDATE movies SET visible = '0' WHERE movies.idMovie = ?");
            $result = $query->execute([$idMovie]);
            if($result) {
                return 204;
                return 500;
        } catch(PDOException $e) {
            return 500;
    function update_movie($id, $movieHeading, $movieDate, $movieDuration, $movieRating,
$movieDescription) {
        global $conn;
        $query = $conn->prepare("UPDATE movies SET movieHeading = ?, movieDate = ?, movieDuration = ?,
movieRating = ?, movieDescription = ? WHERE idMovie = ?");
        $query->execute([$movieHeading, $movieDate, $movieDuration, $movieRating, $movieDescription,
$id]);
        return 1;
    function insert_actor($actor) {
        global $conn;
        $query = $conn->prepare("INSERT INTO actors VALUES(NULL, ?)");
        $query->execute([$actor]);
    function insert_director($director) {
        global $conn;
        $query = $conn->prepare("INSERT INTO directors VALUES(NULL, ?)");
        $query->execute([$director]);
    function get_all_actors() {
        return executeQuery("SELECT * FROM actors");
    function get_all_directors() {
        return executeQuery("SELECT * FROM directors");
    function insert_movie($movieHeading, $pictureName, $movieRating, $movieDate, $movieDuration,
$movieDescription, $movieDirector) {
        global $conn;
        $query = $conn->prepare("INSERT INTO movies VALUES(NULL, ?, ?, ?, ?, ?, ?, ?, 1)");
        try {
            $query->execute([$movieHeading, $pictureName, $movieRating, $movieDate, $movieDuration,
$movieDescription, $movieDirector]);
           return 1;
```

```
} catch(PDOException $e) {
            return $e;
    function movie_actor($movieHeading, $actor) {
       global $conn;
       $query = $conn->prepare("INSERT INTO movie_actor VALUES(NULL, (SELECT idMovie FROM movies
WHERE movieHeading = ?), ?)");
       $query->execute([$movieHeading, $actor]);
   function movie_genre($movieHeading, $genre) {
       global $conn;
        $query = $conn->prepare("INSERT INTO movie_genre VALUES(NULL, (SELECT idMovie FROM movies
WHERE movieHeading = ?), ?)");
        $query->execute([$movieHeading, $genre]);
    function change_image($username, $src) {
        global $conn;
        $query = $conn->prepare("UPDATE users SET userPicture = ? WHERE username = ?");
        $query->execute([$src, $username]);
   function get_latest_movies() {
       $movies = executeQuery("SELECT * FROM movies m ORDER BY m.movieDate DESC LIMIT 12");
        foreach($movies as $movie) {
            $movie->actors = show_actors($movie->idMovie);
            $movie->director = show_director($movie->idMovie);
       return $movies;
    function get_top_rated() {
       $movies = executeQuery("SELECT * FROM movies m ORDER BY m.movieRating DESC LIMIT 12");
        foreach($movies as $movie) {
            $movie->actors = show_actors($movie->idMovie);
            $movie->director = show_director($movie->idMovie);
       return $movies;
    function get_most_commented() {
       $movies = executeQuery("SELECT *, COUNT(*) as number FROM comments c INNER JOIN movies m on
c.idMovie = m.idMovie GROUP BY c.idMovie ORDER BY `number` DESC LIMIT 12");
        foreach($movies as $movie) {
            $movie->actors = show_actors($movie->idMovie);
            $movie->director = show_director($movie->idMovie);
       return $movies;
   function filter movies($string) {
```

```
global $conn;
    $x = str_split($string);
    array_unshift($x, "%");
    array_push($x, "%");
    $string = implode("", $x);
    $query = $conn->prepare("SELECT * FROM movies WHERE movies.movieHeading LIKE :string");
    $query->bindParam(":string", $string, PDO::PARAM_STR);
   $query->execute();
   $movies = $query->fetchAll();
    foreach($movies as $movie) {
        $movie->actors = show_actors($movie->idMovie);
        $movie->director = show_director($movie->idMovie);
    return $movies;
function check_username($username) {
   global $conn;
    $query = $conn->prepare("SELECT * FROM users WHERE username = ?");
   $query->execute([$username]);
    $result = $query->fetch();
    if($result) {
        return 0;
function set_new_password($password, $username) {
   global $conn;
   $query = $conn->prepare("UPDATE users SET password = ? WHERE username = ?");
   $query->execute([$password, $username]);
```

### Footer.php(views – sve naredne stranice)

### **Head.php**

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<title>MovieHunter</title>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
kink rel="shortcut icon" href="assets/icon.ico">
kink rel="stylesheet" href="assets/css/style.css" type="text/css" media="all" />
kink rel="stylesheet" href="https://use.fontawesome.com/releases/v5.8.2/css/all.css"
integrity="sha384-oS3vJWv+0UjzBfQzYUhtDYW+Pj2yciDJxpsK1OYPAYjqT085Qq/1cq5FLXAZQ7Ay"
crossorigin="anonymous">
<script type="text/javascript" src="assets/js/jquery-1.4.2.min.js"></script>
<script type="text/javascript" src="assets/js/jquery-func.js"></script>
<!--[if IE 6]><link rel="stylesheet" href="assets/css/ie6.css" type="text/css" media="all"
/><![endif]-->
</head>
<body>
```

### Header.php

```
<!-- START PAGE SOURCE -->
<div id="shell">
 <div id="header">
   <h1 id="logo"><a href="index.php">MovieHunter</a></h1>
    <div id="navigation">
         if(isset($_SESSION['username'])) {
           $username = $_SESSION['username'];
         if(isset($_SESSION['userIdRole'])) {
           $roleId = $_SESSION['userIdRole'];
         $menu = get_menu();
         foreach($menu as $one):
           if(!isset($_SESSION['userIdRole']) && $one->title != "ADMIN" && $one->title != "LOGOUT" &&
$one->title != "PROFILE"):
       <a href="<?=$one->href?>"><?=$one->title?></a>
         elseif(isset($_SESSION['userIdRole']) && $roleId == 1 && $one->title != "ADMIN" && $one-
>title != "LOGIN"):
           if($one->title == "PROFILE"):
        <a href="<?=$one->href?>"><?=strtoupper($username)?></a>
       <a href="<?=$one->href?>"><?=$one->title?></a>
           elseif(isset($_SESSION['userIdRole']) && $roleId == 2 && $one->title != "LOGIN"):
       <a href="<?=$one->href?>"><?=$one->title?></a>
```

# <u>404.php</u>

```
<br><br><br><h1>Sorry we couldn't find that page for you</h1><br><h4>Go back to home?<br></h4><h4><a href="index.php">Home</a></h4></h4>
```

# Admin.php

```
<h3>Add an Actor:</h3>
                   <input type="text" name="actor"/>
                   <input type="submit" name="addActor" value="Add"/>
           <div id="addDirector">
               <form name="formDirector" method="POST" action="models/movies/addDirector.php">
                   <h3>Add a Director:</h3>
                   <input type="text" name="director"/>
                   <input type="submit" name="addDirector" value="Add"/>
       <div id="insertMovie">
           <form name="insertMovie" action="models/movies/insert.php" method="POST" class="signup"</pre>
enctype="multipart/form-data">
               <h1>Insert a Movie</h1><br>
               Movie Heading:
               <input type="text" name="movieHeading"/><br><br>
               Movie Picture:
               <input type="file" name="moviePicture"/><br></pr>
               Movie Date:
               <input type="date" name="movieDate"/><br>
               Movie Duraiton:
               <input type="number" name="movieDuration" max='300'/><br>
               Movie Rating:
               <input type="number" name="movieRating" min='0' max='5' step="0.5"/><br>
               Movie Description:
               <textarea name="movieDescription"></textarea><br><br>
               Movie Director:
               <select name="movieDirector">
                      $directors = get_all_directors();
                      foreach($directors as $director):
                   <option value="<?=$director->idDirector?>"><?=$director->nameDirector?></option>
                      <?php endforeach; ?>
               <br>>Movie Actors
               <select name="actor1">
                       include "views/partials/getActors.php";
               <select name="actor2">
                      include "views/partials/getActors.php";
               <select name="actor3">
                       include "views/partials/getActors.php";
               Movie Genre
               <select name="genre">
                       $genres = get_genres();
                       foreach($genres as $genre):
                   <option value="<?=$genre->idGenre?>"><?=$genre->genre?></option>
                   <?php endforeach; ?>
               </select><br><br>
```

### allMovies.php

# Author.php

```
</div>
</div>
```

# comingSoon.php

### Home.php

```
$top_rated = top_rated();
          foreach($top_rated as $key=>$one):
   <?php include "views/partials/movieShort.php"; ?>
   <div class="cl">&nbsp;</div>
 <div class="box">
   <div class="head">
     <h2>MOST COMMENTED</h2>
     <a href="index.php?page=most">See all</a>
     $most_commented = most_commented();
     foreach($most_commented as $key=>$one):
       <?php include "views/partials/movieShort.php"; ?>
   <div class="cl">&nbsp;</div>
<div id="news">
 <div class="head">
   <h3>NEWS</h3>
   <a href="index.php?page=news">See all</a>
            $recentNews = recent_news();
            foreach($recentNews as $news):
            $newsText = explode(".",($news->newsText));
            $output = $newsText[0]."...";
   <?=$news->newsTime?>
   <h4><?=$news->newsHeading?></h4>
   <?=$output?>
    endforeach;
<div id="coming">
 <div class="head">
   <h3>COMING SOON</h3>
   <a href="index.php?page=soon">See all</a>
     $coming_soon = coming_soon();
```

#### Login.php

```
if(!isset($_SESSION['username'])):
<div id="main">
       <div class="signup">
            <form class="form" method="POST" action="models/signup/login.php">
                <h1>Log In</h1><br>
                Username:
                <input type="text" id="username" name="username"/><br><br>
                Password:
                <input type="password" id="password" name="password"/><br><br>
                <input type="submit" value="Log In" class="buttonSignin" name="signin"/><br><br><br></pr>
                <a href="index.php?page=register">Do not have an account yet?</a><br><br></a></br>
                <a href="index.php?page=password">Forgot your password?</a><br><br></a></pr>
                    if(isset($_SESSION['wrong'])):
                    $wrong = $_SESSION['wrong'];
                    <i><!><!=$wrong?></i>
                        unset($_SESSION['wrong']);
                        if(isset($_SESSION['login'])):
                        $login = $_SESSION['login'];
                        foreach($login as $error):
                    <i><!><!=$error?></i><br>
                        endforeach;
                        unset($_SESSION['login']);
```

```
</div>
</div>
</php
  else:
    header("Location: index.php");
  endif;
?>
```

#### **Logout.php**

```
<?php
  unset($_SESSION['userIdRole']);
  unset($_SESSION['username']);
  header("Location: index.php");
?>
```

#### Movie.php

```
if(isset($_GET['page']) && isset($_GET['movie'])):
        $idMovie = $_GET['movie'];
        $all = get_all_movies();
        $exist = false;
        foreach($all as $one) {
            if($idMovie == $one->idMovie) {
                $exist = true;
               break;
        if($exist):
        $movie = get_one_movie($idMovie);
<div id="main">
    <div class="movieDetail">
        <div class="movieDetailPic">
            <img src="assets/images/movies/<?=$movie->moviePicture?>" alt="<?=$movie->movieHeading?>"
width="140px"/>
        <div class="movieDetails">
           <h2><?=$movie->movieHeading?></h2><br>
           <i class="colorIt">Date:</i> <i><?=$movie->movieDate?></i>
                $genres = show_genres($idMovie);
                $showGenres = "";
                foreach($genres as $key=>$genre) {
                   if($key != 0){
                        $showGenres .= ", ";
                        $showGenres .= $genre->genre;
```

```
} else {
                      $showGenres .= $genre->genre;
           <i class="colorIt">Genres: </i> <?=$showGenres?>
              $director = show_director($movie->idMovie);
           <i class="colorIt">Director:</i> <?=$director->nameDirector?>
                  $actors = show_actors($movie->idMovie);
                  $showActors = "";
                  foreach($actors as $key=>$actor) {
                      if($key != 0){
                         $showActors .= ", ";
                         $showActors .= $actor->nameActor;
                         $showActors .= $actor->nameActor;
               <i class="colorIt">Actors: </i> <?=$showActors?>
               <i class="colorIt">Duration: </i><i><?=$movie->movieDuration?>min</i>
               <i class="colorIt">Rating: </i>
               <?php include "views/partials/stars.php"; ?>
              <i class="colorIt">Summary: </i><?=$movie->movieDescription?>
               <div class="allComments">
                  <h2>Comments:</h2><br>
                      $comments = show_comments($idMovie);
                      if($comments):
                      foreach($comments as $comment):
                  <div class="oneComment">
                      <i><?=$comment->username?><i>
                      <?=$comment->comment?><br>
                         endforeach;
                      There are no comments for this movie at the moment.
                         <?php endif; ?>
                         if(isset($_SESSION['username'])):
                             $username = $_SESSION['username'];
                             $userId = $_SESSION['idUser'];
                      <div class="addComment">
                      <form name="addCmt" id="addCmt" method="POST"</pre>
action="models/movies/addComment.php">
                             <h2>Add a comment:</h2><br>
                             <textarea name="text"></textarea><br><br>
                             <input type="submit" name="addComment" value="Add"/>
                             <input type="hidden" name="username" value="<?=$username?>"/>
                             <input type="hidden" name="idUser" value="<?=$userId?>"/>
                             <input type="hidden" name="idMovie" value="<?=$idMovie?>"/>
                      </form>
```

# News.php

## Password.php

## **Profile.php**

```
<?php
   if(isset($_SESSION['username'])):
<?php
   $username = $_SESSION['username'];
   $userDetails = user_details($username);
<div id="main">
<div id="content">
<div id="profileMain">
   <img src="assets/images/profile/<?=$userDetails->userPicture?>"
alt="<?=$userDetails->username?>"/>
   <i>&nbsp;<?=$userDetails->firstName?>&nbsp;<?=$userDetails->lastName?></i>
    <form name="profilePic" action="models/profile/changeImage.php"</pre>
method="POST" enctype="multipart/form-data">
       <br><input type="file" name="picture"/>
       <br><input type="submit" value="Change" name="change"/>
       <input type="hidden" name="hidden" value="<?=$username?>"/>
   </form>
</div>
<div class="allComments">
   <h2>Comments:</h2><br>
       <?php
           $comments = get_comments_user($username);
           if($comments):
           foreach($comments as $comment):
    <div class="oneComment">
       <i><?=$comment->movieHeading?><i>
       <?=$comment->comment?><br>
   </div>
       <?php
           endforeach;
           else:
```

# Register.php

```
if(!isset($_SESSION['username'])):
<div id="main">
<div class="signup">
   <form class="form" method="POST" action="models/signup/register.php">
       <h1>Register</h1><br>
       First Name:
       <input type="text" id="fName" name="fName"/><br>
       Last Name:
       <input type="text" id="lName" name="lName"/><br>
       Email:
       <input type="text" id="email" name="email"/><br><br>
       Username:
       <input type="text" id="username" name="username"/><br>
       Password:
       <input type="password" id="password" name="password"/><br>
       Re-Password:
       <input type="password" id="repassword" name="repassword"/><br><br>
       <a href="index.php?page=login">You already have an account?</a><br><br><br></pr>
       <input type="submit" value="Register" class="buttonSignin" name="signin"/><br><br>
       if(isset($_SESSION['register'])):
                  $register = $_SESSION['register'];
                  foreach($register as $error):
              <i><;=$error?></i><br>
                  <?php endforeach; ?>
                  unset($_SESSION['register']);
              if(isset($_SESSION['change'])):
                  $change = $_SESSION['change'];
              <i><;=$change?></i>
                  unset($_SESSION['change']);
```

# **Update.php**

```
if(isset($_GET['movie'])):
       $id = $_GET['movie'];
<div id="main">
       <div class="signup">
           <form name="update" action="models/movies/update.php" method="POST">
              <h1>Modify</h1><br>
              Movie Heading:
              <input type="text" name="movieHeading"/><br></pr>
              Movie Date:
              <input type="date" name="movieDate"/><br>
              Movie Duraiton:
              <input type="number" name="movieDuration" max='300'/><br><br>
              Movie Rating:
              <input type="number" name="movieRating" min='0' max='5' step="0.5"/><br>
              Movie Description:
              <textarea name="movieDescription"></textarea><br><br>
              <input type="hidden" name='id' value="<?=$id?>"/>
              <input type="submit" name="modify" value="Update"/>
      <br><h1>Ooops, something went wrong</h1>
   <?php endif; ?>
```

### getActors.php

```
<?php
    $actors = get_all_actors();
    foreach($actors as $actor):</pre>
```

```
?>
<option value="<?=$actor->idActor?>"><?=$actor->nameActor?></option>
    <?php endforeach; ?>
```

## movieLong.php

```
if(isset($_SESSION['userIdRole'])) {
   $idRole = $_SESSION['userIdRole'];
<div class="oneMovie">
           <div class="moviePic">
               <img src="assets/images/movies/<?=$movie->moviePicture?>" alt="<?=$movie-</pre>
>movieHeading?>" width="140px"/>
               <h2><a href="index.php?page=movie&movie=<?=$movie->idMovie?>"><?=$movie-
>movieHeading?></a></h2>
                   if(isset($_SESSION['userIdRole']) && $idRole == 2):
               <a href="index.php?page=mod&movie=<?=$movie->idMovie?>" class="mod" data-
id="<?=$movie->idMovie?>"><i>Modify</i></a>&nbsp;&nbsp;<a href="#" class="del" data-
id="<?=$movie->idMovie?>"><i class="red">Delete</i></a>
                   endif:
               <i class="colorIt">Date:</i> <i><?=$movie->movieDate?></i>
                   $director = show_director($movie->idMovie);
               <i class="colorIt">Director:</i> <?=$director->nameDirector?>
                   $actors = show_actors($movie->idMovie);
                   $showActors = "";
                   foreach($actors as $key=>$actor) {
                       if($key != 0){
                           $showActors .= ", ";
                           $showActors .= $actor->nameActor;
                       } else {
                           $showActors .= $actor->nameActor;
               <i class="colorIt">Actors: </i> <?=$showActors?>
               <i class="colorIt">Duration: </i><i><?=$movie->movieDuration?>min</i>
               <i class="colorIt">Rating: </i>
               <?php include "views/partials/stars.php"; ?>
               <div class="summary">
                   <i class="small"><?=$movie->movieDescription?></i>
```

```
</div>
```

#### movieShort.php

```
<div class="<?php
        if(($key != 0) && $key % 5 == 0) {
          echo "movie last";
          echo "movie";
          <div class="movie-image"> <span class="play"> <span class="name"> <a</pre>
href="index.php?page=movie&movie<<?=$one->idMovie?>"><br/><br/><br/><br/><?=$one-
>movieHeading?></a></span></span><img src="assets/images/movies/<?=$one->moviePicture?>" alt="<?=$one-</pre>
>movieHeading?>" /> </div>
          <div class="rating" style="font-size: 10px;">
            RATING
              $stars = $one->movieRating;
              $fullStars = floor($stars);
              $halfStar = (floor($stars) == $stars) ? 0 : 1;
              $emptyStars = 5 - $fullStars - $halfStar;
              for($i = 0; $i < $fullStars; $i++) {</pre>
                echo '<i class="fas fa-star fa-xs">&nbsp;</i>';
              if($halfStar) {
                echo '<i class="fas fa-star-half-alt fa-xs">&nbsp;</i>';
              for($i = 0; $i < $emptyStars; $i++) {</pre>
                echo '<i class="far fa-star fa-xs">&nbsp;</i>';
              $comment = count_comments($one->idMovie);
            <span class="comments"><?=$comment->number?></span> </div>
```

# Pagination.php

```
</php
    $movies_per_page = 12;
    $result = count_movies();
    $total_number_of_movies = $result->number;
    $number_of_pages = ceil($total_number_of_movies / $movies_per_page);

if(!isset($_GET['number'])) {
    $number = 1;
}
```

#### printPages.php

# Stars.php

# .htaccess(views)

# **Deny from all**

#### 4. Dodatno

Iz nekog razloga neki header-I ne rade(redirekcija) na hostovanom sajtu dok na localhost-u rade. Pokušao sam da ubacim ob\_start() I preko .htaccess ali I dalje ima nekih problema. Nadam se da ćete u kodu videti da su za zaštitu bili postavljeni header-I.