Visoka škola strukovnih studija za informacione i komunikacione tehnologije

Strahinja Popadić 281/18

Dokumentacija

http://strahinja2112.000webhostapp.com

Sadržaj se nalazi na kraju jer se poremeti struktrura stranica kada se stavi na početak.

1. Uvod

1.1 Korišćeni programski jezici

Za izradu sajta su korišćeni php i javascript. Sajt je rađen u Visual Studio Code-u.

1.2 Opis funkcionalnosti

- Dinamičko ispisivanje većeg dela sajta
- Regularni izrazi
- Admin panel
- Mailer
- Responsive
- Sortiranje i filtriranje sadržaja


1.3 Templates

https://www.free-css.com/free-css-templates/page236/freebix

Ostale su iste klase iz template-a, ali su promenjeni sadržaji i neke stranice i delovi stranica su izbrisani.

2. Organizacija

2.1 Organizaciona šema



index.php	config	views	models	assets
	config.php	automobili.php	categories.php	css
	connection.php	autor.php	delete.php	images
		footer.php	filterSort.php	js
		header.php	insert.php	
		home.php	mail.php	
		insert.php	modify.php	
		kontakt.php	register.php	
		login.php	signin.php	
		modify.php		
		odjava.php		
		register.php		


2.2 Stranice

Index.php(login)






Home.php




-ugradjen jquery slider




-dinamicki ispisani automobili koji su na akciji

Automobili.php




-sortiranje po ceni i filtriranje po klasi, admin panel – delete, update, insert (korinik ne vidi ovaj deo – jedina razlika izmedju admina i korisnika), sve je dinamički ispisano, toggle prikaz na dugme prikaži




-straničenje

Autor.php




Kontakt.php




-mail se salje na e-adresu autora sajta

Insert.php



-insert u bazu i rad sa slikom, dinamičke drop down liste iz baze

Modify.php



-preko GET se šalje id proizvoda koji se menja i čuva se u input hidden

-U stranice su uključeni header i footer koji se nalaze u folderu views, na mestima gde je potrebno koriste se serverski regularni izrazi kao i prepared statements, dinamički meni iz baze.

2.3 Baza

Tabela user_pass (sa korisnicima)




Tabela transmission (tipovi menjača) strani ključ u tabeli cars



Tabela roles (uloge) strani ključ u tabeli user pass



Tabela pictures (slike) strani ključ u tabeli cars



Tabela menu (meni) za dinamički prikaz menija




Tabela fuel (gorivo) spoljni ključ u tabeli cars



Tabela classes (klase) spoljni ključ u tabeli cars



Tabela cars (automobili) – onSale za soft delete I discount za prikaz akcija



3. Kodovi

3.1 Javascript

Main.js

3.2 PHP

Index.php

Config.php

-slika iz xampp

Connection.php

Automobili.php (views)

```
cyphp
session, start();
if(lisset(§_SESSION['user'])) {
    leader('tocation:../index.php');
}

cyphp
require_once "../config/connection.php";
include "header.php";
}

cdiv ida-"filterSort'>
called include "header.php';
}

du/ ida-'cenaSort'> {--cena sort ->
    seslect ida-'sortCena')
coption value-"p'*SortIranje//option>
    coption value-"p'*SortIranje//option>
    coption value-"p'*Cena Bastuce/(option>
    coption value-"p'*Cena Bastuce/(option>
    coption value-"p'*Cena Gandajuce/(option>
    coption value-"p'*
```

Autor.php (views)

Footer.php (views)

Header.php (views)

```
| Concrive that | Concrive tha
```

```
rel="apple-touch-icon" href="../assets/images/apple-touch-icon.png">
k rel="apple-touch-icon" sizes="72x72" href="../assets/images/apple-touch-icon-72x72.png">
k rel="apple-touch-icon" sizes="114x114" href="../assets/images/apple-touch-icon-114x114.png">
     <link href='http://fonts.googleapis.com/css?family=Oswald:400,300,700' rel='stylesheet' type='text/css'>
     <div id="header">
       <div class="container">
         <div class="logo"><a href="home.php"><img src="../assets/images/logo.png" width="300px" alt="logo" /></a></div>
          <div class="mainmenu">
           <div id="mainmenu">
              <?php
| $upit = "SELECT * FROM menu";</pre>
61
62
                   $rezultat = $conn->query($upit);
                  $podaci = $rezultat->fetchAll();
                   foreach ($podaci as $podatak):
              <a href="<?=$podatak->href?>"><?=$podatak->title?></a>
            <form id="responsive-menu" action="#" method="post">
                 <option value="">Meni</option>
                       $rezultat = $conn->query($upit);
```

Home.php (views)

```
| Ciphp | Figure | Fi
```

```
$\text{frezultat = $\text{conn-}\text{query($\text{upit});}}
\text{$\text{podaci = $\text{podaci as $\text{podatak}):}}

foreach ($\text{podaci as $\text{podatak}):}

\text{\text{div class="one_third shadow auto"}}

\text{\text{\text{div class="one_third shadow auto"}}}

\text{\text{\text{\text{div class="one_third shadow auto"}}}}

\text{\text{\text{\text{div class="one_third shadow auto"}}}}

\text{\text{\text{\text{\text{div class="one_third shadow auto"}}}}

\text{\text{\text{\text{\text{div class="one_third shadow auto"}}}}

\text{\text{\text{\text{\text{\text{div class="one_third shadow auto"}}}}}

\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\
```

Insert.php (views)

```
require_once "../config/connection.php";
       Izaberite klasu:
<select name="category" class="insrt">
                $query = "SELECT * FROM classes";
                  $rez = executeQuery($query);
foreach($rez as $klasa):
                   <option value="<?=$klasa->idClass?>"><?=$klasa->name?>
                   <?php endforeach; ?>
           Izaberite vrstu menjača:
<select name="transmission" class="insrt">
                 $query = "SELECT * FROM transmission";
                  $rez = executeQuery($query);
foreach($rez as $menjac):
               <option value="<?=$menjac->idTrans?>"><?=$menjac->type?>
           Izaberite gorivo:
           <select name="fuel" class="insrt">
               foreach($rez as $gorivo):
               <option value="<?=$gorivo->idFuel?>"><?=$gorivo->fuel_type?>
           <?php endforeach; ?>
</select>
           Izaberite broj putnika:
           <input type="number" name="passengers" class="insrt" min="1" max="9"/>
           Izaberite cenu:
           <input type="number" name="price" class="insrt" min="1000" max="1000000" step="1000"/>
           Izaberite sliku:
           <input type="file" name="slika" class="insrt"/><br/>
<input type="submit" name="submit" value="Insert"/>
```

Kontakt.php (views)

```
| session_start();
if(!isset($_SESSION['user'])) {
     header("Location:../index.php");
     include "header.php";
<div class="container contact">
     <h3>Informacije</h3>
    <section class="first shadow">
       Ali>Adresa: Zdravka Čealra 16, Beograd
Felefon: +381 64 54 54 788
Ali>Fax: +381 11 356 66 77
Kebsite: <a href="http://ict.edu.rs" taget="_blank" title="ICT">Visoka ICT</a>
Kemail: strahinja.popadic.281.18@ict.edu.rs</a>

  <!-- one_third ends here -->
<div class="two_third lastcolumn contact1">
     <div id="contactForm";</pre>
       <h3>Kontaktirajte nas</h3>
       <div class="sepContainer"></div>
<form action="../models/mail.php" method="post" id="contact_form">
         <label for="email">Vas email:</label>
Molimo Vas da uneste email adresu
<input id="email" name="email" type="email" placeholder="primer@nesto.com" />
          (label for="message">Vaša poruka:</label>
Molimo Vas da unesete poruku
<textarea id="message" name="message" rows=6 cols=10></textarea>
       </div>
</div |
</pre>

<input type="submit" value="Pošalji" id="dugme" />
</div>

          include "footer.php"; ?>
```

Login.php (views)

```
<link rel='stylesheet' type='text/css' href='assets/css/screen.css'/>
<div class='reglog'>
       <form action='models/signin.php' method='POST'>
            <h1 class='naslov'>Sign in</h1>
            Username:
            <input type='text' id='username' autofocus name='username' />
            Password:
           cinput type="password" id='password' name='password' /><br/>ca href='views/register.php' class='log'>Nemate nalog?</a><br/>cinput type='submit' value='Sign in' class='prijava' id="signin" name='signin' /><br/>br/>cinput type='submit' value='Sign in' class='prijava' id="signin" name='signin' /><br/>br/>cinput type='submit' value='Sign in' class='prijava' id="signin" name='signin' /><br/>cinput type='submit' value='signin' /><br/>cinput type='submit' value='signin' /><br/>cinput type='submit' /><br/>cinput typ
                         <?php if(isset($_SESSION['error'])): ?>
                              \langle i \ranglePogresan username ili password.\langle /i \rangle
                               <?php unset($_SESSION['error']);?>
                             <?php endif; ?>
                           <?php if(isset($_SESSION['greska'])): ?>
                               <i>Pogresan format.</i>
                               <?php unset($_SESSION['greska']);?>
 <script src="assets/js/jquery-1.8.0.min.js" type="text/javascript"></script>
 <script src="assets/js/screen.js" type="text/javascript"></script>
 <script src="assets/js/tabs.js" type="text/javascript"></script>
 <script src="assets/js/superfish.js" type="text/javascript"></script>
 <script src="assets/js/hoverIntent.js" type="text/javascript"></script>
 <script src="assets/js/jquery.flexslider-min.js" type="text/javascript"></script>
 <script type="text/javascript" src="assets/js/modernizr.custom.29473.js"></script>
<script type="text/javascript" src="assets/js/main.js"></script>
```

Modify.php (views)

```
require_once "../config/connection.php";
$id = $_GET['id'];
include "header.php";
<div id="insertNew">
        Unesite ime automobila:
            <input type="text" name="carName" class="insrt" id="carName" autofocus/>
!zaberite klasu:
<select name="category" class="insrt">
                <?php
$query = "SELECT * FROM classes";
$rez = executeQuery($query);</pre>
                    foreach($rez as $klasa):
                 <option value="<?=$klasa->idClass?>"><?=$klasa->name?>
            Izaberite vrstu menjača:
            <select name="transmission" class="insrt">
                $query = "SELECT * FROM transmission";
$rez = executoCurron(f)
                    $rez = executeQuery($query);
foreach($rez as $menjac):
                <option value="<?=$menjac->idTrans?>"><?=$menjac->type?>
                    <?php endforeach; ?>
            Izaberite gorivo:
<select name="fuel" class="insrt">
                    $query = "SELECT * FROM fuel";
                $query = Stite()
$rez = executeQuery($query);
foreach($rez as $gorivo):
                <option value="<?=$gorivo->idFuel?>"><?=$gorivo->fuel_type?>

<input type="number" name="passengers" class="insrt" min="1" max="9"/>
            include "footer.php";
```

Odjava.php (views)

```
1  <?php
2    session_start();
3    unset($_SESSION['user']);
4    header("Location:../index.php");
5    ?>
```

Register.php (views)

```
session_start();
   <link rel='stylesheet' type='text/css' href='../assets/css/screen.css'/>
<body class='blue'>
   <div class='reglog'>
       <form action="../models/register.php" method="POST">
       <h1 class='naslov'>Register</h1>
       First Name:
       <input type='text' id='fName' name='fName' autofocus/>
       Last Name:
       <input type="text" id='lName' name='lName' /><br/>
       E-mail:
       <input type="text" id='email' name="email" /><br/>
       Username:
       <input type="text" id='userName' name='userName' /><br/>
       Password:
       <input type="password" id='passWord' name='passWord' /><br/>
       Re-password:
       <input type="password" id='repassWord' name="repassWord" /><br/><br/>
       <a href='../index.php' class='log'>Imate nalog?</a><br/><br/>
       <input type='submit' value='Register' class='prijava' id='register' name='register' /><br/>
       if(isset($_SESSION['registracija'])):
           \langle i \ranglePodaci u pogresnom formatu!\langle /i \rangle
             <?php endif:</pre>
             unset($_SESSION['registracija']);
               if(isset($_SESSION['postoji'])):
           <i>Username zauzet</i>
               unset($_SESSION['postoji']);
```

Categories.php (models)

```
if(isset($_GET['id'])) {

header('Content-Type: application/json');
require_once '../config/connection.php';

$cat = $_GET['id'];

if($cat == 0) {

$upit = "SELECT ca.idCar, ca.car_name, ca.price, ca.passengers, ca.discount, cl.name as className, fu.fuel_type, tr.type, pi.path,
pi.description FROM cars ca INMER JOIN classes cl OM ca.idClass = cl.idClass INMER JOIN pictures pi OM ca.idClass IS NOT

NULL";

$rezultat = executeQuery($upit);

echo json_encode($rezultat);
} else {

$upit = "SELECT ca.idCar, ca.car_name, ca.price, ca.passengers, ca.discount, cl.name as className, fu.fuel_type, tr.type, pi.path,
pi.description FROM cars ca INMER JOIN classes cl OM ca.idClass = cl.idClass INMER JOIN pictures pi OM ca.idClass = $cat";

$upit = "SELECT ca.idCar, ca.car_name, ca.price, ca.passengers, ca.discount, cl.name as className, fu.fuel_type, tr.type, pi.path,
pi.description FROM cars ca INMER JOIN classes cl OM ca.idClass = cl.idClass INMER JOIN pictures pi OM ca.idPicture INMER
JOIN fuel fu OM ca.idfuel = fu.idFuel INMER JOIN transmission tr OM ca.idTrans = tr.idTrans WHERE ca.onSale = true ANO ca.idClass = $cat";

$rezultat = executeQuery($upit);

echo json_encode($rezultat);
}
}
else {

http_response_code(404);
}
}
```

Delete.php (models)

```
<?php
   $statusCode = 404;
    if(!isset($_GET['id'])) {
       http_response_code(404);
   if(isset($_GET['id'])) {
       $id = $_GET['id'];
       require_once "../config/connection.php";
       $query =$conn->prepare("UPDATE cars SET onSale=0 WHERE idCar=:id");
       $query->bindParam(":id", $id);
       try {
           $result = $query->execute();
           if($result) {
               $statusCode = 204;
           } else {
                $statusCode = 500;
       catch (PDOException $e) {
           $statusCode = 500;
        http_response_code($statusCode);
```

filterSort.php (models)

Insert.php (models)

```
if(isset(s_POST['submit'])) {
    require_once "../config/connection.php";
    fillense = $.FILSS['silks][['ma_num'];
    fillense = $.FILSS['silks][['ma_num'];
    fillense.ination = "./sostst/inages/abtol" *fillense;
    sove_uploaded_file($filens, filledestination);

    scarlane = $.POST['carlane];
    $carlane = $.POST['carlane];
    $carlane = $.POST['carlane];
    $foul = $.POST['carlane];
    $foultat = $.POST['passengers'];
    $foulta
```

Mail.php (models)

Modify.php (models)

```
if(isset($_POST['hidden']) {
    require_once "../config/connection.php";

    $id = $_POST['hidden'];
    $canName = $_POST['catName'];
    $class = $_POST['catName'];
    $transmission = $_POST['transmission'];
    $fuel = $_POST['fuel'];
    $passengers = $_POST['passengers'];
    $price = $_POST['price'];

    $frezultat = $conn->prepare("UPDATE cars SET idClass = ?, idFuel = ?, idTrans = ?, passengers = ?, price = ?, car_name = ? WHERE idCar = ?
    ");

    $frezultat->bindvalue(1, $class);
    $frezultat->bindvalue(2, $fruel);
    $frezultat->bindvalue(3, $fruel);
    $frezultat->bindvalue(4, $passengers);
    $frezultat->bindvalue(5, $price);
    $frezultat->bindvalue(6, $carName);
    $frezultat->bindvalue(7, $id);
    $frezultat->pindvalue(7, $id);
    $frezult
```

Signup.php (models)

```
| Fine Edit Selection View 60 Dates | Temporary | Proceedings | Process | Pr
```

Register.php (modes)

Contents

1.	Uvod	2
	1.1 Korišćeni programski jezici	2
	1.2 Opis funkcionalnosti	2
	1.3 Templates	
2.	Organizacija	3
	2.1 Organizaciona šema	3
	2.2 Stranice	4
	2.3 Baza	9
3.	Kodovi	11
	3.1 Javascript	11
	3.2 PHP	