

Guidelines for interpreting scripting requirements and testing them

Ref#	Suggested Interpretation	Testing
1	There is only one root id and all user UIDs are unique	Edit /etc/passwd column 3. Test with no duplicate UID (Vulnerability: No) Test with multiple duplicate UID including UID 0 (Vulnerability: Yes) Minimum expectation for student (only for Vulnerability=Yes): Should display the list of duplicate UIDs. <u>No need</u> to display other information such as account names and home directories.
2	Empty root password is not permitted via SSH /etc/ssh/sshd_config PermitEmptyPasswords no	Test with PermitEmptyPasswords set to no (Vulnerability: No) Test with PermitEmptyPasswords set to yes (Vulnerability: Yes) Minimum expectation for student (only for Vulnerability=Yes): Display the non-compliant line
3	The passwords expired every 2 weeks → PASS_MAX_DAYS 14 /etc/login.defs PASS_MAX_DAYS 14	Test with PASS_MAX_DAYS set to 14 (Vulnerability: No) Test with PASS_MAX_DAYS set to 14 line commented (Vulnerability: Yes) Test with PASS_MAX_DAYS set to 12 (Vulnerability: No) Test with PASS_MAX_DAYS set to 20 (Vulnerability: Yes) Test with PASS_MAX_DAYS set to "" (Vulnerability: Yes) Minimum expectation for student (only for Vulnerability=Yes): Display non-compliant setting from /etc/login.defs Usechage to change the "maximum days between password changes" to less than 365 (Vulnerability: No) Usechage to change the "maximum days between password changes" to 365 days (Vulnerability: No)

Ref#	Suggested Interpretation	Testing
		Usechage to change the “maximum days between password changes” to more than 365 days (Vulnerability: Yes)
4	All user accounts have a valid home directory User home directories are in /etc/passwd column number 6.	Create user with valid home directory ➤ useradd -d /export/home/testuser -m testuser Test script with valid user home directories set (Vulnerability: No) Edit /etc/passwd line for testuser and change the home directory to /testuser Test script with invalid user home directories. (Vulnerability: Yes) Minimum expectation for student (only for Vulnerability=Yes): Display account names with invalid home directories.
5	Ensure rsyslog default file permissions are configured	Edit the /etc/rsyslog.conf file. Test with \$FileCreateMode not set at all (Vulnerability: Yes) Test with \$FileCreateMode set to 0640 but commented off (Vulnerability: Yes) Test with \$FileCreateMode set to 0640 (Vulnerability: No) Test with \$FileCreateMode set to 0600 (Vulnerability: No)
6	Default umask is 027 /etc/bashrc UMASK=027	Test with UMASK value in /etc/bashrc set to 027 (Vulnerability: No) Test with UMASK value in /etc/bashrc set to 022 (Vulnerability: Yes) Minimum expectation for student (only for Vulnerability=Yes): Display non-compliant umask setting or umask setting not set (in the event of #)
7	Permission set on /etc/crontab file is correct	Test script with default setting of 644. Vulnerability: Yes Run chmod 600 /etc/crontab. Test script.

Ref#	Suggested Interpretation	Testing
		Vulnerability: No Minimum expectation for student (only for Vulnerability=Yes): Display the permission of /etc/crontab.