DataManipulateRequests		
PK	id	
	table	
	pk_id	
	reqAction	
	requestedAt	
FK1	<u>requestedBy</u>	
	status	
	processedAt?	
FK1	processedBy?	
	token?	
	createdAt	
FK1	<u>createdBy</u>	
	updatedAt?	
FK1	updatedBy?	
	deletedAt?	
FK1	<u>deletedBy?</u>	

	PurchaseOrders		
PK	<u>id</u>		
FK1	supplierId		
	trxDate		
FK2	<u>productId</u>		
	qty		
	unitPrice		
	subTotal?		
	status		
	reference?		
	createdAt		
FK3	<u>createdBy</u>		
	updatedAt?		
FK3	<u>updatedBy?</u>		
	deletedAt?		
FK3	<u>deletedBy?</u>		
FK4	dmrld?		
	dmrToken?		

Purch	PurchaseOrders_UpdateRequest		
PK	<u>logid</u>		
	requestedAt		
FK3	<u>requestedBy</u>		
	dmrStatus		
	dmrProcessedAt?		
FK3	dmrProcessedBy?		
FK4	new_dmrld?		
	dmrToken?		
	<u>id</u>		
FK1	<u>supplierId</u>		
	trxDate		
FK2	<u>productId</u>		
	qty		
	unitPrice		
	subTotal?		
	status		
	reference?		
	createdAt		
FK3	<u>createdBy</u>		
	updatedAt?		
FK3	<u>updatedBy?</u>		
	deletedAt?		
FK3	deletedBy?		
FK4	dmrld?		
	dmrToken?		


Purch	PurchaseOrders_BeforeUpdated		
PK	logid		
	requestedAt		
FK3	<u>requestedBy</u>		
	dmrProcessedAt		
FK3	<u>dmrProcessedBy</u>		
FK3	new_dmrld		
	dmrToken		
	<u>id</u>		
FK1	<u>supplierId</u>		
	trxDate		
FK2	<u>productId</u>		
	qty		
	unitPrice		
	subTotal?		
	status		
	reference?		
	createdAt		
FK3	<u>createdBy</u>		
	updatedAt?		
FK3	<u>updatedBy?</u>		
	deletedAt?		
FK3	deletedBy?		
FK4	dmrld?		
	dmrToken?		

	Purchases
PK	<u>id</u>
FK1	purchaseOrderId?
FK2	supplierId
	trxDate
FK3	productId
	qty
	unitPrice
	subTotal?
	reference?
	createdAt
FK4	<u>createdBy</u>
	updatedAt?
FK4	updatedBy?
	deletedAt?
FK4	deletedBy?
FK5	dmrld?
	dmrToken:

Pu	Purchases_UpdateRequest		
PK	<u>logid</u>		
	requestedAt		
FK4	requestedBy		
	dmrStatus		
	dmrProcessedAt?		
FK4	dmrProcessedBy?		
FK5	new_dmrld?		
	dmrToken?		
	<u>id</u>		
FK1	purchaseOrderId?		
FK2	supplierId		
	trxDate		
FK3	productId		
	qty		
	unitPrice		
	subTotal?		
	reference?		
	createdAt		
FK4	<u>createdBy</u>		
	updatedAt?		
FK4	<u>updatedBy?</u>		
	deletedAt?		
FK4	<u>deletedBy?</u>		
FK5	dmrld?		
	dmrToken:		

Purchases_BeforeUpdated			
PK	PK <u>logld</u>		
	requestedAt		
FK4	requestedB <u>y</u>		
	dmrProcessedAt?		
FK4	dmrProcessedBy?		
FK5	new_dmrld?		
	dmrToken?		
	<u>id</u>		
FK1	purchaseOrderId?		
FK2	<u>supplierId</u>		
	trxDate		
FK3	productId		
	qty		
	unitPrice		
	subTotal?		
	reference?		
	createdAt		
FK4	<u>createdBy</u>		
	updatedAt?		
FK4	<u>updatedBy?</u>		
	deletedAt?		
FK4	deletedBy?		
FK5	dmrld?		
	l		

dmrToken:



SaleOrders			
PK	PK <u>id</u>		
FK1	customerId		
	trxDate		
FK2	productId		
	qty		
	unitPrice		
	subTotal?		
	status		
	reference?		
	createdAt		
FK3	<u>createdBy</u>		
	updatedAt?		
FK3	<u>updatedBy?</u>		
	deletedAt?		
FK3	deletedBy?		
FK4	dmrld?		
	dmrToken?		

Sal	SaleOrders_UpdateRequest		
PK	<u>logld</u>		
	requestedAt		
FK3	<u>requestedBy</u>		
	dmrStatus		
	dmrProcessedAt?		
FK3	dmrProcessedBy?		
FK4	new_dmrld?		
	dmrToken?		
FK1	<u>customerId</u>		
	trxDate		
FK2	<u>productId</u>		
	qty		
	unitPrice		
	subTotal?		
	status		
	reference?		
	createdAt		
FK3	<u>createdBy</u>		
	updatedAt?		
FK3	<u>updatedBy?</u>		
	deletedAt?		
FK3	<u>deletedBy?</u>		
FK4	dmrld?		
	dmrToken?		

Sal	SaleOrders_BeforeUpdated		
PK	PK <u>logld</u>		
	requestedAt		
FK3	<u>requestedBy</u>		
	dmrProcessedAt?		
FK3	dmrProcessedBy?		
FK4	new_dmrld?		
	dmrToken?		
FK1	customerId		
	trxDate		
FK2	productId		
	qty		
	unitPrice		
	subTotal?		
	status		
	reference?		
	createdAt		
FK3	<u>createdBy</u>		
	updatedAt?		
FK3	updatedBy?		
	deletedAt?		
FK3	deletedBy?		
FK4	dmrld?		
	dmrToken?		

	Sales		
PK	<u>id</u>		
FK1	saleOrderId?		
FK2	customerId		
	trxDate		
FK3	productId		
	qty		
	unitPrice		
	subTotal?		
	reference?		
	createdAt		
FK4	<u>createdBy</u>		
	updatedAt?		
FK4	<u>updatedBy?</u>		
	deletedAt?		
FK4	deletedBy?		
FK5	dmrld?		
	dmrToken?		

;	Sales_UpdateRequest		
PK	logld		
	<u>requestedAt</u>		
	<u>requestedBy</u>		
	<u>dmrStatus</u>		
	dmrProcessedAt?		
	dmrProcessedBy?		
	new_dmrld?		
	dmrToken?		
FK1	saleOrderId?		
FK2	<u>customerId</u>		
	trxDate		
FK3	<u>productId</u>		
	qty		
	unitPrice		
	subTotal?		
	reference?		
	createdAt		
FK4	<u>createdBy</u>		
	updatedAt?		
FK4	<u>updatedBy?</u>		
	deletedAt?		
FK4	deletedBy?		
FK5	dmrld?		
	dmrToken?		

	Sales_BeforeUpdated			
PK <u>logid</u>				
	<u>requestedAt</u>			
	<u>requestedBy</u>			
	dmrProcessedAt?			
	dmrProcessedBy?			
	new_dmrld?			
	dmrToken?			
FK1	saleOrderId?			
FK2	customerId			
	trxDate			
FK3	productId			
	qty			
	unitPrice			
	subTotal?			
	reference?			
	createdAt			
FK4	<u>createdBy</u>			
	updatedAt?			
FK4	updatedBy?			
	deletedAt?			
FK4	deletedBy?			
FK5	dmrld?			
	dmrToken?			