DataManipulateRequests				
PK	<u>id</u>			
	table			
	pk_id			
	reqAction			
	requestedAt			
FK1	<u>requestedBy</u>			
	status			
	processedAt?			
FK1	processedBy?			
	token?			
	createdAt			
FK1	<u>createdBy</u>			
	updatedAt?			
FK1	<u>updatedBy?</u>			
	deletedAt?			
FK1	<u>deletedBy?</u>			

PurchaseOrders			
PK	<u>id</u>		
FK1	supplierId		
	trxDate		
FK2	<u>productId</u>		
	qty		
	unitPrice		
	subTotal?		
	status		
	reference?		
	createdAt		
FK3	<u>createdBy</u>		
	updatedAt?		
FK3	updatedBy?		
	deletedAt?		
FK3	<u>deletedBy?</u>		
FK4	dmrld?		
	dmrToken?		

PurchaseOrders_UpdateRequest					
PK	logld				
	requestedAt				
FK3	<u>requestedBy</u>				
	dmrStatus				
	dmrProcessedAt?				
FK3	dmrProcessedBy?				
FK4	new_dmrld?				
	dmrToken?				
	<u>id</u>				
FK1	<u>supplierId</u>				
	trxDate				
FK2	<u>productId</u>				
	qty				
	unitPrice				
	subTotal?				
	status				
	reference?				
	createdAt				
FK3	<u>createdBy</u>				
	updatedAt?				
FK3	<u>updatedBy?</u>				
	deletedAt?				
FK3	<u>deletedBy?</u>				
FK4	dmrld?				
	dmrToken?				

PurchaseOrders_BeforeUpdated				
PK	<u>logld</u>			
	requestedAt			
FK3	<u>requestedBy</u>			
	dmrProcessedAt			
FK3	<u>dmrProcessedBy</u>			
FK3	new_dmrld			
	dmrToken			
	<u>id</u>			
FK1	<u>supplierId</u>			
	trxDate			
FK2	<u>productId</u>			
	qty			
	unitPrice			
	subTotal?			
	status			
	reference?			
	createdAt			
FK3	<u>createdBy</u>			
	updatedAt?			
FK3	<u>updatedBy?</u>			
	deletedAt?			
FK3	deletedBy?			
FK4	dmrld?			
	dmrToken?			

Deliveries				
PK	<u>id</u>			
FK1	purchaseld?			
FK2	salesId?			
FK3	<u>transporterId</u>			
	trxDate			
FK4	<u>productId</u>			
	qty			
	chargeTo			
	unitCost?			
	SubTotal?			
	plateNumber			
	eda?			
	reference?			
	remarks?			
	createdAt			
FK5	<u>createdBy</u>			
	updatedAt?			
FK5	updatedBy?			
	deletedAt?			
FK5	deletedBy?			
FK6	dmrld?			
	dmrToken?			

Deliveries_UpdateRequest					
PK	<u>id</u>				
	requestedAt				
	<u>requestedBy</u>				
	<u>dmrStatus</u>				
	dmrProcessedAt?				
	dmrProcessedBy?				
	new_dmrld?				
	dmrToken?				
FK1	purchaseld?				
FK2	salesId?				
FK3	<u>transporterId</u>				
	trxDate				
FK4	<u>productId</u>				
	qty				
	chargeTo				
	unitCost?				
	SubTotal?				
	plateNumber				
	eda?				
	reference?				
	remarks?				
	createdAt				
FK5	<u>createdBy</u>				
	updatedAt?				
FK5	<u>updatedBy?</u>				
	deletedAt?				
FK5	deletedBy?				
FK6	dmrld?				
	dmrToken?				

Deliveries_BeforeUpdated				
PK	<u>id</u>			
	<u>requestedAt</u>			
	<u>requestedBy</u>			
	dmrProcessedAt?			
	dmrProcessedBy?			
	new_dmrld?			
	dmrToken?			
FK1	<u>purchaseld?</u>			
FK2	salesId?			
FK3	transporterId			
	trxDate			
FK4	productId			
	qty			
	chargeTo			
	unitCost?			
	SubTotal?			
	plateNumber			
	eda?			
	reference?			
	remarks?			
	createdAt			
FK5	<u>createdBy</u>			
	updatedAt?			
FK5	updatedBy?			
	deletedAt?			
FK5	<u>deletedBy?</u>			
FK6	dmrld?			
	dmrToken?			

Purchases			
PK	<u>id</u>		
FK1	purchaseOrderId?		
FK2	supplierId		
	trxDate		
FK3	productId		
	qty		
	unitPrice		
	subTotal?		
	reference?		
	createdAt		
FK4	<u>createdBy</u>		
	updatedAt?		
FK4	updatedBy?		
	deletedAt?		
FK4	<u>deletedBy?</u>		
FK5	dmrld?		
	dmrToken:		


Purchases_UpdateRequest					
PK	logld				
	requestedAt				
FK4	requestedB <u>y</u>				
	dmrStatus				
	dmrProcessedAt?				
FK4	dmrProcessedBy?				
FK5	new_dmrld?				
	dmrToken?				
	id				
FK1	purchaseOrderId?				
FK2	<u>supplierId</u>				
	trxDate				
FK3	<u>productId</u>				
	qty				
	unitPrice				
	subTotal?				
	reference?				
	createdAt				
FK4	<u>createdBy</u>				
	updatedAt?				
FK4	<u>updatedBy?</u>				
	deletedAt?				
FK4	deletedBy?				
FK5	dmrld?				
	dmrToken:				

Pu	Purchases_BeforeUpdated			
PK	<u>logld</u>			
	requestedAt			
FK4	<u>requestedBy</u>			
	dmrProcessedAt?			
FK4	dmrProcessedBy?			
FK5	new_dmrld?			
	dmrToken?			
	<u>id</u>			
FK1	purchaseOrderId?			
FK2	<u>supplierId</u>			
	trxDate			
FK3	<u>productId</u>			
	qty			
	unitPrice			
	subTotal?			
	reference?			
	createdAt			
FK4	<u>createdBy</u>			
	updatedAt?			
FK4	<u>updatedBy?</u>			
	deletedAt?			
FK4	<u>deletedBy?</u>			
FK5	dmrld?			
	dmrToken:			

SaleOrders			
PK	<u>id</u>		
FK1	customerId		
	trxDate		
FK2	productId		
	qty		
	unitPrice		
	subTotal?		
	status		
	reference?		
	createdAt		
FK3	<u>createdBy</u>		
	updatedAt?		
FK3	<u>updatedBy?</u>		
	deletedAt?		
FK3	deletedBy?		
FK4	dmrld?		
	dmrToken?		

Sal	SaleOrders_UpdateRequest			
PK	logid			
	requestedAt			
FK3	<u>requestedBy</u>			
	dmrStatus			
	dmrProcessedAt?			
FK3	dmrProcessedBy?			
FK4	new_dmrld?			
	dmrToken?			
FK1	<u>customerId</u>			
	trxDate			
FK2	<u>productId</u>			
	qty			
	unitPrice			
	subTotal?			
	status			
	reference?			
	createdAt			
FK3	<u>createdBy</u>			
	updatedAt?			
FK3	<u>updatedBy?</u>			
	deletedAt?			
FK3	<u>deletedBy?</u>			
FK4	dmrld?			
	dmrToken?			

SaleOrders_BeforeUpdated					
PK	logld				
	requestedAt				
FK3	<u>requestedBy</u>				
	dmrProcessedAt?				
FK3	dmrProcessedBy?				
FK4	new_dmrld?				
	dmrToken?				
FK1	<u>customerId</u>				
	trxDate				
FK2	<u>productId</u>				
	qty unitPrice				
	subTotal?				
	status				
	reference?				
	createdAt				
FK3	<u>createdBy</u>				
	updatedAt?				
FK3	<u>updatedBy?</u>				
	deletedAt?				
FK3	<u>deletedBy?</u>				
FK4	dmrld?				
	dmrToken?				



Sales			
PK	<u>id</u>		
FK1	saleOrderId?		
FK2	customerId		
	trxDate		
FK3	productId		
	qty		
	unitPrice		
	subTotal?		
	reference?		
	createdAt		
FK4	<u>createdBy</u>		
	updatedAt?		
FK4	<u>updatedBy?</u>		
	deletedAt?		
FK4	<u>deletedBy?</u>		
FK5	dmrld?		
	dmrToken?		

Sales_UpdateRequest				
PK	<u>logld</u>			
	<u>requestedAt</u>			
	<u>requestedBy</u>			
	<u>dmrStatus</u>			
	dmrProcessedAt?			
	dmrProcessedBy?			
	new_dmrld?			
	dmrToken?			
FK1	saleOrderId?			
FK2	<u>customerId</u>			
	trxDate			
FK3	<u>productId</u>			
	qty			
	unitPrice			
	subTotal?			
	reference?			
	createdAt			
FK4	<u>createdBy</u>			
	updatedAt?			
FK4	<u>updatedBy?</u>			
	deletedAt?			
FK4	deletedBy?			
FK5	dmrld?			
	dmrToken?			

Sales_BeforeUpdated					
PK	<u>logld</u>				
	<u>requestedAt</u>				
	<u>requestedBy</u>				
	dmrProcessedAt?				
	dmrProcessedBy?				
	new_dmrld?				
	dmrToken?				
FK1	saleOrderId?				
FK2	<u>customerid</u>				
	trxDate				
FK3	<u>productId</u>				
	qty				
	unitPrice				
	subTotal?				
	reference?				
	createdAt				
FK4	<u>createdBy</u>				
	updatedAt?				
FK4	<u>updatedBy?</u>				
	deletedAt?				
FK4	<u>deletedBy?</u>				
FK5	dmrld?				
	dmrToken?				