

● ● ● atlas — analyze — ~/acme-web

```
$ atlas analyze .
```

```
loading atlas v0.1.0 · deterministic rust core
```

```
✓ recognized 22 languages 0.12s
```

```
✓ deep analysis js·ts·jsx·tsx 1.24s
```

```
✓ import graph 41,209 edges 0.38s
```

```
✓ rules 6 passes 0.51s
```

```
-----  
dead-code 7    next-boundary 2
```

```
secret 1      import-cycle 0  
-----
```

```
→ report atlas.sarif · 2.13s total
```

OPEN-SOURCE STATIC ANALYSIS · JS/TS

# Deterministic analysis, one command.

THE PROBLEM / 02

# Five tools. Five configs. Zero agreement.

A linter here. A dead-code pass there. A secret scan in CI. A graph tool on the side. Nothing shares a model of your code — so nothing agrees.

- four toolchains to install
- four config formats to maintain
- four passes over the same AST

FOUR SEPARATE RUNS →


```
$ eslint .  
✗ 214 problems (188 errors, 26 warnings)
```

```
$ depcheck  
Unused dependencies lodash, moment, uuid...
```

```
$ trufflehog filesystem .  
! 1 verified secret .env.local:14
```

```
$ madge --circular src  
✓ No circular dependency found
```

Parse once into a shared model.  
Every rule reads from the same graph.



 snowbros-labs / atlas 

Public

• VED2107 feat: add unscoped snowbros npm wrapper...

33 min ago · 32 commits

▸ cratesrust core

▸ npmwrapper

▸ websitedocs site

▫ ARCHITECTURE.md

▫ Cargo.toml

▫ README.md

▫ SECURITY.md

32 commits · last 12 weeks

ABOUT

Deterministic static analysis for JS/TS: import graph, dead code, Next.js boundaries, secrets.

rust

typescript

static-analysis

sarif

lsp

RELEASES

v0.1.0

LATEST

shipped 2026-07-05

2

contributors

Apache · MIT

dual-licensed

LAYER 01 • REPOSITORY RECOGNITION

# 22 languages recognized

File discovery, language & framework detection, repository mapping — not semantic analysis.

- JavaScript
- TypeScript
- JSX
- TSX
- Python
- Go
- Rust
- Java
- PHP
- Ruby
- C#
- SQL
- HTML
- CSS
- JSON
- Vue
- Svelte
- Astro
- YAML
- TOML
- Markdown
- Shell

GOES DEEPER ↓

LAYER 02 • DEEP ENGINEERING ANALYSIS

# JavaScript • TypeScript • JSX • TSX


Deterministic AST analysis via Tree-sitter and the Snowbros rule engine.

- AST parsing
- semantic import graph
- dependency resolution
- circular imports
- dead files
- unused dependencies
- Next.js boundaries
- secret detection
- deterministic auto-fixes
- HTML • SARIF • JSON • Markdown

1.2s

cold run · 12,481 files

≈ 15× faster  
than a four-tool  
chain.



- 9887d2

33 min ago

feat: add unscoped snowbros npm wrapper & fix package metadata
- \*

TAG v0.1.0

1 hour ago

Snowbros Atlas — public release
- a1c4e0

1 hour ago

ci: re-enable homebrew publish with HOMEBREW\_TAP\_TOKEN
- 7f2b9d

2 hours ago

feat: cargo-dist release pipeline with changelog automation
- 3e8146

20 hours ago

feat: end-to-end analyze pipeline with first rule

32

COMMITTS TO v0.1.0

2

CONTRIBUTORS

atlas.sarif

```
1 { "version": "2.1.0",
2   "runs": [{ "tool": { "driver": {
3     "name": "atlas", "version": "0.1.0" }},
4     "results": [{
5       "ruleId": "dead-code/unused-export",
6       "level": "warning",
7       "message": { "text":
8         "'parseConfig' is exported but
9         never imported" },
10      "locations": [{ "physicalLocation": {
11        "artifactLocation": {"uri":"src/config.ts"},
12        "region": { "startLine": 42 } }]}
13    ] } ] }
```

ruleId


Stable identifier — safe to baseline & suppress.

level

Severity CI can gate on — warning or error.

region

Exact line & column — renders inline in any host.





# Snowbros Atlas

Deterministic static analysis for JavaScript & TypeScript. Same code in, same findings out.

