
One broken toaster becomes “they always break.”

An original story at the Common Ground repair café.



A fictional story. A real question about people.

What would you do?

What most improves the estimate of repeat failures?

A A detailed account of the worst failure.


B Failures divided by comparable completed repairs.

C A vote on whose impression feels realistic.

Suggested answer: B. The total of comparable repairs provides the denominator for a failure rate. Consistent follow-up still matters.

Memorable is not the same as common.

- Availability: accessible examples shape judgment.
- Base rate: how frequent is it overall?
- Selection: which cases reach your attention?




What reaches us is a selected sample.

Attention and expectations select the evidence we notice.

Beliefs can filter their own evidence.

- Notice which evidence you seek.
- Separate interpretation from the record.
- Ask what would change your mind.




What reaches us is a selected sample.

Attention and expectations select the evidence we notice.

What can we really conclude?

A bias name cannot establish why a particular person reached a particular judgment. Compare the judgment with relevant data before deciding what went wrong. For example, a memorable set of cases might distort a judgment through availability. Or those cases might accurately reflect an expert's experience. A representative record helps distinguish those possibilities. Corrective strategies are useful aids. They do not make anyone immune to error. Experts also need feedback and procedures that allow expectations to be challenged.



What reaches us is a selected sample.

Conceptual illustration; no research data are plotted.

Try the idea somewhere new.

Leo thinks evening sessions fail. Which question best challenges his belief?

A Which evenings went badly?

B Who agrees that evenings are a poor idea?

C What outcomes would make us conclude evenings work?

Suggested answer: C. Naming outcomes that would count as success gives Leo’s belief a chance to be wrong.


Close your notes. Explain it.

> Why does a vivid case need a denominator?

> When can an availability shortcut be useful?

1. A vivid case needs a denominator because the total of comparable cases is needed to estimate frequency.

2. An availability shortcut can help when the examples that come to mind reliably represent the relevant events.




Maya, Sam and Leo at the repair café.

Carry one idea into your week.

Keep a small record of one everyday prediction for a week. Include successes and failures. Avoid collecting private information about others. Compare the whole record with your first impression.

Revisit tomorrow and in a week.
Explain it without notes, then use a different example.



Take the question into a different setting.