Does a document establish a connection?

Producer		Document		Receiver
Scheduler	?	**JSON event**	?	**Catalogue**

Illustrative example; no running services.

Configure and test the route

Produce	Transport	Receiver	Retrieve
Emit event →	**Endpoint** →	**Accept** →	**Queryable?**

Acceptance does not establish retrieval

Submission

Acknowledged

Receiver accepted it

Investigator retrieval

Check

Is it queryable yet?

Check errors, retries and gaps

No exactly-once guarantee

Neither the event schema nor HTTP supplies it.

Same short names. Same execution?

Scheduler A

build_delivery_summary

Local run: R1205

Scheduler B

build_delivery_summary

Local run: R1205

Keep explicit job and run identities

Job identity

Namespace + name

Run identity

Run UUID

Retain the local-to-exchange mapping

R1205 ⇔ exchange UUID

Same run cycle: retain UUID

New execution: new identity

Retain dataset identity correspondence

Exchange output dataset

Namespace + name

Catalogue dataset

Local dataset identifier

A matching table name cannot infer this mapping.

Completion is a sourced claim

What the event names

Input + output datasets

Additional evidence needed

Snapshot · code · output · refresh

The event model and envelope are distinct

OpenLineage

Event model

CloudEvents

Envelope

Retrieval is a separate agreement

Illustrative query API

Not an OpenLineage retrieval standard

Read permission differs from submission.

Which exchange identities are missing?

Map: Run → Example record → Job

Compare run_id and job_name

Not supplied by this map example

Job namespace + exchange run UUID

Try it on the page

Format · Route · Identity

Explain which agreement is still missing.