Same table name. Same dataset?

Production	Testing
delivery_summary	delivery_summary

Agree which dataset the sources mean

Production

prod/parcels/delivery_summary

Testing

test/parcels/delivery_summary

A reused name may be a replacement

Check identity first

Before keeping old links and explanations.

One dataset. Separate sourced claims.

Production dataset

prod/parcels/delivery_summary

Database scan

percentage column exists

One dataset. Separate sourced claims.

Production dataset

prod/parcels/delivery_summary

Scheduler reports

R0905 → summary-R0905

One dataset. Separate sourced claims.

Production dataset

prod/parcels/delivery_summary

Service Analytics definition

Completed deliveries on time

Dataset identity persists across results

Dataset ≠ output version

An output version identifies one result.

When was the column created?

Scan observed

09:00

20 October 2026 UTC

Catalogue collected

09:02

20 October 2026 UTC

Creation time is unknown from this scan

Observation time

09:00

Column was seen

Collection time

09:02

Description was received

Keep event time and collection time

Scheduler completion

09:05

Source event time

Catalogue collection

09:06

Receipt time

Each source has a different scope

Scan

Observed structure

Scheduler

Reported publication

Definition

Intended meaning

Arrival order does not choose authority

Last received ≠ authority

Check what each source establishes.

A collected name is not an agreement

Definition record

Accepted

Service Analytics responsibility

Imported team name

Unproven

No acceptance established

Check scope before joining evidence

Source observation

20 October

Database scan example

Run R1205

19 October

Earlier report incident

Different examples need explicit references.

Try it on the page

Identity · Source · Time

What can each collected record establish?