

*E*conometrics
of *H*uman
*C*apital

Philipp Eisenhauer

Material available on



Visit us!



Introduction to the Econometrics of Policy Evaluation

Philipp Eisenhauer

Introduction

Heckman (2008) defines three policy evaluation tasks:

- ▶ Evaluating the impact of historical interventions on outcomes including their impact in terms of well-being of the treated and the society at large.
- ▶ Forecasting the impact of historical interventions implemented in one environment in other environments, including their impact in terms of well-being.
- ▶ Forecasting the impacts of interventions never historically experienced to various environments, including their impact on well-being.

Econometrics of policy evaluation

- ▶ is important
- ▶ is complicated
- ▶ is multifaceted

Numerous applications

- ▶ labor economics
- ▶ development economics
- ▶ industrial economics
- ▶ health economics

Numerous effects

- ▶ conventional average effects
- ▶ policy-relevant average effects
- ▶ marginal effects
- ▶ distributional effects
- ▶ effects on distributions

Numerous estimation strategies

- ▶ instrumental variables
- ▶ (quasi-)experimental methods
- ▶ matching

Generalized Roy model

Potential Outcomes Observed Outcome


$$Y_1 = \mu_1(X) + U_1 \qquad Y = DY_1 + (1 - D)Y_0$$

$$Y_0 = \mu_0(X) + U_0$$

Choice

$$D = I[\mu_D(X, Z) - V > 0]$$

Figure: Treatment Effects



Teaching Tool

The screenshot shows the homepage of the grmpy documentation. At the top left is the GitHub logo with the text "grmpy" and "latest". Below it is a search bar labeled "Search docs". To the right is a navigation menu with links to "Economics", "Installation", "Tutorial", "Reliability", "Software Engineering", "Contributing", "Contact and Credits", "Changes", and "Bibliography". In the center is a large image of the Elasticsearch logo. Below the image is the text "Try the official hosted Elasticsearch. Latest version, feature-loaded, always.". At the bottom are two buttons: "Read the Docs" and "v: latest ▾".

Docs » Welcome to grmpy's documentation!

[Edit on GitHub](#)

Welcome to grmpy's documentation!

[PyPI](#) | [GitHub](#) | [Issues](#)

grmpy is an open-source Python package for the simulation and estimation of generalized Roy Model (Heckman & Vytlacil, 2005 [11]). Its main purpose is to serve as a teaching tool to promote the conceptual framework provided by the generalized Roy model which allows to illustrate a variety of issues in the econometrics of policy evaluation.

license: [MIT License](#)

Contents:


- [Economics](#)
- [Installation](#)
- [Tutorial](#)
- [Reliability](#)
- [Software Engineering](#)
- [Contributing](#)
- [Contact and Credits](#)
- [Changes](#)
- [Bibliography](#)

[Next](#)

The Mirrlees Review

The Mirrlees Review brought together a high-profile group of international experts and early career researchers to identify the characteristics of a good tax system for any open developed economy in the 21st century, assess the extent to which the UK tax system conforms to these ideals, and recommend how it might realistically be reformed in that direction.

Figure: The Mirrlees Review



► **Taxation of Earnings**

- A single integrated benefit should be introduced to replace all or most of the current multiplicity of benefits, rationalising the way in which total support varies with income and other characteristics.

► **Indirect Taxes**

- VAT should be extended to nearly all spending. This would reduce complexity and avoid costly distortions to consumption choices.

► **Environmental Taxes**

- We should work towards a comprehensive system of congestion charging on the roads, replacing most of fuel duty.

► **Taxes on Saving**

- The risk-free return to saving should not be taxed, so that saving is not discouraged.

► **Business Taxes**

- The tax treatment of employment, self-employment and corporate source income should be aligned.


Appendix

References

- Adam, S., Besley, T., Blundell, R., Bond, S., Chote, R., Gammie, M., ... Poterba, J. (2010). *Dimensions of tax design: The mirrlees review* (O. U. Press, Ed.). Institute for Fiscal Studies (ifs).
- Cho, S., & Rust, J. (2010). The flat rental puzzle. *Review of Economic Studies*, 77(2), 560–594.
- Finkelstein, A., Taubman, S., Wright, B., Bernstein, M., Gruber, J., Newhouse, J., ... Group, O. H. S. (2012). The Oregon health insurance experiment: Evidence from the first year. *The Quarterly Journal of Economics*, 127(3), 1057-1106.

- Gordon, R. (2011). Commentary on tax by design: The Mirrlees Review. *Fiscal Studies*, 32(3), 395-414.
- Heckman, J. J. (2008). Schools, skills, and synapses. *Economic Inquiry*, 46, 289–324.
- Heckman, J. J., Moon, S. H., Pinto, R., Savelyev, P., & Yavitz, A. (2010). The rate of return of the High-Scope Perry Preschool Program. *Journal of Public Economics*, 94(1), 114–128.
- Mirrlees, J., Adam, S., Besley, T., Bond, S., Chote, R., Gammie, M., ... Poterba, J. (2011). *Tax by design* (O. U. Press, Ed.). Institute for Fiscal Studies (ifs) and Mirrlees, J.

Todd, P. E., & Wolpin, K. I. (2006). Assessing the impact of a school subsidy program in Mexico: Using a social experiment to validate a dynamic behavioral model of child schooling and fertility. *American Economic Review*, 96(5), 1384–1417.



*E*conometrics
of *H*uman
*C*apital

Philipp Eisenhauer

Material available on



Visit us!



Generalized Roy Model

Philipp Eisenhauer

Rising wage inequality

- ▶ changes in distribution of skills
- ▶ changes in relative prices of skills, prices identical across sectors
- ▶ comparative advantage, different skills priced different across sectors \implies Roy models

- ▶ Does the pursuit of comparative advantage increase or decrease earnings inequality within sectors and in the overall economy?
- ▶ Do the people with the highest i skill actually work in sector i ?
- ▶ As people enter a sector in response to an increase in the demand for its services, does the average skill level employed there rise or fall?

Roy (1951) Model

- ▶ Individuals are income maximizing, act under perfect information, and possess skills S_1 and S_2 .
- ▶ The economy offers two employment opportunities associated with skill prices π_1 and π_2 and skill i is only useful in sector i .

An individual chooses sector one if earnings are greater there:

$$w_1 > w_2 \iff \pi_1 S_1 > \pi_2 S_2$$



OXFORD JOURNALS
OXFORD UNIVERSITY PRESS

Some Thoughts on the Distribution of Earnings

Author(s): A. D. Roy

Source: *Oxford Economic Papers*, New Series, Vol. 3, No. 2 (Jun., 1951), pp. 135-146

Published by: Oxford University Press

Stable URL: <http://www.jstor.org/stable/2662082>

Accessed: 07/10/2009 02:09

Your use of the JSTOR archive indicates your acceptance of JSTOR's Terms and Conditions of Use, available at <http://www.jstor.org/page/info/about/policies/terms.jsp>. JSTOR's Terms and Conditions of Use provides, in part, that unless you have obtained prior permission, you may not download an entire issue of a journal or multiple copies of articles, and you may use content in the JSTOR archive only for your personal, non-commercial use.

Please contact the publisher regarding any further use of this work. Publisher contact information may be obtained at <http://www.jstor.org/action/showPublisher?publisherCode=oup>.

Each copy of any part of a JSTOR transmission must contain the same copyright notice that appears on the screen or printed page of such transmission.

JSTOR is a not-for-profit service that helps scholars, researchers, and students discover, use, and build upon a wide range of content in a trusted digital archive. We use information technology and tools to increase productivity and facilitate new forms of scholarship. For more information about JSTOR, please contact support@jstor.org.

Econometric Problems

- ▶ **Evaluation Problem** We only observe an individual's wage in the sector they are working in.
- ▶ **Selection Problem** As individuals pursue their comparative advantage, we only observe selected samples from the latent skill distribution in either sector.

Key Questions

- ▶ What economic concepts are accounted for, which are not?
- ▶ What does the individual, what does the econometrician know?
- ▶ What gives rise to heterogeneity in skills?

- ▶ Skills follow a bivariate normal distribution denoted by $F(s_1, s_2)$.

$$\begin{pmatrix} \ln S_1 \\ \ln S_2 \end{pmatrix} \sim \mathcal{N} \left(\begin{pmatrix} \mu_1 \\ \mu_2 \end{pmatrix}, \begin{pmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{21} & \sigma_{22} \end{pmatrix} \right)$$

Figure: Joint Distribution of Skills





Figure: Marginal Distribution of Skill



The proportion of the population working in sector one
 P_1


$$P_1 = \int_0^\infty \int_0^{\pi_1 s_1 / \pi_2} f(s_1, s_s) ds_1 ds_2$$

The density of skills employed in sector one differs from the population density of skills.

$$f(s_1) = \int_0^\infty f(s_1, s_2) ds_2$$
$$g_1(s_1 | \pi_1 S_1 > \pi_2 S_2) = \frac{1}{P_1} \int_0^{\pi_1 s_1 / \pi_2} f(s_1, s_2) ds_2$$

The distribution of skills employed in sector 1 differs from the population distribution of skills due to comparative advantage.

Figure: Latent and Observed Distribution of Skill



Truncation and Censoring

Setup

$$\begin{pmatrix} Z \\ I \end{pmatrix} \sim \mathcal{N} \left(\begin{pmatrix} 0 \\ 0 \end{pmatrix}, \begin{pmatrix} 1.0 & \rho \\ \rho & 1.0 \end{pmatrix} \right)$$

Figure: Density of truncated standard Normal distribution




Figure: Expectation of truncated standard Normal distribution




Figure: Variance of truncated standard Normal distribution





Figure: Density of censored standard Normal distribution



Sorting and selection

Wage Equations

$$\ln W_1 = \ln \pi_1 + \mu_1 + U_1$$

$$\ln W_2 = \ln \pi_2 + \mu_2 + U_2,$$

where $U_i = \ln S_i - \mu_i$.

Some notation

$$\begin{aligned}\sigma^* &= \sigma_{U_1 - U_0} \\ &= \sqrt{(\sigma_{11} - \sigma_{12}) + (\sigma_{22} - \sigma_{12})}\end{aligned}$$

$$c_1^* = (\ln(\pi_1/\pi_2) + \mu_1 - \mu_2)/\sigma^*$$

$$L = U_1 - U_0$$

Selection bias

$$\begin{aligned} E[\ln W_1 \mid \ln W_1 > \ln W_2] &= \ln \pi_1 + \mu_1 + E[U_1 \mid L > -c_1^*] \\ &= \dots + E[U_1 \mid U_1 - U_0 > -c_1^*] \end{aligned}$$

- ▶ What about identification at infinity arguments?

Sorting

$$E[\ln S_1 \mid \ln W_1 > \ln W_2] = \mu_1 + \frac{\sigma_{11} - \sigma_{12}}{\sigma^*} \lambda(-c_1)$$

$$E[\ln S_2 \mid \ln W_2 > \ln W_1] = \mu_2 + \frac{\sigma_{22} - \sigma_{12}}{\sigma^*} \lambda(-c_2)$$


We know the following:

$$\sigma^* = (\sigma_{11} - \sigma_{12}) + (\sigma_{22} - \sigma_{12}) > 0$$

$$\lambda, \lambda' > 0$$

- ▶ There must be positive selection into one of the occupations and there can be positive selection into both.

Figure: Marginal Distributions of Skills



What do we know?

- ▶ There is positive selection in Sector 1 as $\sigma_{11} > \sigma_{12}$.
- ▶ There is negative selection in Sector 2 as $\sigma_{22} < \sigma_{12}$.

We gain further insights into the effect of self-selection on the distribution of earnings for workers in sector 1 by looking at the distribution of $\ln S_1$ conditional on $\ln S_2$.


$$\ln S_1 | \ln S_2 \sim \mathbb{N}(\mu, \sigma),$$

where

$$\mu = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} \left(\ln S_2 - \mu_2 \right) \quad \text{and} \quad \sigma = \sigma_{11} \left(1 - \left(\frac{\sigma_{12}}{\sigma_1 \sigma_2} \right)^2 \right)$$

Heckman Productions


Marginal Probability Density Function (PDF) of $\ln S_1$, $\ln S_2$



$$\ln S_1 = \ln(\mu_1) + U_1; \quad \ln S_2 = \ln(\mu_2) + U_2;$$

$$\begin{bmatrix} U_1 \\ U_2 \end{bmatrix} \sim N \left(\begin{bmatrix} 0 \\ 0 \end{bmatrix}, \begin{bmatrix} 4 & \sigma_{12} \\ \sigma_{12} & 1 \end{bmatrix} \right); \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & \sigma_{12} \\ \sigma_{12} & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \quad \sigma_{12} = 0.5, 1.9;$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & \sigma_{12} \\ \sigma_{12} & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 1 \\ 1 \end{bmatrix}; \quad \sigma_{12} = 0.5, 1.9;$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

$$\ln(\pi_1) = -0.5 \text{ and } \ln(\pi_2) = +0.5$$

Parameters:

$$\begin{bmatrix} \sigma_{11} \sigma_{12} \\ \sigma_{12} \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\begin{aligned} \ln S_1 &= \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1 \\ \ln(\pi_1) &= -0.5 \text{ and } \ln(\pi_1) = +0.5 \end{aligned}$$

Parameters:

$$\begin{bmatrix} \sigma_{11} \sigma_{12} \\ \sigma_{12} \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1 \\ 1 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

$$\ln(\pi_1) = -0.5 \text{ and } \ln(\pi_2) = +0.5$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1.9 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

$$\ln(\pi_1) = -0.5 \text{ and } \ln(\pi_1) = +0.5$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 1 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

$$\ln(\pi_1) = -0.5 \text{ and } \ln(\pi_2) = +0.5$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1 \\ 1 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 1 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

$$\ln(\pi_1) = -0.5 \text{ and } \ln(\pi_1) = +0.5$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1 & 1.9 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 1 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

$$\ln(\pi_1) = -0.5 \text{ and } \ln(\pi_2) = +0.5$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 1 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\begin{aligned}\ln S_1 &= \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1 \\ \ln(\pi_1) &= -0.5 \text{ and } \ln(\pi_1) = +0.5\end{aligned}$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1 \\ 1 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 1 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

$$\ln(\pi_1) = -0.5 \text{ and } \ln(\pi_1) = +0.5$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1 & 1.9 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 1 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

$$\ln(\pi_1) = -0.5 \text{ and } \ln(\pi_2) = +0.5$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 1 \\ 1 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

$$\ln(\pi_1) = -0.5 \text{ and } \ln(\pi_2) = +0.5$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1 \\ 1 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 1 \\ 1 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\begin{aligned} \ln S_1 &= \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1 \\ \ln(\pi_1) &= -0.5 \text{ and } \ln(\pi_1) = +0.5 \end{aligned}$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1 & 1.9 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 1 \\ 1 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.8 \\ 1.8 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.6 \\ 1.6 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.4 \\ 1.4 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.2 \\ 1.2 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.0 \\ 1.0 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.8 \\ 0.8 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.6 \\ 0.6 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.4 \\ 0.4 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:


$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.2 \\ 0.2 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$



Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & -0.2 \\ -0.2 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & -0.4 \\ -0.4 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.8 \\ 1.8 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} -0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.6 \\ 1.6 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} -0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$




Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.4 \\ 1.4 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} -0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.2 \\ 1.2 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} -0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$




Parameters:


$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.0 \\ 1.0 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} -0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$



Graph of $\ln S_1 = f(\ln S_2)$




Parameters:


$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.6 \\ 0.6 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} -0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$



Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.2 \\ 0.2 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} -0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0 \\ 0 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} -0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & -0.2 \\ -0.2 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} -0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & -0.4 \\ -0.4 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} -0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.8 \\ 1.8 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:


$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.6 \\ 1.6 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$


Graph of $\ln S_1 = f(\ln S_2)$



Graph of $\ln S_1 = f(\ln S_2)$



Graph of $\ln S_1 = f(\ln S_2)$




Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.0 \\ 1.0 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} -0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.8 \\ 0.8 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.6 \\ 0.6 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.4 \\ 0.4 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} -0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.2 \\ 0.2 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} -0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0 \\ 0 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & -0.2 \\ -0.2 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} 0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & -0.4 \\ -0.4 & 1 \end{bmatrix}, \begin{bmatrix} \ln \pi_1 \\ \ln \pi_2 \end{bmatrix} = \begin{bmatrix} -0.5 \\ 0 \end{bmatrix};$$

$$\mu_1 = \mu_2 = 0.$$

Graph of $\ln S_1 = f(\ln S_2)$




$\ln S_1 = \mu_1 + \frac{\sigma_{11}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$
 $\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = -8) \Rightarrow \text{Pr. of Working at Sector 1}$
 $\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = -8) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$\ln S_1 = \mu_1 + \frac{\sigma_{11}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$
 $\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = -7) \Rightarrow \text{Pr. of Working at Sector 1}$
 $\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = -7) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$
 $\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = -6) \Rightarrow \text{Pr. of Working at Sector 1}$
 $\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = -6) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = -5) \Rightarrow \text{Pr. of Working at Sector 1}$
 $\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = -5) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\begin{aligned} \ln S_1 &= \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1 \\ \text{Prob}_1 &= \Pr(W_1 > W_2 | \ln S_2 = -4) \Rightarrow \text{Pr. of Working at Sector 1} \\ \text{Prob}_2 &= \Pr(W_1 < W_2 | \ln S_2 = -4) \Rightarrow \text{Pr. of Working at Sector 2} \end{aligned}$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$
 Prob₁ = Pr ($W_1 > W_2 | \ln S_2 = -3$) \Rightarrow Pr. of Working at Sector 1
 Prob₂ = Pr ($W_1 < W_2 | \ln S_2 = -3$) \Rightarrow Pr. of Working at Sector 2

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$
 Prob₁ = Pr ($W_1 > W_2 | \ln S_2 = -2$) \Rightarrow Pr. of Working at Sector 1
 Prob₂ = Pr ($W_1 < W_2 | \ln S_2 = -2$) \Rightarrow Pr. of Working at Sector 2

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + (\sigma_{12} \sigma_{22}) \ln S_2 + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = -1) \Rightarrow \text{Pr. of Working at Sector 1}$
 $\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = -1) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\begin{aligned} \ln S_1 &= \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1 \\ \text{Prob}_1 &= \Pr(W_1 > W_2 | \ln S_2 = 0) \Rightarrow \text{Pr. of Working at Sector 1} \\ \text{Prob}_2 &= \Pr(W_1 < W_2 | \ln S_2 = 0) \Rightarrow \text{Pr. of Working at Sector 2} \end{aligned}$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\begin{aligned} \ln S_1 &= \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1 \\ \text{Prob}_1 &= \Pr(W_1 > W_2 | \ln S_2 = 1) \Rightarrow \text{Pr. of Working at Sector 1} \\ \text{Prob}_2 &= \Pr(W_1 < W_2 | \ln S_2 = 1) \Rightarrow \text{Pr. of Working at Sector 2} \end{aligned}$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\begin{aligned} \ln S_1 &= \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1 \\ \text{Prob}_1 &= \Pr(W_1 > W_2 | \ln S_2 = 2) \Rightarrow \text{Pr. of Working at Sector 1} \\ \text{Prob}_2 &= \Pr(W_1 < W_2 | \ln S_2 = 2) \Rightarrow \text{Pr. of Working at Sector 2} \end{aligned}$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\begin{aligned} \ln S_1 &= \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1 \\ \text{Prob}_1 &= \Pr(W_1 > W_2 | \ln S_2 = 3) \Rightarrow \text{Pr. of Working at Sector 1} \\ \text{Prob}_2 &= \Pr(W_1 < W_2 | \ln S_2 = 3) \Rightarrow \text{Pr. of Working at Sector 2} \end{aligned}$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\begin{aligned} \ln S_1 &= \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1 \\ \text{Prob}_1 &= \Pr(W_1 > W_2 | \ln S_2 = 4) \Rightarrow \text{Pr. of Working at Sector 1} \\ \text{Prob}_2 &= \Pr(W_1 < W_2 | \ln S_2 = 4) \Rightarrow \text{Pr. of Working at Sector 2} \end{aligned}$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\begin{aligned} \ln S_1 &= \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1 \\ \text{Prob}_1 &= \Pr(W_1 > W_2 | \ln S_2 = 5) \Rightarrow \text{Pr. of Working at Sector 1} \\ \text{Prob}_2 &= \Pr(W_1 < W_2 | \ln S_2 = 5) \Rightarrow \text{Pr. of Working at Sector 2} \end{aligned}$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\begin{aligned} \ln S_1 &= \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1 \\ \text{Prob}_1 &= \Pr(W_1 > W_2 | \ln S_2 = 6) \Rightarrow \text{Pr. of Working at Sector 1} \\ \text{Prob}_2 &= \Pr(W_1 < W_2 | \ln S_2 = 6) \Rightarrow \text{Pr. of Working at Sector 2} \end{aligned}$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\begin{aligned} \ln S_1 &= \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1 \\ \text{Prob}_1 &= \Pr(W_1 > W_2 | \ln S_2 = 7) \Rightarrow \text{Pr. of Working at Sector 1} \\ \text{Prob}_2 &= \Pr(W_1 < W_2 | \ln S_2 = 7) \Rightarrow \text{Pr. of Working at Sector 2} \end{aligned}$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\begin{aligned}\ln S_1 &= \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1 \\ \text{Prob}_1 &= \Pr(W_1 > W_2 | \ln S_2 = 8) \Rightarrow \text{Pr. of Working at Sector 1} \\ \text{Prob}_2 &= \Pr(W_1 < W_2 | \ln S_2 = 8) \Rightarrow \text{Pr. of Working at Sector 2}\end{aligned}$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 0.5 \\ 0.5 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$
 Prob₁ = Pr ($W_1 > W_2 | \ln S_2 = -8$) \Rightarrow Pr. of Working at Sector 1
 Prob₂ = Pr ($W_1 < W_2 | \ln S_2 = -8$) \Rightarrow Pr. of Working at Sector 2

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1 \\ 1 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$
 Prob $_1 = \Pr(W_1 > W_2 | \ln S_2 = -7) \Rightarrow$ Pr. of Working at Sector 1
 Prob $_2 = \Pr(W_1 < W_2 | \ln S_2 = -7) \Rightarrow$ Pr. of Working at Sector 2

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1 \\ 1 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$
 Prob₁ = Pr ($W_1 > W_2 | \ln S_2 = -6$) \Rightarrow Pr. of Working at Sector 1
 Prob₂ = Pr ($W_1 < W_2 | \ln S_2 = -6$) \Rightarrow Pr. of Working at Sector 2

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1 \\ 1 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$
 Prob₁ = Pr ($W_1 > W_2 | \ln S_2 = -5$) \Rightarrow Pr. of Working at Sector 1
 Prob₂ = Pr ($W_1 < W_2 | \ln S_2 = -5$) \Rightarrow Pr. of Working at Sector 2

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1 \\ 1 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$\ln S_1 = \mu_1 + \frac{\sigma_{11}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1$
 $\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = -4) \Rightarrow \text{Pr. of Working at Sector 1}$
 $\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = -4) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1 \\ 1 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$
 $\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = -3) \Rightarrow \text{Pr. of Working at Sector 1}$
 $\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = -3) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1 \\ 1 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$
 Prob₁ = Pr($W_1 > W_2 | \ln S_2 = -2$) \Rightarrow Pr. of Working at Sector 1
 Prob₂ = Pr($W_1 < W_2 | \ln S_2 = 2$) \Rightarrow Pr. of Working at Sector 2

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1 \\ 1 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$
 Prob₁ = Pr ($W_1 > W_2 | \ln S_2 = -1$) \Rightarrow Pr. of Working at Sector 1
 Prob₂ = Pr ($W_1 < W_2 | \ln S_2 = -1$) \Rightarrow Pr. of Working at Sector 2

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1 \\ 1 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\begin{aligned} \ln S_1 &= \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1 \\ \text{Prob}_1 &= \Pr(W_1 > W_2 | \ln S_2 = 0) \Rightarrow \text{Pr. of Working at Sector 1} \\ \text{Prob}_2 &= \Pr(W_1 < W_2 | \ln S_2 = 0) \Rightarrow \text{Pr. of Working at Sector 2} \end{aligned}$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1 \\ 1 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\begin{aligned} \ln S_1 &= \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1 \\ \text{Prob}_1 &= \Pr(W_1 > W_2 | \ln S_2 = 1) \Rightarrow \text{Pr. of Working at Sector 1} \\ \text{Prob}_2 &= \Pr(W_1 < W_2 | \ln S_2 = 1) \Rightarrow \text{Pr. of Working at Sector 2} \end{aligned}$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1 \\ 1 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$
 Prob₁ = Pr ($W_1 > W_2 | \ln S_2 = 2$) \Rightarrow Pr. of Working at Sector 1
 Prob₂ = Pr ($W_1 < W_2 | \ln S_2 = 2$) \Rightarrow Pr. of Working at Sector 2

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1 \\ 1 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$



$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$


$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = 3) \Rightarrow \text{Pr. of Working at Sector 1}$

$\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = 3) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1 \\ 1 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\begin{aligned} \ln S_1 &= \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1 \\ \text{Prob}_1 &= \Pr(W_1 > W_2 | \ln S_2 = 4) \Rightarrow \text{Pr. of Working at Sector 1} \\ \text{Prob}_2 &= \Pr(W_1 < W_2 | \ln S_2 = 4) \Rightarrow \text{Pr. of Working at Sector 2} \end{aligned}$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1 \\ 1 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\begin{aligned} \ln S_1 &= \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1 \\ \text{Prob}_1 &= \Pr(W_1 > W_2 | \ln S_2 = 5) \Rightarrow \text{Pr. of Working at Sector 1} \\ \text{Prob}_2 &= \Pr(W_1 < W_2 | \ln S_2 = 5) \Rightarrow \text{Pr. of Working at Sector 2} \end{aligned}$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1 \\ 1 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\begin{aligned} \ln S_1 &= \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1 \\ \text{Prob}_1 &= \Pr(W_1 > W_2 | \ln S_2 = 6) \Rightarrow \text{Pr. of Working at Sector 1} \\ \text{Prob}_2 &= \Pr(W_1 < W_2 | \ln S_2 = 6) \Rightarrow \text{Pr. of Working at Sector 2} \end{aligned}$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1 \\ 1 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$
 $\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = 7) \Rightarrow \text{Pr. of Working at Sector 1}$
 $\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = 7) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1 \\ 1 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$
 $\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = 8) \Rightarrow \text{Pr. of Working at Sector 1}$
 $\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = 8) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1 \\ 1 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$
 Prob₁ = Pr ($W_1 > W_2 | \ln S_2 = -8$) \Rightarrow Pr. of Working at Sector 1
 Prob₂ = Pr ($W_1 < W_2 | \ln S_2 = -8$) \Rightarrow Pr. of Working at Sector 2

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1.9 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$
 $\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = -7) \Rightarrow \text{Pr. of Working at Sector 1}$
 $\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = -7) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1.9 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$
 $\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = -6) \Rightarrow \text{Pr. of Working at Sector 1}$
 $\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = -6) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1.9 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\begin{aligned} \ln S_1 &= \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1 \\ \text{Prob}_1 &= \Pr(W_1 > W_2 | \ln S_2 = -5) \Rightarrow \text{Pr. of Working at Sector 1} \\ \text{Prob}_2 &= \Pr(W_1 < W_2 | \ln S_2 = -5) \Rightarrow \text{Pr. of Working at Sector 2} \end{aligned}$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1.9 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$
 Prob₁ = Pr ($W_1 > W_2 | \ln S_2 = -4$) \Rightarrow Pr. of Working at Sector 1
 Prob₂ = Pr ($W_1 < W_2 | \ln S_2 = -2$) \Rightarrow Pr. of Working at Sector 2

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1.9 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\begin{aligned} \ln S_1 &= \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1 \\ \text{Prob}_1 &= \Pr(W_1 > W_2 | \ln S_2 = -3) \Rightarrow \text{Pr. of Working at Sector 1} \\ \text{Prob}_2 &= \Pr(W_1 < W_2 | \ln S_2 = -3) \Rightarrow \text{Pr. of Working at Sector 2} \end{aligned}$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1.9 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$
 Prob $_1 = \Pr(W_1 > W_2 | \ln S_2 = -2) \Rightarrow$ Pr. of Working at Sector 1
 Prob $_2 = \Pr(W_1 < W_2 | \ln S_2 = -2) \Rightarrow$ Pr. of Working at Sector 2

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1.9 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$
 Prob₁ = Pr ($W_1 > W_2 | \ln S_2 = -1$) \Rightarrow Pr. of Working at Sector 1
 Prob₂ = Pr ($W_1 < W_2 | \ln S_2 = 1$) \Rightarrow Pr. of Working at Sector 2

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1.9 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\ln S_1 = \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1$$

$\text{Prob}_1 = \Pr(W_1 > W_2 | \ln S_2 = 0) \Rightarrow \text{Pr. of Working at Sector 1}$
 $\text{Prob}_2 = \Pr(W_1 < W_2 | \ln S_2 = 0) \Rightarrow \text{Pr. of Working at Sector 2}$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1.9 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\begin{aligned} \ln S_1 &= \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1 \\ \text{Prob}_1 &= \Pr(W_1 > W_2 | \ln S_2 = 1) \Rightarrow \text{Pr. of Working at Sector 1} \\ \text{Prob}_2 &= \Pr(W_1 < W_2 | \ln S_2 = 1) \Rightarrow \text{Pr. of Working at Sector 2} \end{aligned}$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1.9 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\begin{aligned} \ln S_1 &= \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1 \\ \text{Prob}_1 &= \Pr(W_1 > W_2 | \ln S_2 = 2) \Rightarrow \text{Pr. of Working at Sector 1} \\ \text{Prob}_2 &= \Pr(W_1 < W_2 | \ln S_2 = 2) \Rightarrow \text{Pr. of Working at Sector 2} \end{aligned}$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1.9 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\begin{aligned} \ln S_1 &= \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1 \\ \text{Prob}_1 &= \Pr(W_1 > W_2 | \ln S_2 = 3) \Rightarrow \text{Pr. of Working at Sector 1} \\ \text{Prob}_2 &= \Pr(W_1 < W_2 | \ln S_2 = 3) \Rightarrow \text{Pr. of Working at Sector 2} \end{aligned}$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1.9 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\begin{aligned} \ln S_1 &= \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1 \\ \text{Prob}_1 &= \Pr(W_1 > W_2 | \ln S_2 = 4) \Rightarrow \text{Pr. of Working at Sector 1} \\ \text{Prob}_2 &= \Pr(W_1 < W_2 | \ln S_2 = 4) \Rightarrow \text{Pr. of Working at Sector 2} \end{aligned}$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1.9 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$




$$\begin{aligned} \ln S_1 &= \mu_1 + \frac{\sigma_{12}}{\sigma_{22}}(\ln S_2 - \mu_2) + v_1 \\ \text{Prob}_1 &= \Pr(W_1 > W_2 | \ln S_2 = 5) \Rightarrow \text{Pr. of Working at Sector 1} \\ \text{Prob}_2 &= \Pr(W_1 < W_2 | \ln S_2 = 5) \Rightarrow \text{Pr. of Working at Sector 2} \end{aligned}$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1.9 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Graph of $\ln S_1 = f(\ln S_2)$



$$\begin{aligned} \ln S_1 &= \mu_1 + \frac{\sigma_{12}}{\sigma_{22}} (\ln S_2 - \mu_2) + v_1 \\ \text{Prob}_1 &= \Pr(W_1 > W_2 | \ln S_2 = 6) \Rightarrow \text{Pr. of Working at Sector 1} \\ \text{Prob}_2 &= \Pr(W_1 < W_2 | \ln S_2 = 6) \Rightarrow \text{Pr. of Working at Sector 2} \end{aligned}$$

Parameters:

$$\begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} = \begin{bmatrix} 4 & 1.9 \\ 1.9 & 1 \end{bmatrix}, \begin{bmatrix} \mu_1 \\ \mu_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}; \begin{bmatrix} \ln(\pi_1) \\ \ln(\pi_2) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix};$$

Change in skill prices

$$E[\ln S_1 \mid \ln W_1 > \ln W_2] = \mu_1 + \frac{\sigma_{11} - \sigma_{12}}{\sigma^*} \lambda(-c_1) > \mu_1$$

→ positive selection

$$E[\ln S_2 \mid \ln W_2 > \ln W_1] = \mu_2 + \frac{\sigma_{22} - \sigma_{12}}{\sigma^*} \lambda(-c_2) < \mu_2$$

→ negative selection

, where $c_i = \ln(\pi_i/\pi_j) + \mu_i - \mu_j$

How does the skill composition react to a change in prices?

$$\frac{E[\ln S_1 \mid \ln W_1 > \ln W_2]}{\partial \ln \pi_1} < 0$$

$$\frac{E[\ln S_2 \mid \ln W_2 > \ln W_1]}{\partial \ln \pi_2} > 0$$


- ▶ What are the underlying economics?

Importance of Assignment Mechanism

Heckman and Honore (1990) show that ...

For a log normal Roy economy, any random assignment of persons to sectors with the same proportion of persons in each sector as in the Roy economy has higher variance of log earnings provided the proportions lie strictly in the unit interval. This is true whether or not skill prices in the two economies are the same.

Choices over Time




Incarnations of the Roy Model

Original Roy model

Potential Outcomes	Cost
$W_1 = \pi_1 S_1$	$C = 0$
$W_2 = \pi_2 S_2$	

Observed Outcomes	Choice
$W = DW_1 + (1 - D)W_2$	$S = W_1 - W_2$
	$D = I[S > 0]$

Figure: Occupational sorting in the original Roy model



Extended Roy model

Potential Outcomes Cost

$$Y_1 = \mu_1(X) + U_1 \quad C = \mu_D(Z)$$


$$Y_0 = \mu_0(X) + U_0$$

Observed Outcomes Choice

$$Y = DY_1 + (1 - D)Y_0 \quad S = Y_1 - Y_0 - C$$

$$D = I[S > 0]$$

Figure: Occupational sorting in the extended Roy model



Generalized Roy model

Potential Outcomes Observed Outcome


$$Y_1 = \mu_1(X) + U_1 \qquad Y = DY_1 + (1 - D)Y_0$$

$$Y_0 = \mu_0(X) + U_0$$

Choice

$$D = I[\mu_D(X, Z) - V > 0]$$

Figure: Occupational sorting in the generalized Roy model




Appendix

References

- Carneiro, P., Heckman, J. J., & Vytlacil, E. J. (2011). Estimating marginal returns to education. *American Economic Review*, 101(6), 2754–2781.
- Heckman, J. J. (1990). Selection bias and self-selection. In J. Eatwell, M. Milgate, & P. Newman (Eds.), *Econometrics* (pp. 201–224). London: Palgrave Macmillan.
- Heckman, J. J., & Honore, B. E. (1990). The empirical content of the Roy model. *Econometrica*, 58(5), 1121–1149.

- Heckman, J. J., & Taber, C. (2010). Roy model. In L. E. Blume & S. N. Durlauf (Eds.), *Microeconomics* (pp. 221–228). London: Palgrave Macmillan.
- Roy, A. D. (1951). Some thoughts on the distribution of earnings. *Oxford Economic Papers*, 3(2), 135–146.



*E*conometrics
of *H*uman
*C*apital

Philipp Eisenhauer

Material available on



Visit us!



Parameters of Interest

Philipp Eisenhauer

Heckman (2008) sets out three tasks for us:

- ▶ Defining the Set of Hypotheticals or Counterfactuals
 - ⇒ A Scientific Theory
- ▶ Identifying Causal Parameters from Hypothetical Population Data
 - ⇒ Mathematical Analysis of Data Point or Set Identification
- ▶ Identifying Parameters from Real Data
 - ⇒ Estimation and Testing Theory

Parameters of Interest

- ▶ conventional average effects
- ▶ policy-relevant average effects
- ▶ marginal effects
- ▶ distributional effects
- ▶ effects on distributions

Setup

The Generalized Roy Model

Potential Outcomes

$$Y_1 = \mu_1(X) + U_1$$

$$Y_0 = \mu_0(X) + U_0$$

Observed Outcome

$$Y = DY_1 + (1 - D)Y_0$$

Choice


$$D = I[\mu_D(X, Z) - V > 0]$$

Useful Notation

$$P(X, Z) = \Pr(D = 1 \mid X, Z) = F_V(\mu_D(X, Z))$$

$$U_D = F_V(V)$$

Figure: First-state unobservable



Individual Heterogeneity


Individual-specific Benefit of Treatment

$$Y_1 - Y_0 = (\mu_1(X) - \mu_0(X)) + (U_1 - U_0)$$

Sources of Heterogeneity

- ▶ Difference in Observable Characteristics
- ▶ Difference in Unobservable Characteristics
 - ▶ Uncertainty
 - ▶ Private Information

Figure: Distribution of Benefits




Essential Heterogeneity

Definition: Individuals select their treatment status based on gains unobservable by the econometrician. More formally,

$$Y_1 - Y_0 \not\perp\!\!\!\perp D \quad | X = x.$$

⇒ consequences for the estimation strategy

Figure: Conditional Expectation and Essential Heterogeneity



Conventional Average Treatment Effects

Conventional Average Treatment Effects

$$B^{ATE} = E[Y_1 - Y_0]$$

$$B^{TT} = E[Y_1 - Y_0 \mid D = 1]$$

$$B^{TUT} = E[Y_1 - Y_0 \mid D = 0]$$

⇒ correspond to *extreme* policy alternatives

Selection Problem

$$\begin{aligned} E[Y | D = 1] - E[Y | D = 0] &= \underbrace{E[Y_1 - Y_0]}_{B^{ATE}} \\ &\quad + \underbrace{E[Y_1 - Y_0 | D = 1] - E[Y_1 - Y_0]}_{\text{Selection on gains}} \\ &\quad + \underbrace{E[Y_0 | D = 1] - E[Y_0 | D = 0]}_{\text{Selection on levels}} \end{aligned}$$

$$E[Y | D = 1] - E[Y | D = 0] = \underbrace{E[Y_1 - Y_0 | D = 1]}_{B^{TT}} + \underbrace{E[Y_0 | D = 1] - E[Y_0 | D = 0]}_{\text{Selection on levels}}$$

⇒ the bias depends on the parameter of interest

Figure: Distribution of Effects with Essential Heterogeneity





Figure: Distribution of Effects without Essential Heterogeneity



Policy-Relevant Average Treatment Effects

Observed Outcomes

$$Y_B = D_B Y_1 + (1 - D_B) Y_0$$

$$Y_A = D_A Y_1 + (1 - D_A) Y_0$$

Effect of Policy

$$B^{PTE} = \frac{1}{E[D_A] - E[D_B]} (E[Y_A] - E[Y_B])$$

Marginal Effect of Treatment

Marginal Benefit of Treatment

$$B^{MTE}(x, u_D) = E[Y_1 - Y_0 \mid X = x, U_D = u_D]$$

Intuition: Mean gross return to treatment for persons at quantile u_D of the first-stage unobservable V

Figure: Margin of Indifference





Figure: Marginal Benefit of Treatment



Effects of Treatment as Weighted Averages Parameter Δ_j , can be written as a weighted average of the $B^{MTE}(x, u_D)$.

$$\Delta_j(x) = \int_0^1 B^{MTE}(x, u_D) \omega^j(x, u_D) du_D,$$

where the weights $\omega^j(x, u_D)$ are specific to parameter j and integrate to one.


Weights

$$\omega^{ATE}(x, u_D) = 1$$

$$\omega^{TT}(x, u_D) = \frac{1 - F_{P|X=x}(u_D)}{E[P | X = x]}$$

$$\omega^{TUT}(x, u_D) = \frac{F_{P|X=x}(u_D)}{E[1 - P | X = x]}$$

Figure: Effects of Treatment as Weighted Averages



Local Average Treatment Effect

Local Average Treatment Effect


- ▶ **Local Average Treatment Effect:** Average effect for those induced to change treatment because of a change in the instrument.
⇒ instrument-dependent parameter

- ▶ **Marginal Treatment Effect:** Average effect for those individuals with a given unobserved desire to receive treatment.
⇒ deep economic parameter

$$B^{LATE} = \frac{E(Y | Z = z) - E[Y | Z = z']}{P(z) - P(z')}$$

$$B^{LATE}(x, u_D, u_{S'}) = \frac{1}{u_D - u_{D'}} \int_{u_D}^{u_{S'}} B^{MTE}(x, u) du,$$

Figure: Local Average Treatment Effect



Distributions of Effects

Figure: Distribution of Potential Outcomes






Figure: Distribution of Benefits and Surplus



Appendix

References

- Carneiro, P., Heckman, J. J., & Vytlacil, E. J. (2011). Estimating marginal returns to education. *American Economic Review*, 101(6), 2754–2781.
- Heckman, J. J. (1990). Selection bias and self-selection. In J. Eatwell, M. Milgate, & P. Newman (Eds.), *Econometrics* (pp. 201–224). London: Palgrave Macmillan.
- Heckman, J. J. (2008). Econometric causality. *International Statistical Review*, 76(1), 1–27.
- Heckman, J. J., & Taber, C. (2010). Roy model. In L. E. Blume & S. N. Durlauf (Eds.), *Microeconomics* (pp. 221–228). London: Palgrave Macmillan.



*E*conometrics
of *H*uman
*C*apital

Philipp Eisenhauer

Material available on



Visit us!



Estimation Strategies

Philipp Eisenhauer

Setup

The Generalized Roy Model

Potential Outcomes

$$Y_1 = \mu_1(X) + U_1$$

$$Y_0 = \mu_0(X) + U_0$$

Observed Outcome

$$Y = DY_1 + (1 - D)Y_0$$

Choice

$$D = I[\mu_D(X, Z) - V > 0]$$

Key Concept

Definition: Individuals select their treatment status based on gains unobservable by the econometrician. More formally,

$$Y_1 - Y_0 \perp\!\!\!\perp D \quad | X = x.$$

⇒ consequences for the choice of the estimation strategy

Useful Notation

$$P(X, Z) = \Pr(D = 1 \mid X, Z) = F_V(\mu_D(X, Z))$$
$$U_D = F_V(V)$$

Key Assumptions

- ▶ (U_1, U_0, V) are independent of Z conditional on X
- ▶ $\mu_D(X, Z)$ is a nondegenerate random variable conditional on X
- ▶ $0 < \Pr(D = 1 | X) < 1$
- ▶ ...

Evaluation Problem

$$Y = DY_1 + (1 - D)Y_0 = \begin{cases} Y_1 & \text{if } D = 1 \\ Y_0 & \text{if } D = 0 \end{cases}$$

Selection Problem

$$\begin{aligned} E[Y | D = 1] - E[Y | D = 0] &= \underbrace{E[Y_1 - Y_0]}_{B^{ATE}} \\ &\quad + \underbrace{E[Y_1 - Y_0 | D = 1] - E[Y_1 - Y_0]}_{\text{selection on gains}} \\ &\quad + \underbrace{E[Y_0 | D = 1] - E[Y_0 | D = 0]}_{\text{selection on levels}} \end{aligned}$$

Estimation Strategies

- ▶ Randomization
- ▶ Matching
- ▶ Instrumental Variables
 - ▶ conventional and local
- ▶ Regression Discontinuity
 - ▶ fuzzy and sharp design

Randomization

Treatment Status

D self-selected

ξ assigned

A actual

Key Identifying Assumptions

$$(Y_1, Y_0) \perp\!\!\!\perp D$$


$$(Y_1, Y_0) \perp\!\!\!\perp \xi$$

$$(Y_1, Y_0) \perp\!\!\!\perp A$$

When do we have to worry about compliance?

$$\begin{aligned}E(Y | A = 1) - E(Y | A = 0) \\&= E(Y_1 | A = 1) - E(Y_0 | A = 0) \quad (\text{by full compliance}) \\&= E(Y_1) - E(Y_0) \quad (\text{by randomization}) \\&= B^{ATE} = B^{TT} = B^{TUT}\end{aligned}$$

Figure: Distribution of Effects



What if we can only deny program participation to individuals who are willing to participate?

$$\begin{aligned}E(Y | D = 1, A = 1) - E(Y | D = 1, A = 0) \\&= E(Y_1 | D = 1, A = 1) - E(Y_0 | D = 1, A = 0) \\&= E(Y_1 | D = 1) - E(Y_0 | D = 1) \\&= B^{TT} \neq B^{ATE} \neq B^{TUT}\end{aligned}$$

Issues

- ▶ compliance
- ▶ imperfect randomization
- ▶ ethical concerns
- ▶ feasibility
- ▶ expenses
- ▶ external validity

Challenges to Scaling Experiments

- ▶ market equilibrium effects
- ▶ spillovers
- ▶ political reactions
- ▶ context dependence
- ▶ randomization or site-selection bias
- ▶ piloting bias

See Banerjee et al. (2017) for a discussion of these challenges and their attempts to address them in their work.

Matching


Key Identifying Assumption

$$(Y_1, Y_0) \perp\!\!\!\perp D | X$$

What is in the agent's and econometrician's information set?

- ▶ Heckman and Navarro-Lozano (2004) highlights the sensitivity of results to different conditioning variables.

Figure: Matching and Essential Heterogeneity



Instrumental Variables

Key Identifying Assumption

$$(Y_1, Y_0) \perp\!\!\!\perp Z | X$$

Even in the best cases, this is sometimes not as obvious as you think. See Heckman (1997) for a study of implicit behavioral assumptions used in making program evaluations.

Conventional Notation

$$Y = \alpha + \beta D + \epsilon,$$

where

$$\alpha = \mu_0$$

$$\beta = (Y_1 - Y_0) = \mu_1 - \mu_0 + (U_1 - U_0)$$

$$\epsilon = U_0$$

Assume for now that there is no treatment effect heterogeneity, i.e. $Y_1 - Y_0$ is the same for everybody. If we have access to a variable Z with the following properties

...

$$\text{cov}(Z, D) \neq 0$$

$$\text{cov}(Z, \epsilon) = 0$$

then the following holds

$$\text{plim } \hat{\beta}_{IV} = \frac{\text{cov}(Z, Y)}{\text{cov}(Z, D)} = \beta$$

What happens if β varies in the population?

- ▶ Do individuals select their treatment status based on gains?
⇒ essential heterogeneity

Let $\beta = \bar{\beta} + \eta$, where $U_1 - U_0 = \eta$, then

$$Y = \alpha + \bar{\beta}D + [\epsilon + \eta D].$$

and

$$\text{plim } \hat{\beta}_{IV} = \bar{\beta} + \frac{\text{cov}(Z, \epsilon + \eta D)}{\text{cov}(D, Z)}$$

So we cannot even learn about the mean effect of treatment unless we rule out essential heterogeneity, i.e. individuals selecting their treatment status based on gains.

Local Average Treatment Effect

- ▶ Average effect for those induced to change treatment because of a change in the instrument.
⇒ instrument-dependent parameter

$$\frac{E(Y | Z = z) - E[Y | Z = z']}{P(z) - P(z')} = \\ E(Y_1 - Y_0 | D(z) = 1, D(z') = 0)$$

Local Instrumental Variables

Local Instrumental Variable

$$\begin{aligned}\frac{\partial E(Y | P(Z) = p)}{\partial p} \Big|_{p=u_D} &= E(Y_1 - Y_0 | U_D = u_D) \\ &= B^{MTE}(u_D)\end{aligned}$$

⇒ we can only identify the $B^{MTE}(u_D)$ over the support of p in our data

Figure: Observed Outcome and Essential Heterogeneity





Figure: Identification I



Making $X = x$ explicit

$$\begin{aligned} E(Y_1 - Y_0 | X = x, U_D = u_D) \\ = (\mu_1(x) - \mu_0(x)) + E(U_1 - U_0 | X = x, U_D = u_D) \end{aligned}$$

but if we are willing to assume $(U_1 - U_0) \perp\!\!\!\perp X$ then

$$\begin{aligned} E(Y_1 - Y_0 | X = x, U_D = u_D) \\ = (\mu_1(x) - \mu_0(x)) + E(U_1 - U_0 | U_D = u_D) \end{aligned}$$

Figure: Identification II





Figure: Identification III




Effects of Treatment as Weighted Averages

Parameter Δ_j , can be written as a weighted average of the $B^{MTE}(x, u_D)$.

$$\Delta_j(x) = \int_0^1 B^{MTE}(x, u_D) \omega^j(x, u_D) du_D,$$

where the weights $\omega^j(x, u_D)$ are specific to parameter j and integrate to one.

Figure: Identification IV



Regression Discontinuity Design

Suppose $D = 1$ if $X \geq x_0$, and $D = 0$ otherwise

$$\Rightarrow \begin{cases} E(Y | X = x) = E(Y_0 | X = x) & \text{for } x < x_0 \\ E(Y | X = x) = E(Y_1 | X = x) & \text{for } x \geq x_0 \end{cases}$$

Suppose $E(Y_1 | X = x)$, $E(Y_0 | X = x)$ are continuous in x .

$$\Rightarrow \begin{cases} \lim_{\epsilon \searrow 0} E(Y_0 | X = x_0 - \epsilon) = E(Y_0 | X = x_0) \\ \lim_{\epsilon \searrow 0} E(Y_1 | X = x_0 + \epsilon) = E(Y_1 | X = x_0) \end{cases}$$

$$\begin{aligned}& \lim_{\epsilon \searrow 0} E(Y | X = x_0 + \epsilon) - \lim_{\epsilon \searrow 0} E(Y | X = x_0 - \epsilon) \\&= \lim_{\epsilon \searrow 0} E(Y_1 | X = x_0 + \epsilon) - \lim_{\epsilon \searrow 0} E(Y_0 | X = x_0 - \epsilon) \\&= E(Y_1 | X = x_0) - E(Y_0 | X = x_0) \\&= E(Y_1 - Y_0 | X = x_0)\end{aligned}$$

Figure: Probability




Figure: Observed Outcome in a Sharp Design





Figure: Observed Outcome in a Fuzzy Design




Conclusion

Appendix

References

- Banerjee, A., Banerji, R., Berry, J., Duflo, E., Kannan, H., Mukerji, S., ... Walton, M. (2017). From proof of concept to scalable policies: Challenges and solutions, with an application. *Journal of Economic Perspectives*, 31(4), 73–102.
- Carneiro, P., Heckman, J. J., & Vytlacil, E. J. (2011). Estimating marginal returns to education. *American Economic Review*, 101(6), 2754–2781.
- Heckman, J. J. (1990). Selection bias and self-selection. In J. Eatwell, M. Milgate, & P. Newman (Eds.), *Econometrics* (pp. 201–224). London: Palgrave Macmillan.

- Heckman, J. J. (1997). Instrumental variables: A study of implicit behavioral assumptions used in making program evaluations. *The Journal of Human Resources*, 32(3), 441.
- Heckman, J. J., & Navarro-Lozano, S. (2004). Using matching, instrumental variables, and control functions to estimate economic choice models. *Review of Economics and Statistics*, 86(1), 30–57.
- Heckman, J. J., & Taber, C. (2010). Roy model. In L. E. Blume & S. N. Durlauf (Eds.), *Microeconomics* (pp. 221–228). London: Palgrave Macmillan.



*E*conometrics
of *H*uman
*C*apital

Philipp Eisenhauer

Material available on



Visit us!



Monte Carlo Exploration

Philipp Eisenhauer

Introduction

The Econometrics of Policy Evaluation

- ▶ is important
- ▶ is complicated
- ▶ is multifaceted

Fundamental Problems

- ▶ Evaluation Problem
- ▶ Selection problem
 - ▶ Essential Heterogeneity

Objects of Interest

- ▶ Conventional Average Treatment Effects
- ▶ Policy-Relevant Average Treatment Effects
- ▶ Local Average Treatment Effect
- ▶ Marginal Effect of Treatment
- ▶ Distribution of Effects
- ▶ Effects on Distribution

Identification Strategies

- ▶ Random Assignment
- ▶ Matching
- ▶ Control Functions and Extensions
- ▶ Instrumental Variables

Generalized Roy Model

Potential Outcomes *Cost*

$$Y_1 = \beta_1 X + U_1 \quad C = \gamma Z + U_C$$

$$Y_0 = \beta_0 X + U_0$$

Observed Outcomes *Choice*

$$Y = DY_1 + (1 - D)Y_0 \quad S = Y_1 - Y_0 - C$$

$$D = I[S > 0]$$

Monte Carlo Exploration

We will touch on all these issues in a Monte Carlo exercise using the **grmpy** package. The notebook is available on the course website.

Appendix

References

- Carneiro, P., Heckman, J. J., & Vytlacil, E. J. (2011). Estimating marginal returns to education. *American Economic Review*, 101(6), 2754–2781.
- Heckman, J. J. (1990). Selection bias and self-selection. In J. Eatwell, M. Milgate, & P. Newman (Eds.), *Econometrics* (pp. 201–224). London: Palgrave Macmillan.
- Heckman, J. J., & Taber, C. (2010). Roy model. In L. E. Blume & S. N. Durlauf (Eds.), *Microeconomics* (pp. 221–228). London: Palgrave Macmillan.