



FRONT INPUT SUPPORT PLATE
C2.1 S2 - RFQ / REVIEW ONLY - NOT RELEASED FOR CUTTING




UNITS: mm | ALL DIMENSIONS NOMINAL | DATUM/FIT/GD&T/TOLERANCE: HOLD | MATERIAL/GRADE/HEAT TREATMENT/FINISH: HOLD
Verify bearing/shaft MPN, measured fits, S1 clearance, fasteners and frame stack before fabrication.

REAR OUTPUT SUPPORT PLATE
C2.1 S2 - RFQ / REVIEW ONLY - NOT RELEASED FOR CUTTING



UNITS: mm | ALL DIMENSIONS NOMINAL | DATUM/FIT/GD&T/TOLERANCE: HOLD | MATERIAL/GRADE/HEAT TREATMENT/FINISH: HOLD
Verify bearing/shaft MPN, measured fits, S1 clearance, fasteners and frame stack before fabrication.

FRONT / REAR FIXED RING PLATE
C2.1 S2 - RFQ / REVIEW ONLY - NOT RELEASED FOR CUTTING



UNITS: mm | ALL DIMENSIONS NOMINAL | DATUM/FIT/GD&T/TOLERANCE: HOLD | MATERIAL/GRADE/HEAT TREATMENT/FINISH: HOLD
Tie rods: DIA 8 x 140 NOM, qty 4. Verify reaction load, pin retention, flatness and guard interface before fabrication.