

VARP K26 evidence index

Claim-separated manifest. Hashes bind entries to the release snapshot.

E01 — graph-derived + analytical

`experiments/gemma3_1b/trace_manifest.json`

Supports: Hashed ONNX graph/token ledger and replay provenance

Does not support: End-to-end model execution or hardware latency

SHA-256: 3a274321062648bd08298617ca7681bd04bf1d39467257b5aebae09b7cdfb6d2 · 3340 bytes

E02 — graph-derived

`experiments/gemma3_1b/projection_trace.csv`

Supports: 183 dense projection nodes and source tensor geometry

Does not support: Measured execution time

SHA-256: d0948d20ce56daf43edc2ff61a405797df9980bbe86dff91ba9d2f1cfb100c4 · 79394 bytes

E03 — RTL-simulated bounded extract

`evidence/model/gemma3_1b_rtl_tile_parity.csv`

Supports: Three actual-weight 16x4 INT8 tiles match software references

Does not support: Full-model RTL inference or global quantization accuracy

SHA-256: 2190f50a7a260b27514da4e842740e08236601920819f25aed85c76c5efa9861 · 589 bytes

E04 — RTL-simulated

`evidence/waveforms/work_stealing_events.csv`

Supports: Scheduler-to-real-MatVec event timeline for the bounded case

Does not support: System throughput or board timing

SHA-256: 9ce1ec5dd0c485029f495151df034d908da1a85fff82d6af47f6507a26b6fe8f · 15791 bytes

E05 — analytical model

`results/experiments/scheduler_controlled.csv`

Supports: Controlled six-policy comparisons across five seeds and three runs

Does not support: RTL cycle performance or physical speedup

SHA-256: a125ceb4e2d49ac9235c2ee44a130f2ca12129b02ee6ee02d67cbda66c3f8ebd · 380958 bytes

E06 — hybrid modeled

`results/model_level/gemma3_1b_hybrid.csv`

Supports: Projection-model plus disclosed host fallback arithmetic

Does not support: Measured end-to-end accelerator latency

SHA-256: 527b5ecb7e8d4381678607b47d22a2df5a6c4445614624fce703c5ea713ed983 · 6163
bytes

E07 — estimated energy

results/power_cost/energy_category_model.csv

Supports: Compute/link/DRAM energy sensitivity ranges

Does not support: Vivado or board power

SHA-256: 8fe5a7c70dd0c34f313e81872dd337a3cc529d0e5ea328eb7bc211fc4781c492 · 4692 bytes

E08 — current price snapshot + arithmetic

cost/cost_sensitivity.csv

Supports: Memory-package/die cost sensitivity only

Does not support: Full FPGA/board/system price

SHA-256: 5f2c9f32b96cf023b2d5353355a627bd7d7e829ce274f1568faa96281865c4a1 · 3457 bytes

E09 — native KiCad

hardware/kicad/k26_reports/k26_scope_manifest.json

Supports: Internal proposal-coupon ERC/DRC/parity status

Does not support: Fabrication readiness, SI/PI, or compliance

SHA-256: 7dc8ebf6d5e63205b31fdf8510b35ca52b20942b1926419bd64aee37c8fd0caf · 1057 bytes

E10 — controlled review

hardware/kicad/controlled_review.md

Supports: Native and analyzer findings with explicit overrides

Does not support: Production pinout, thermal closure, or EMC pass

SHA-256: 4e497fc5a83e4ce43f63705afcf7d9a1f3e5e67cd39162345c5fe577f353550 · 10256 bytes

E11 — toolchain contract

docs/toolchain/COMPATIBILITY_MATRIX.md

Supports: Required tools and explicit missing-tool consequences

Does not support: Host-specific tool availability or successful design execution

SHA-256: 961bee51ff6725adbf2ba68e3d36f841e352d6f54f852fd46c7fed5c8a934689 · 1085 bytes

E12 — asset QA

build/publication_assets/validation_report.json

Supports: Figure/flow/presentation asset validation

Does not support: Scientific validation of the underlying models

SHA-256: 9bb5ebf57fa2c25a83b336ef0f902dc7efbd2d2ddab8e8f636cf0f81dca7f594 · 672 bytes