aineva.it
Friday 28.02.2025
Published 27 02 2025, 17:00

AINEVA • EAWS European Avalanche Warning Services

1 low	2 moderate	3 considerable	4 high	5 very high

Danger Level 3 - Considerable

3 / **2** 1800m

Tendency: Constant avalanche danger
on Saturday 01 03 2025

New snow
1800m
Snowpack stability: poor
Frequency: some
Avalanche size: large

Wind slab
1800m
Snowpack stability: poor
Frequency: some
Avalanche size: large

New snow
1800m
Snowpack stability: fair
Frequency: some
Avalanche size: medium

Over a wide area heavy snowfall.
In the regions exposed to heavier precipitation the avalanche prone locations are more prevalent.

The avalanche prone locations are to be found in particular at the base of rock walls and behind abrupt changes in the terrain and adjacent to ridgelines and in gullies and bowls. In particular on steep slopes the avalanches can be released in deep layers of the snowpack. Avalanches can be released by a single winter sport participant.

Snowpack

As a consequence of new snow and wind, wind slabs will form.
The wind slabs have bonded poorly with the old snowpack. Precarious weak layers exist in the snowpack.

Tendency

Over a wide area a little new snow.

Danger Level 2 - Moderate

2
1 1800m

Tendency: Constant avalanche danger
on Saturday 01 03 2025

New snow

1800m

Snowpack stability: fair
Frequency: some
Avalanche size: medium

Wind slab

1800m

Snowpack stability: fair
Frequency: some
Avalanche size: medium

Over a wide area new snow.
In the regions exposed to heavier precipitation the avalanche prone locations are more prevalent.

The avalanche prone locations are to be found in particular adjacent to ridgelines and in gullies and bowls and at transitions from a shallow to a deep snowpack. Avalanches can be released by large loads.

Snowpack

Weak layers exist in the snowpack.

Tendency

Over a wide area a little new snow.