


Danger Level 2 - Moderate



As a consequence of warming, the activity of small moist and wet avalanches will increase.

Outgoing longwave radiation during the night will be good. The surface of the snowpack has frozen to form a strong crust and will soften during the day. A few gliding avalanches and moist snow slides are possible.


Snowpack

Danger patterns dp.2: gliding snow dp.10: springtime scenario

As a consequence of warming during the day, the likelihood of moist loose snow avalanches being released will increase a little in particular on steep grassy slopes in all altitude zones.



Danger Level 2 - Moderate



Wind slabs and wet snow represent the main danger. As a consequence of a strong wind, easily released wind slabs formed in particular adjacent to ridgelines on south, east and west facing slopes.

The avalanche prone locations are clearly recognisable to the trained eye, especially adjacent to ridgelines, in particular in the central part of the main Alpine ridge. Weak layers exist in the snowpack in shady places that are protected from the wind. Dry avalanches can still be released, mostly by large loads.


Snowpack

Danger patterns dp.1: deep persistent weak layer dp.10: springtime scenario

Large-grained weak layers exist in the snowpack on shady slopes. This applies especially at transitions from a shallow to a deep snowpack, when entering gullies and bowls for example.



Danger Level 1 - Low



Moist and wet snow slides and small avalanches are possible in isolated cases.

Individual small moist and wet avalanches are possible.

Snowpack

Danger patterns dp.10: springtime scenario dp.2: gliding snow

