


Danger Level 3 - Considerable



Considerable avalanche danger will prevail. Backcountry touring calls for great caution and restraint.

The new snow and wind slabs must be evaluated with care and prudence. In particular in the regions exposed to heavier precipitation more large to very large avalanches are possible. The avalanche prone locations are to be found in particular at the base of rock walls and behind abrupt changes in the terrain and adjacent to ridgelines and in gullies and bowls. Avalanches can be released in deep layers of the snowpack.

Gliding avalanches can also occur. This applies in particular on sunny slopes.
The avalanches can be released by small loads.

Snowpack


As a consequence of new snow and wind, wind slabs formed. Over a wide area new snow is lying on a wet old snowpack.

Tendency

The weather will be clear.
Outgoing longwave radiation during the night will be quite good. As a consequence of falling temperatures a crust will form on the surface during the next few days.



Danger Level 3 - Considerable



Considerable avalanche danger will prevail. Backcountry touring calls for great caution and restraint.

The new snow and wind slabs must be evaluated with care and prudence. The avalanche prone locations are to be found in particular at the base of rock walls and behind abrupt changes in the terrain and adjacent to ridgelines and in gullies and bowls. Avalanches can be released in deep layers of the snowpack. Gliding avalanches can also occur.
The avalanches can be released by small loads.

Snowpack

As a consequence of new snow and wind, wind slabs formed. Over a wide area new snow is lying on a wet old snowpack.

Tendency

The weather will be clear.
Outgoing longwave radiation during the night will be quite good. As a consequence of falling temperatures a crust will form on the surface during the next few days.



Danger Level 2 - Moderate



Treeline

Tendency: Constant avalanche danger →
on Wednesday 19 03 2025



New snow



Treeline

Snowpack stability: **fair**

Frequency: **some**

Avalanche size: **medium**



Wind slab



Treeline

Snowpack stability: **fair**

Frequency: **some**

Avalanche size: **medium**

The new snow and wind slabs must be evaluated with care and prudence and generally at intermediate and high altitudes.

The avalanche prone locations are to be found in particular at the base of rock walls and behind abrupt changes in the terrain and adjacent to ridgelines and in gullies and bowls. Avalanches can be released in deep layers of the snowpack. Gliding avalanches can also occur.

The avalanches can be released by large loads.

Snowpack

As a consequence of new snow and wind, wind slabs formed. Over a wide area new snow is lying on a wet old snowpack.

Tendency

The weather will be clear.

Outgoing longwave radiation during the night will be quite good. As a consequence of falling temperatures a crust will form on the surface during the next few days.

