Tuesday 27.01.2026

Published 26 01 2026, 17:00



1	2	3	4	5
low	moderate	considerable	high	very high

Tuesday 27.01.2026

Published 26 01 2026, 17:00

Danger Level 3 - Considerable





1400m

Tendency: Increasing avalanche danger
on Wednesday 28 01 2026

Wind slab

Persistent
weak layer

Wind slab

A lot of snow has fallen. Considerable avalanche danger will prevail.

The new snow and wind slabs of the last two days are bonding poorly with the old snowpack in many places. The avalanche prone locations are to be found in particular adjacent to ridgelines and in gullies and bowls and at transitions from a shallow to a deep snowpack. In particular on steep shady slopes the avalanches can be released in deep layers of the snowpack. The fresh wind slabs can be released, even by a single winter sport participant. Shooting cracks when stepping on the snowpack and whumpfing sounds can indicate the danger.

Snowpack

Danger patterns dp.5: snowfall after a long period of cold | dp.1: deep persistent weak layer

As a consequence of snowfall and the wind, a treacherous avalanche situation developed. New snow and wind slabs are lying on a weakly bonded old snowpack. Numerous weak layers exist in the old snowpack. They are to be found in particular on shady slopes. The snowpack will be subject to considerable local variations.

Tendency

Over a wide area intensive precipitation above approximately 1200 m. The wind will be moderate to strong. The meteorological conditions will cause a rise in the avalanche danger.

Danger Level 2 - Moderate



1400m

Tendency: Increasing avalanche danger
on Wednesday 28 01 2026



Wind slab

1400m

Persistent
weak layer

1400m

In regions exposed to heavier precipitation the avalanche prone locations are more widespread.

In the regions exposed to heavier precipitation caution is to be exercised in particular. The new snow and wind slabs of the last two days are bonding poorly with the old snowpack in many places. The avalanche prone locations are to be found in particular adjacent to ridgelines and in gullies and bowls and at transitions from a shallow to a deep snowpack. In particular on steep shady slopes the avalanches can be released in deep layers of the snowpack.

Snowpack

Danger patterns dp.5: snowfall after a long period of cold | dp.1: deep persistent weak layer

New snow and wind slabs are lying on a weakly bonded old snowpack. Numerous weak layers exist in the old snowpack. They are to be found in particular on shady slopes. The snowpack will be subject to considerable local variations.

Tendency

Over a wide area intensive precipitation above approximately 1200 m. The wind will be moderate to strong. The meteorological conditions will cause a rise in the avalanche danger.