



## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Tuesday 23 12 2025



Persistent  
weak layer



Individual avalanche prone locations are to be found on shady slopes at elevated altitudes.

In isolated cases avalanches can be triggered in the weakly bonded old snow. Such avalanche prone locations are to be found in particular on extremely steep shady slopes above approximately 2600 m. Mostly avalanches are small.

The old wind slabs are now only very rarely prone to triggering, caution is to be exercised adjacent to ridgelines and in gullies and bowls at elevated altitudes.

Apart from the danger of being buried, restraint should be exercised in particular in view of the danger of avalanches sweeping people along and giving rise to falls.

### Snowpack

Shady slopes above approximately 2600 m: Faceted weak layers exist in the bottom section of the snowpack.

All aspects below approximately 2600 m: The snowpack is largely stable and its surface has a crust.

The snowpack will be subject to considerable local variations. Less snow than usual is lying in all altitude zones.

### Tendency

Low avalanche danger will prevail.



## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Tuesday 23 12 2025

### Low avalanche danger will prevail.

Avalanches can scarcely be released. Very isolated avalanche prone locations are to be found on very steep shady slopes at elevated altitudes.

Apart from the danger of being buried, restraint should be exercised in particular in view of the danger of avalanches sweeping people along and giving rise to falls.

### Snowpack

The snowpack will be in most cases stable. Outgoing longwave radiation during the night will be reduced at times.

Only a little snow is lying.

### Tendency

Low avalanche danger will prevail.

