


Danger Level 2 - Moderate



Tendency: Constant avalanche danger →
on Saturday 17 01 2026



Persistent
weak layer



2200m



Wind slab



2100m

The wind slabs are lying on top of a weakly bonded old snowpack.

Older wind slabs can be released by a single winter sport participant. Places where weaknesses exist in the old snowpack are especially precarious. These places are barely recognisable, even to the trained eye, caution is to be exercised at transitions from a shallow to a deep snowpack.

The avalanches can be released in the weakly bonded old snow and reach large size in isolated cases, especially on very steep northeast, north and northwest facing slopes at the base of rock walls and behind abrupt changes in the terrain.

Backcountry touring calls for meticulous route selection. Whumpfung sounds and the formation of shooting cracks when stepping on the snowpack indicate the danger. Maintaining distances between individuals and one-at-a-time descents are recommended.

Snowpack

Danger patterns

dp.1: deep persistent weak layer

dp.6: cold, loose snow and wind


Wind slabs are lying on top of a weakly bonded old snowpack especially on east to north to northwest facing aspects above approximately 2200 m. At higher altitudes snow depths vary greatly, depending on the influence of the wind. On the windward slopes, ridges, hills and crests are heavily eroded.

Tendency

A little new snow above approximately 1200 m. The wind will be moderate at times.



Danger Level 2 - Moderate



The wind slabs are lying on top of a weakly bonded old snowpack.

The more recent wind slabs can be released by a single winter sport participant in some cases above approximately 2200 m. Especially places where weaknesses exist in the old snowpack are unfavourable. These places are barely recognisable, even to the trained eye.

Caution is to be exercised at transitions from a shallow to a deep snowpack, especially on very steep northeast, north and northwest facing slopes at the base of rock walls and behind abrupt changes in the terrain. Here the avalanches can be triggered in the weakly bonded old snow and reach medium size. Backcountry touring calls for meticulous route selection. Maintaining distances between individuals and one-at-a-time descents are recommended.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

dp.1: deep persistent weak layer

Wind slabs are lying on top of a weakly bonded old snowpack especially on east to north to northwest facing aspects above approximately 2200 m. In particular at higher altitudes snow depths vary greatly, depending on the influence of the wind. On the windward slopes, ridges, hills and crests are heavily eroded. Evening and night: Some snow will fall. The wind will be moderate at times.

Tendency

10 to 20 cm of snow, and even more in some localities, will fall on Saturday above approximately 1200 m. Moderate southeasterly wind.

