
# Wednesday 26.03.2025


Updated 25 03 2025, 17:29



#### **AM**



#### PM








## Wednesday 26.03.2025

Updated 25 03 2025, 17:29



### **Danger Level 3 - Considerable**



Wind slabs represent the main danger. Weak layers in the old snowpack are treacherous. Moist and wet avalanches require caution.

Several medium-sized and, in isolated cases, large slab avalanches are possible in particular on wind-loaded slopes.

Weak layers in the old snowpack can still be released in some places by individual winter sport participants. From early morning the likelihood of natural moist avalanches being released will increase gradually below approximately 2600 m.

The avalanche prone locations are to be found in particular on steep, little used slopes above approximately 1700 m. The avalanche prone locations are barely recognisable, even to the trained eye. The current avalanche situation calls for great caution and restraint.

### Snowpack

**Danger patterns** 

( dp.5: snowfall after a long period of cold )

( dp.10: springtime scenario )

The wind slabs of last week are poorly bonded with the old snowpack.

Precarious weak layers exist deep in the old snowpack on little used shady slopes.

In addition the danger of moist and wet avalanches will increase as the day progresses.

**Trentino** Page 2



### aineva.it

# Wednesday 26.03.2025

Updated 25 03 2025, 17:29



# Tendency

Thursday: The avalanche danger will persist.



## Wednesday 26.03.2025

Updated 25 03 2025, 17:29



### **Danger Level 2 - Moderate**


AM:





**Tendency: Constant avalanche danger** on Thursday 27 03 2025





Snowpack stability: poor Frequency: few

Avalanche size: small

PM:





**Tendency: Constant avalanche danger** on Thursday 27 03 2025





Snowpack stability: poor

Frequency: some Avalanche size: medium

Moist and wet avalanches require caution. Weak layers in the old snowpack are treacherous.

From early morning the likelihood of natural moist avalanches being released will increase gradually in all altitude zones.

Weak layers in the old snowpack can still be released in some places by individual winter sport participants. The avalanche prone locations are to be found in particular on steep, little used slopes above approximately 1700 m. The current avalanche situation calls for careful route selection.

#### Snowpack

**Danger patterns** 

dp.10: springtime scenario

As a consequence of warming during the day and solar radiation there will be an increase in the danger of moist and wet avalanches to level 2 (moderate).

Precarious weak layers exist deep in the old snowpack on little used shady slopes.

### **Tendency**

Thursday: The avalanche danger will persist.

**Trentino** Page 4

