Sunday 03.05.2026

Published 02 05 2026, 17:00

AM



PM



1	2	3	4	5
low	moderate	considerable	high	very high

Danger Level 2 - Moderate



2700m

Tendency: Increasing avalanche danger
on Monday 04 05 2026

Wet snow

2700m

The avalanche bulletin for the 2025-26 season ends today. We'll continue to keep you updated with the Aineva blogs - https://bollettini.aineva.it/blog. Moist and wet avalanches are the main danger.

The Avalanche Warning Service currently has only a small amount of information, so that the avalanche danger should be investigated especially thoroughly in the relevant locality.
On Sunday it will be cloudy. Uncertain surface refreezing of snow is possible. This will be localized and influenced by the thickness and altitude of clouds overnight. This variable could impact hiking. The surface of the snowpack will freeze to form a strong crust only at high altitudes and will soften during the day.
The danger of moist and wet avalanches will increase but remain within the current danger level. As a consequence of warming during the day more wet snow slides and avalanches are possible as the day progresses, even medium-sized ones, caution is to be exercised in particular on extremely steep north facing slopes below approximately 3100 m, and on very steep east, south and west facing slopes at intermediate and high altitudes. Restraint should be exercised because avalanches can sweep people along and give rise to falls.

Snowpack

Danger patterns dp.10: springtime scenario

In the last few days the weather was mild. This situation gave rise to increasing moistening of the snowpack below approximately 2900 m.
As a consequence of highly fluctuating temperatures the snowpack consolidated. On extremely steep slopes only isolated avalanches were reported.
The amount of snow is subject to significant local variations.
Especially on sunny slopes below approximately 2600 m no snow is lying. On shady slopes below the tree line hardly any snow is lying. On shady slopes above the tree line snow depths vary greatly, depending on the infuence of the wind.
Individual weak layers exist in the bottom section of the snowpack in particular in high Alpine regions.

Tendency

Unsettled weather from Monday to Wednesday. Slight increase in danger of dry and wet avalanches as a consequence of new snow and wind. By Wednesday mostly small wind slabs will form in particular in high

> Alpine regions. Individual avalanche prone locations for dry avalanches are to be found adjacent to ridgelines and in pass areas. Restraint should be exercised because avalanches can sweep people along and give rise to falls.
> As a consequence of warming during the day wet snow slides and avalanches are possible as the day progresses, even medium-sized ones.

Danger Level 2 - Moderate





Tendency: Constant avalanche danger
on Monday 04 05 2026

Wet loose snow avalanches are the main danger.

Below approximately 2200 m less snow than usual is lying.
A clear night will be followed in the early morning by quite favourable conditions generally, but the danger of wet and gliding avalanches will increase later. As a consequence of warming during the day and the solar radiation, the likelihood of wet avalanches being released will increase gradually in particular on steep slopes above approximately 2300 m. During the morning as well, individual, then as the day progresses more wet and gliding avalanches are possible. The avalanche danger will increase but remain within the current danger level. Mostly the wet avalanches are rather small. Especially on very steep slopes medium-sized avalanches must be expected in isolated cases.
The avalanche prone locations are to be found in particular on very steep shady slopes above approximately 2300 m. In particular bases of rock walls are precarious.
Backcountry tours, off-piste skiing and ascents to alpine cabins should be started and concluded early.
As the temperature drops there will be a gradual decrease in the avalanche danger towards the evening.
Weak layers in the lower part of the snowpack can be released in isolated cases and mostly by large additional loads on shady slopes. In particular on very steep shady slopes only isolated small to medium-sized avalanches are possible.

Snowpack

Danger patterns dp.10: springtime scenario

Outgoing longwave radiation during the night will be good. The snowpack is moist and its surface has a strong melt-freeze crust.
The weather will be very mild over a wide area. These conditions will cause a very rapid weakening of the snowpack. Sunshine and high temperatures will give rise as the day progresses to a loss of strength within the snowpack over a wide area. The surface of the snowpack will already soften in the late morning.

Danger Level 2 - Moderate



2 / 1 — 2400m

Tendency: Increasing avalanche danger
on Monday 04 05 2026

Wet snow — 2400m

Wet snow — 2700m

The avalanche bulletin for the 2025-26 season ends today. We'll continue to keep you updated with the Aineva blogs - https://bollettini.aineva.it/blog. Moist and wet avalanches are the main danger.

The Avalanche Warning Service currently has only a small amount of information, so that the avalanche danger should be investigated especially thoroughly in the relevant locality.
On Sunday it will be cloudy. Uncertain surface refreezing of snow is possible. This will be localized and influenced by the thickness and altitude of clouds overnight. This variable could impact hiking. The surface of the snowpack will freeze to form a strong crust only at high altitudes and will soften during the day.
The danger of moist and wet avalanches will increase but remain within the current danger level. As a consequence of warming during the day more wet snow slides and avalanches are possible as the day progresses, even medium-sized ones, caution is to be exercised in particular on extremely steep north facing slopes below approximately 3100 m, and on very steep east, south and west facing slopes at intermediate and high altitudes. Restraint should be exercised because avalanches can sweep people along and give rise to falls.

Snowpack

Danger patterns dp.10: springtime scenario

In the last few days the weather was mild. This situation gave rise to increasing moistening of the snowpack below approximately 2900 m.
As a consequence of highly fluctuating temperatures the snowpack consolidated. On extremely steep slopes only isolated avalanches were reported.
The amount of snow is subject to significant local variations.
Especially on sunny slopes below approximately 2600 m no snow is lying. On shady slopes below the tree line hardly any snow is lying. On shady slopes above the tree line snow depths vary greatly, depending on the infuence of the wind.
Individual weak layers exist in the bottom section of the snowpack in particular in high Alpine regions.

Tendency

Unsettled weather from Monday to Wednesday. Slight increase in danger of dry and wet avalanches as a consequence of new snow and wind. By Wednesday mostly small wind slabs will form in particular in high Alpine regions. Individual avalanche prone locations for dry avalanches are to be found adjacent to ridgelines and in pass areas. Restraint should be exercised because avalanches can sweep people along and give rise to falls.
As a consequence of warming during the day wet snow slides and avalanches are possible as the day progresses, even medium-sized ones.

Danger Level 2 - Moderate

AM:



Tendency: Constant avalanche danger
on Monday 04 05 2026



Persistent weak layer





Wet snow



PM:





Tendency: Constant avalanche danger
on Monday 04 05 2026

Persistent weak layer





Wet snow



The surface of the snowpack will freeze to form a strong crust and will soften during the day. Isolated avalanche prone weak layers exist in the bottom section of the snowpack on shady slopes.

The avalanche prone locations for dry avalanches are to be found on steep shady slopes above approximately 2800 m.
As a consequence of warming during the day and the solar radiation, the likelihood of wet avalanches being released will increase in particular on steep shady slopes below approximately 2800 m. Medium-sized avalanches are possible.

Snowpack

Danger patterns dp.1: deep persistent weak layer | dp.10: springtime scenario

The surface of the snowpack will soften during the day.
Steep shady slopes above approximately 2800 m: Isolated avalanche prone weak layers exist in the bottom section of the old snowpack.
Below approximately 2200 m from a snow sport perspective, in most cases insufficient snow is lying.

Danger Level 2 - Moderate

AM:



Tendency: Constant avalanche danger
on Monday 04 05 2026

PM:





Tendency: Constant avalanche danger
on Monday 04 05 2026


Wet snow





The danger of moist and wet avalanches will increase during the day.

The Avalanche Warning Service currently has only a small amount of information, so that the avalanche danger should be investigated especially thoroughly in the relevant locality.

The surface of the snowpack has frozen to form a strong crust will soften during the day. As the day progresses as a consequence of warming during the day and solar radiation there will be a gradual increase in the avalanche danger. Only isolated wet snow slides and avalanches are possible. This applies in particular on very steep sunny slopes in high Alpine regions.

Apart from the danger of being buried, restraint should be exercised as well in view of the danger of avalanches sweeping people along and giving rise to falls. Backcountry tours should be started and concluded early.

Snowpack

Danger patterns dp.10: springtime scenario

Above approximately 3500 m, shady slopes: The snowpack is dry and its surface consists of loosely bonded snow lying on a crust that is strong in many cases. This applies in particular in the early morning. Below approximately 2800 m: The snowpack is fairly homogeneous and its surface has a melt-freeze crust. After a clear night this applies in particular.
The high temperatures as the day progresses will give rise to increasing moistening of the snowpack.
In particular on steep sunny slopes below approximately 2500 m only a little snow is lying.

Danger Level 2 - Moderate

AM:



1

Tendency: Constant avalanche danger
on Monday 04 05 2026

Persistent weak layer

2800m

PM:



2
1
2600m

Tendency: Constant avalanche danger
on Monday 04 05 2026

Wet snow

2600m

Persistent weak layer

2800m

Weak layers in the old snowpack necessitate caution. Wet snow is to be evaluated critically.

As the day progresses as a consequence of warming there will be a gradual increase in the avalanche danger. On very steep slopes the moist avalanches can be released naturally and reach medium size in isolated cases.
As a consequence of wind, wind slabs formed on Friday at high altitude. Individual avalanche prone locations are to be found on very steep shady slopes above approximately 2600 m.
Avalanches can be released, mostly by large loads and reach medium size.

Snowpack

Danger patterns dp.10: springtime scenario

Below approximately 2500 m a little snow is lying. The spring-like weather conditions will give rise to rapid moistening of the snowpack. The surface of the snowpack will freeze to form a strong crust only at high altitudes and will soften quickly.
Steep northwest, north and northeast facing slopes above approximately 2500 m: Faceted weak layers exist in the bottom section of the old snowpack.

Tendency

The early morning will see favourable conditions generally. Increase in danger of wet avalanches as a

> consequence of warming during the day and solar radiation.

Danger Level 1 - Low



1

Tendency: Constant avalanche danger
on Monday 04 05 2026

Low avalanche danger will prevail.

The danger of moist and wet avalanches will already exist in the early morning. From origins in starting zones where no previous releases have taken place individual wet avalanches are possible, but they will be mostly small.
Caution is to be exercised on extremely steep shady slopes.

Snowpack

Danger patterns dp.10: springtime scenario

Above approximately 2000 m thus far only a little snow is lying. This applies in gullies and bowls on shady slopes. Outgoing longwave radiation during the night will be barely evident over a wide area. The surface of the snowpack will soften quickly.

Tendency

Low avalanche danger will prevail.

Danger Level 1 - Low



1

Tendency: Constant avalanche danger
on Monday 04 05 2026

Wet snow

Wet and gliding snow require caution.

Error: Incomplete joker sentence

Snowpack

Danger patterns dp.10: springtime scenario

The Avalanche Warning Service currently has only a small amount of information about the snowpack. The surface of the snowpack will soften quickly. The snowpack will become wet all the way through over a wide area.

Danger Level 1 - Low



Tendency: Constant avalanche danger
on Monday 04 05 2026





The surface of the snowpack will freeze to form a strong crust only at high altitudes and will already soften in the late morning.

The surface of the snowpack will only just freeze and will soften during the day.
In isolated cases the avalanches are small.

Snowpack

Danger patterns dp.10: springtime scenario

As a consequence of mild temperatures the snowpack consolidated. As a consequence of warming during the day there will be an increase in the danger of moist and wet avalanches.

Danger Level 1 - Low



Tendency: Constant avalanche danger
on Monday 04 05 2026

The snowpack will be generally stable.

The Avalanche Warning Service currently has only a small amount of information, so that the avalanche danger should be investigated especially thoroughly in the relevant locality.

Also high altitudes and the high Alpine regions: As a consequence of highly fluctuating temperatures the snowpack consolidated. Slight increase in danger of moist and wet snow slides as a consequence of warming during the day and solar radiation.
Backcountry tours should be concluded timely.

Snowpack

Danger patterns dp.10: springtime scenario

The snowpack is fairly homogeneous and its surface has a strong melt-freeze crust. In the event of a clear night this applies in particular in the early morning.
The high temperatures as the day progresses will give rise to increasing moistening of the snowpack in particular at intermediate and high altitudes.
On steep sunny slopes below approximately 2500 m only a little snow is lying.

Danger Level 1 - Low



Tendency: Constant avalanche danger
on Monday 04 05 2026 →


Wet snow



The publication of the Friuli Venezia Giulia Avalanche Bulletin ends today and will resume next winter, tentatively in early December. In the coming period, any "Information Notes" will be published to provide updates on snow and weather conditions in our region.

As a consequence of warming during the day and solar radiation the avalanche prone locations will become more prevalent as the day progresses.

The danger of wet avalanches will increase during the day. The avalanche prone locations are to be found in particular at the base of rock walls, and in gullies and bowls. Individual wet and gliding avalanches are possible.

Snowpack

Snow cover is absent or patchy in many areas, up to the highest altitudes on the southern slopes; in general, the snowpack is increasingly thinning. Outgoing longwave radiation during the night will be quite good. The weather conditions as the day progresses will give rise to increasing and thorough wetting of the snowpack. In very isolated cases weak layers exist in the snowpack on shady slopes.

Tendency

The weather will be cloudy.

Danger Level 1 - Low



1

Tendency: Constant avalanche danger
on Monday 04 05 2026

Wet snow

2500m

Slight increase in danger of wet avalanches in the course of the day.

As the day progresses as a consequence of warming during the day and solar radiation there will be only a slight increase in the danger of wet avalanches. Wet avalanches can in isolated cases be released by people, especially on very steep sunny slopes above approximately 2500 m, this also applies on very steep shady slopes below approximately 2500 m in gullies and bowls. In isolated cases avalanches are medium-sized.

Weak layers in the old snowpack can be released in isolated cases and mostly by large additional loads in particular on very steep shady slopes, in particular above approximately 2500 m.

In steep terrain there is a danger of falling on the hard snow surface.

This is the final hazard map for the winter 2025/26. Current information and announcements are posted on our blog. We wish all users of the Euregio Avalanche Report an accident-free summer season.

Snowpack

Danger patterns dp.10: springtime scenario dp.1: deep persistent weak layer

Outgoing longwave radiation during the night will be good over a wide area. The surface of the snowpack will freeze to form a strong crust and will soften during the day.

Shady slopes above approximately 2500 m: Faceted weak layers exist in the bottom section of the old snowpack at elevated altitudes.

Below approximately 2000 m no snow is lying. Between approximately 2000 and 2500 m only a little snow is now lying.

Tendency

The early morning will see favourable conditions generally. Slight increase in danger of wet avalanches as a consequence of warming during the day and solar radiation.

Danger Level 1 - Low



1

Tendency: Constant avalanche danger
on Monday 04 05 2026

Only a little snow is lying.

Hardly any more wet avalanches are possible. Caution is to be exercised on extremely steep shady slopes. Avalanches are only small.

This is the final hazard map for the winter 2025/26. Current information and announcements are posted on our blog. We wish all users of the Euregio Avalanche Report an accident-free summer season.

Snowpack

Danger patterns dp.10: springtime scenario

The surface of the snowpack has frozen to form a strong crust and will soften quickly.
Only a little snow is now lying.

Tendency

Low avalanche danger will prevail.

Danger Level 1 - Low



Tendency: Constant avalanche danger
on Monday 04 05 2026



Wet snow

Wet and gliding snow require caution. This is the final hazard map for the winter 2025/26. The next avalanche bulletin will appear on 1 December, or sooner in the event of an unexpected change in the avalanche situation.

In particular in starting zones where no previous releases have taken place more small and, in isolated cases, medium-sized gliding avalanches and wet snow slides are possible especially at high altitude.

Snowpack

Danger patterns dp.10: springtime scenario

Below approximately 1800 m only a little snow is lying. In gullies and bowls at high altitude there is still a very large amount of snow. The spring-like weather conditions will give rise to increasing moistening of the snowpack.