


## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Saturday 13 12 2025



Persistent  
weak layer



### The avalanche prone locations are rare.

In isolated cases avalanches can be triggered in the weakly bonded old snow. Such avalanche prone locations are to be found in particular on extremely steep shady slopes above approximately 2600 m. Mostly avalanches are small. Apart from the danger of being buried, restraint should be exercised as well in view of the danger of avalanches sweeping people along and giving rise to falls.

### Snowpack

Shady slopes above approximately 2600 m: Faceted weak layers exist in the bottom section of the snowpack.


All aspects below approximately 2600 m: The snowpack is largely stable and its surface has a crust. The snowpack will be subject to considerable local variations. From a snow sport perspective, in most cases insufficient snow is lying.

### Tendency

Low avalanche danger will prevail.



## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Saturday 13 12 2025

### Low avalanche danger will prevail.

Avalanches can in very isolated cases be released, but they will be small in most cases. This applies in particular on very steep shady slopes at elevated altitudes.

Apart from the danger of being buried, restraint should be exercised in particular in view of the danger of avalanches sweeping people along and giving rise to falls.

### Snowpack

The snowpack will be in most cases stable. Outgoing longwave radiation during the night will be quite good. From a snow sport perspective, in most cases insufficient snow is lying.

### Tendency

Low avalanche danger will prevail.

