


Danger Level 3 - Considerable



Treeline

Tendency: Constant avalanche danger
on Monday 21 04 2025



Wet snow



Treeline

Snowpack stability: **poor**Frequency: **some**Avalanche size: **medium**

Wet snow



2700m

Snowpack stability: **poor**Frequency: **some**Avalanche size: **large**

Wind slab



2500m

Snowpack stability: **poor**Frequency: **some**Avalanche size: **large**

Fresh wind slabs require caution. In isolated cases the avalanches can be released in deep layers of the snowpack.

As a consequence of warming and solar radiation, the natural activity of wet avalanches will increase. In the event of prolonged bright spells this applies in particular on extremely steep sunny slopes. As a consequence of a sometimes strong southwesterly wind, wind slabs will form on Easter Sunday above approximately 2700 m. The fresh wind slabs must be evaluated with care and prudence especially on steep shady slopes.


Avalanches can penetrate down to the ground.

Snowpack

The rain gave rise to increasing moistening of the snowpack below approximately 2700 m. As a consequence of a sometimes strong southwesterly wind, further wind slabs will form.



Danger Level 2 - Moderate



Tendency: Constant avalanche danger →
on Monday 21 04 2025



Wet snow



Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**

As a consequence of warming and solar radiation, the natural avalanche activity will increase.

Wet avalanches can as before be released by a single winter sport participant. Avalanches can release the saturated snowpack and reach medium size.

Snowpack

The rain gave rise to moistening of the snowpack.

