Wednesday 26.03.2025

Updated 25 03 2025, 17:29



1	2	3	4	5
low	moderate	considerable	high	very high

Wednesday 26.03.2025

Updated 25 03 2025, 17:29

Danger Level 3 - Considerable



Tendency: Constant avalanche danger
on Thursday 27 03 2025

New snow

Snowpack stability: poor
Frequency: some
Avalanche size: large

Wind slab

Snowpack stability: poor
Frequency: some
Avalanche size: large

Wet snow



Snowpack stability: poor
Frequency: some
Avalanche size: large

Considerable avalanche danger will prevail. In the regions exposed to heavier precipitation the avalanche prone locations are more prevalent.

The avalanche prone locations are to be found in particular at the base of rock walls and behind abrupt changes in the terrain and adjacent to ridgelines and in gullies and bowls. In particular in the regions exposed to heavier precipitation large and, in isolated cases, very large avalanches are possible. The wind slabs must be evaluated with care and prudence. As the day progresses as a consequence of solar radiation there will be a gradual increase in the danger of moist and wet avalanches. Gliding avalanches can also occur.
The avalanches can be released by small loads.

Snowpack

As a consequence of new snow and wind, wind slabs formed. The weather conditions gave rise to thorough wetting of the snowpack in particular at low and intermediate altitudes.

Tendency

The weather will be sunny at times.

Wednesday 26.03.2025

Updated 25 03 2025, 17:29

Danger Level 3 - Considerable



Tendency: Constant avalanche danger
on Thursday 27 03 2025

Wind slab



Snowpack stability: poor
Frequency: some
Avalanche size: large

Wet snow



Snowpack stability: poor
Frequency: some
Avalanche size: large

The prevalence of the avalanche prone locations will increase as the day progresses.

The avalanche prone locations are to be found in particular at the base of rock walls and behind abrupt changes in the terrain and adjacent to ridgelines and in gullies and bowls. The wind slabs must be evaluated with care and prudence. As the day progresses as a consequence of solar radiation there will be a gradual increase in the danger of moist and wet avalanches. Gliding avalanches can also occur.
The avalanches can be released by small loads.

Snowpack

As a consequence of new snow and wind, wind slabs formed. The weather conditions gave rise to thorough wetting of the snowpack in particular at low and intermediate altitudes.

Tendency

The weather will be sunny at times.

Danger Level 2 - Moderate



Treeline

Tendency: Constant avalanche danger
on Thursday 27 03 2025

Wet snow

Treeline

Snowpack stability: fair
Frequency: some
Avalanche size: medium

The prevalence of the avalanche prone locations will increase as the day progresses.

The avalanche prone locations are to be found in particular at the base of rock walls and behind abrupt changes in the terrain and adjacent to ridgelines and in gullies and bowls. As the day progresses as a consequence of solar radiation there will be a gradual increase in the danger of moist and wet avalanches. Gliding avalanches can also occur.
The avalanches can be released by large loads.

Snowpack

On sunny slopes no snow is lying at low and intermediate altitudes. The solar radiation will give rise as the day progresses to increasing and thorough wetting of the snowpack over a wide area.

Tendency

The weather will be sunny at times.