aineva.it

Wednesday 30.04.2025

Updated 30 04 2025, 06:59



1	2	3	4	5
low	moderate	considerable	high	very high

Wednesday 30.04.2025

Updated 30 04 2025, 06:59

Danger Level 2 - Moderate



Tendency: Constant avalanche danger
on Thursday 01 05 2025

Wet snow

Snowpack stability: fair
Frequency: some
Avalanche size: large

Wet snow

Snowpack stability: fair
Frequency: some
Avalanche size: large

Wet snow

Snowpack stability: fair
Frequency: few
Avalanche size: medium

Weakly bonded old snow and wet snow represent the main danger. Medium-sized moist and wet avalanches are possible above approximately 2200 m.

More recent wind slabs can be released in isolated cases, but mostly only by large additional loads, on very steep shady slopes above approximately 3000 m. Especially on very steep west, north and east facing slopes and below approximately 2800 m hardly any more medium-sized and, in isolated cases, large moist and wet avalanches are to be expected as the penetration by moisture increases. Wet avalanches can as before be released by a single winter sport participant.
As the day progresses as a consequence of warming during the day there will be a rapid increase in the danger of wet avalanches. Individual gliding avalanches can also occur, caution is to be exercised in particular on very steep grassy slopes in the regions with a lot of snow.

Snowpack

Danger patterns dp.6: cold, loose snow and wind | dp.10: springtime scenario

A clear night will be followed in the early morning by quite favourable conditions generally, but the danger of wet avalanches will increase later. The sleet gave rise to significant moistening of the snowpack below approximately 2600 m. Relatively hard layers of snow are lying on a moist old snowpack.

Wednesday 30.04.2025

Updated 30 04 2025, 06:59

Danger Level 1 - Low



Tendency: Constant avalanche danger
on Thursday 01 05 2025

Wet snow



Treeline

Snowpack stability: fair
Frequency: few
Avalanche size: small

In the course of the day the natural activity of small moist and wet avalanches will increase.

The weather will be mostly sunny. The surface of the snowpack will freeze to form a strong crust and will already soften in the late morning. As a consequence of warming during the day and the solar radiation, the likelihood of natural wet avalanches being released will increase quickly in particular on steep shady slopes above approximately 2000 m.

Snowpack

Danger patterns dp.10: springtime scenario | dp.2: gliding snow

The snowpack is wet.